

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LOW-SUBSTIT Assay	USP35–NF30	1822	31-Jan-2013	1-Feb-2013	USP37–NF32	Second	Line 2: Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
UTED HYDROXYPROPYL CELLULOSE						<i>Supplement to USP36–NF31</i>	<i>Hypromellose 2906, except to substitute Low-Substituted Hydroxypropyl Cellulose for Hypromellose 2906 throughout. to: Hypromellose, except to substitute Low-Substituted Hydroxypropyl Cellulose for Hypromellose throughout.</i>
MYRISTYL ALCOHOL	SPECIFIC TESTS/ <i>Fats and Fixed Oils, Hydroxyl Value <401></i>	<i>USP35–NF30</i> 1873	31-Jan-2013	1-Feb-2013	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	Line 7 of <i>Analysis:</i> Change Result = $[(V_U ? V_B) \times F]/W$ V_U = volume of 1 N sodium hydroxide consumed by the <i>Sample</i> (mL) V_B = volume of 1 N sodium

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									hydroxide consumed by the <i>Blank</i> (mL) to: $\text{Result} = [(V_B - V_U) \times F]/W$ $V_B = \text{volume of 1 N sodium hydroxide consumed by the } Blank \text{ (mL)}$ $V_U = \text{volume of 1 N sodium hydroxide consumed by the } Sample \text{ (mL)}$
AMANTADINE HYDROCHLORIDE CAPSULES	PERFORMANCE TESTS/ <i>Dissolution <711>/Test 2</i>	USP35–NF30	2153	31-Jan-2013		1-Feb-2013	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	Line 5 of <i>Chromatographic system</i> : Change Column: 0.32-mm × 30-cm, 0.25-μm film, phase G1 to: Column: 0.32-mm × 30-m, 0.25-μm film, phase G1
CAPTOPRIL	Assay	USP35–NF30	2477	31-Jan-2013		1-Feb-2013	USP37–NF32	<i>Second</i>	Line 1 of <i>Mobile</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ORAL SOLUTION								<i>Supplement to USP36–NF31</i>	phase: Change Prepare a filtered and degassed mixture of methanol and water (11:9) containing 0.5 mL of phosphoric acid. to: Methanol and water (55:45) containing 0.5 mL/L of phosphoric acid. Filter, and degas.
LORATADINE ORALLY-DISINTEGRATING TABLETS	ADDITIONAL REQUIREMENT S/USP Reference Standards	USP35–NF30	3714	31-Jan-2013		1-Feb-2013	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	Line 4 of USP Reference Standards: Change 8-Chloro-6,11-dihydro-11-(4-piperidylidene)-5H-benzo[5,6]cyclohepta[1,2-b

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							]pyridine. to: 8-Chloro-5,6-dihydro-11-(piperid i
							<i>H</i> -benzo[5,6]cycl ohe pta[1,2- <i>b</i>]pyridine. AND Line 6: Change 310.83 to: 310.82 AND Line 8: Change 8-Chloro-6,11-di hydro -11-(<i>N</i> -methyl-4-piperi dylid ene)-5 <i>H</i> -benzo[5,6]cycl ohe pta[1,2- <i>b</i>]pyridine. to:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									8-Chloro-5,6-dihydro-1-(N-methylpiperidin-4-ylidene)-11H-benzo[5,6]cyclohepta[1,2-b]pyridine. AND Line 10: Change 324.88 to: 324.85
NORGESTIMATE	Limit of residual solvents	USP35–NF30	4083	31-Jan-2013	1-Feb-2013	USP37–NF32	Second Supplement to USP36–NF31		Line 1 of <i>Limit of residual solvents</i> : Change to: <i>Limit of residual solvents</i> <467>
ONDANSETRON INJECTION	USP Reference Standards	USP35–NF30	4120	31-Jan-2013	1-Feb-2013	USP37–NF32	Second Supplement to USP36–NF31		Line 7: Delete USP Ondansetron Related Compound B RS 6,6'-Methylene

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OXYBUTYNIN CHLORIDE EXTENDED-RELEASE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> <711>/Test 2	USP35–NF30	4167	31-Jan-2013		1-Feb-2013	USP37–NF32	Second Supplement to USP36–NF31	bis-[(1,2,3,9-tetrahydro-9-methyl-3-[(2-methyl-1<i>H</i>-imidazol-1-yl)-methyl]-4<i>H</i>-carbazol-4-one . Line 3 of Working standard solution: Change or transfer 10 mL for Tablets labeled to contain 10 mg, to a 100-mL volumetric flask. to: transfer 10 mL for Tablets labeled to contain 10 mg, or transfer 15 mL for Tablets labeled to

Monograph Title	Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PHENYLALANINE IMPURITIES		USP35–NF30	4296	31-Jan-2013	1-Feb-2013	USP37–NF32	Second Supplement to USP36–NF31	contain 15 mg to a 100-mL volumetric flask. Line 1 of <i>Heavy Metals, Method I</i> <231>: Change <i>Method I</i> to: <i>Method II</i>
TRIAZOLAM TABLETS	Assay	USP35–NF30	4936	31-Jan-2013	1-Feb-2013	USP37–NF32	Second Supplement to USP36–NF31	Line 2: Change <i>Mobile phase</i> and <i>Chromatographic system</i> —Proceed as directed in the Assay under <i>Triazolam</i> . to: <i>Mobile phase</i> —Prepare a filtered and degassed mixture of acetonitrile, chloroform, butyl alcohol, water, and glacial acetic

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							acid (850:80:50:20:0.5). Make adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> <621>). AND After the Assay <i>preparation</i> subsection: Add a new subsection <i>Chromatographic system</i> (see <i>Chromatography</i> <621>)—The liquid chromatograph is equipped with a 254-nm detector and a 4.6-mm × 30-cm column that contains packing L3. The flow rate is about 2.0 mL per minute. Chromatograph

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							the <i>Standard preparation</i>, and record the peak responses as directed under <i>Procedure</i>: the relative retention times are 1 for triazolam and about 1.4 for the internal standard, the resolution, <i>R</i>, between the internal standard and triazolam is not less than 2.0, and the relative standard deviation for replicate injections is not more than 2.0%. AND Line 4 of <i>Procedure</i>: Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Calculate the quantity, in mg, of $C_{17}H_{12}Cl_2N_4$ in the portion of Triazolam taken by the formula: to: Calculate the quantity, in mg, of $C_{17}H_{12}Cl_2N_4$ in the portion of Tablets taken by the formula: AND Line 9 of <i>Procedure</i>: Change R_U and R_S are the ratios of the internal standard peak area to the triazolam peak area obtained from the <i>Assay preparation</i> and the <i>Standard preparation</i>, respectively. to: R

Monograph Title Section		Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
VINCRI	IM	USP35–NF30	5022	31-Jan-2013	1-Feb-2013	USP37–NF32	Second Supplement to USP36–NF31	U and R_S are the ratios of the triazolam peak area to the internal standard peak area obtained from the Assay preparation and the Standard preparation, respectively. Line 5 of Analysis: Change Result = $[r_{UA}/(?r_{UA} + 25r_{UB})] \times 100$ to: Result = $[r_{UA}/(?r_{UA} + 30r_{UB})] \times 100$ AND Change line 12 of Analysis: Result = $[?r_{UA}/(?r_{UA} + 25r_{UB})] \times 100$ to: Result = $[?r$

Monograph Title	Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ZINC GLUCONATE	IM PURITIES/ <i>Limit of Cadmium</i>	USP35–NF30	5070	31-Jan-2013	1-Feb-2013	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	$\frac{W}{30r_{UB}} \left(\frac{r_{UA}}{r_{UB}} + 1 \right) \times 100$ Line 22 of <i>Analysis:</i> Change W = weight of Calcium Gluconate taken to prepare <i>Sample solution A</i> (g) to: W = weight of Zinc Gluconate taken to prepare <i>Sample solution A</i> (g)
ALLANTOIN	IDENTIFICATION	<i>First Supplement to USP35–NF30</i>	5429	31-Jan-2013	1-Feb-2013	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	Line 1 of <i>B. Thin-Layer Chromatographic Identification Test <201>:</i> Change The R_F value of the principal spot from <i>Sample solution A</i> corresponds to that from <i>Standard</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ELEMENTAL I <i>Drug</i> MPURITIES--LI <i>Products/Large</i> MITS <i>Volume</i> <i>Parenterals</i>	<i>Second Supplement to</i> <i>USP35–NF30</i>	5633	31-Jan-2013	1-Feb-2013	<i>USP37–NF32</i>	<i>Second Supplement to</i> <i>USP36–NF31</i>	<i>solution A</i>, as described in the test for <i>Organic Impurities</i>. to: The R_F value of the principal spot from <i>Sample solution B</i> corresponds to that from <i>Standard solution A</i>, as described in the test for <i>Organic Impurities</i>. Row 16 of Column 4 of <i>Table 1</i>: Change 70 to: 100 AND Row 16 of Column 5 of <i>Table 1</i>: Change 25 to: 10

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZITHROMYCI N FOR INJECTION	IM PURITIES/ Limit of Aminoazithro mycin, Formamido Analog, Methylf ormamido Analog, and 3'- De(dimethylami no)-3'-oxoazithr omycin (if present)	<i>Second Supplement to USP35–NF30</i>	5910	31-Jan-2013		1-Feb-2013	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	Line 1 of <i>Buffer</i> : Change 3.5 g/mL to: 3.5 g/L
ADAPALENE	IM PUR ITIES/ Residual Solvent: Limit of Triethylamine	<i>Revision Bulletin (Official December 01, 2012)</i>	Online	31-Jan-2013		1-Feb-2013	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	Line 1 of <i>Diluent</i> : Change Dimethyl sulfoxide and 1 N sodium hydroxide solution (4:1) to: Dimethyl sulfoxide AND Line 1 of <i>Standard solution</i> : Change 3.2 ?g/mL of USP Triethylamine RS in <i>Diluent</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							to: 4.0 ?g/mL of USP Triethylamine RS in <i>Diluent</i>. Transfer 4.0 mL of this solution to a 20-mL headspace vial, and add 1.0 mL of 1 N NaOH solution. AND Line 1 of <i>Sample solution</i>: Change 40 mg/mL of Adapalene in <i>Diluent</i> to: 50 mg/mL of Adapalene in <i>Diluent</i>. Transfer 4.0 mL of this solution to a 20-mL headspace vial, and add 1.0 mL of 1 N NaOH solution.

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TACROLIMUS ORAL SUSPENSION	ASSAY/ <i>Chromatographic system</i>	USP36–NF31	5261	31-Jan-2013		1-Feb-2013	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	After line 1 of <i>Column</i> : Add a new section <i>Column temperature</i> : 70°
CAPTOPRIL ORAL SUSPENSION	Assay	USP35–NF30	2477	31-Jan-2013		1-Feb-2013	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	Line 1 of <i>Mobile phase</i> : Change Prepare a filtered and degassed mixture of methanol and water (11:9) containing 0.5 mL of phosphoric acid. to: Methanol and water (55:45) containing 0.5 mL/L of phosphoric acid. Filter, and degas.
ELEMENTAL IMPURITIES--LIMITS	<i>Drug Substance and Excipients</i>	<i>Second Supplement to USP35–NF30</i>	5633	31-Jan-2013		1-Feb-2013	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	Row 16 of Column 4 of <i>Table 2</i> : Change 7

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Olanzapine Tablets	ASSAY/ Procedure	<i>Revision Bulletin (Official July 01, 2012)</i>	Online	30-Nov-2012		1-Dec-2012	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	to: 10 Line 10 of <i>Analysis:</i> Change C_U = concentration of olanzapine in the <i>Sample solution</i> (mg/mL) to: C_U = nominal concentration of olanzapine in the <i>Sample solution</i> (mg/mL)
Olanzapine Tablets	IM PUR ITIES/ <i>Organic Impurities</i>	<i>Revision Bulletin (Official July 01, 2012)</i>	Online	30-Nov-2012		1-Dec-2012	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	Line 11 of <i>Analysis:</i> Change C_U = concentration of olanzapine in the <i>Sample solution</i> (mg/mL) to: C_U = nominal concentration of olanzapine in

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Olanzapine Tablets	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	Revision Bulletin (Official July 01, 2012)	Online	30-Nov-2012		1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	the Sample solution (mg/mL) Lines 3 and 6: Change USP Olanzapine Related Compound A RS 5-Methyl-2-((2-nitrophenyl)amino)-3-thiophenecarbonitrile. USP Olanzapine Related Compound B RS 2-Methyl-10H-thieno[2,3-b][1,5]benzodiazepine-4[5H]-one. to: USP Olanzapine Related Compound A

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							RS 5-Methyl-2-((2-nitrophenyl)amino)-3-thiophenecarbonitrile. $C_{12}H_9N_3O_2S$ 259.28 USP Olanzapine Related Compound B RS 2-Methyl-10H-5-thio-2,3-benzodiazepin-4[5H]-one. $C_{12}H_{10}N_2OS$ 230.29
Antibiotics—Microbial Assays	Turbidimetric Method	USP35–NF30 74	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Line 8 of Analysis: Change Include in each rack 1–2 control tubes containing 1 mL of the inoculum medium (see Table 8) but no

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									antibiotic. to: Include in each rack 1–2 control tubes containing 1 mL of the test diluent (see <i>Table 7</i>) but no antibiotic.
Polysorbate 80	SPECIFIC TESTS/ <i>Fats and Fixed Oils, Hydroxyl Value</i> <401>	USP35–NF30	1920	30-Nov-2012		1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Line 13 of <i>Analysis</i> : Change 0.5 N alcoholic potassium hydroxide to: 0.5 N alcoholic potassium hydroxide VS
Polysorbate 80	SPECIFIC TESTS/ <i>Fats and Fixed Oils, Peroxide Value</i> <401>	USP35–NF30	1920	30-Nov-2012		1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Line 5 of <i>Analysis</i> : Change 0.01 M sodium thiosulfate to: 0.01 M sodium thiosulfate VS
Polysorbate 80	SPECIFIC TESTS/ <i>Fats and Fixed Oils,</i>	USP35–NF30	1920	30-Nov-2012		1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Line 3 of <i>Analysis</i> : Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	<i>Saponification Value <401></i>								0.5 N alcoholic potassium hydroxide to: 0.5 N alcoholic potassium hydroxide VS Line 6 of <i>Analysis</i> : Change 0.5 N hydrochloric acid to: 0.5 N hydrochloric acid VS
Aminosalicylate Sodium	<i>Limit of m-aminophenol</i>	USP35–NF30	2177	30-Nov-2012		1-Dec-2012	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	Line 1 of <i>Test preparation</i> : Change Use the Assay <i>preparation</i> , prepared as directed in the Assay. to: Transfer about 69 mg of Aminosalicylate Sodium,

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Aminosalicylate Limit of m-Sodium Tablets <i>aminophenol</i>	USP35–NF30	2178	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	accurately weighed, to a 100-mL low-actinic volumetric flask, add 50 mL of <i>Mobile phase</i>, and swirl to dissolve. Add 10.0 mL of <i>Internal standard solution</i>, dilute with <i>Mobile phase</i> to volume, and mix. Line 1 of <i>Test solution</i>: Change Use the Assay <i>preparation</i>, prepared as directed in the Assay. to: Weigh and finely powder not fewer than 20 Tablets. Transfer an

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							accurately weighed portion of the powder, equivalent to about 690 mg of aminosalicylate sodium, to a 100-mL low-actinic volumetric flask. Add 50 mL of <i>Mobile phase</i>, and shake for about 5 minutes. Dilute with <i>Mobile phase</i> to volume, and mix. Filter, and transfer 10.0 mL of the clear filtrate to a low-actinic, 100-mL volumetric flask containing 10.0 mL of <i>Internal standard solution</i>, dilute with <i>Mobile phase</i> to volume, and

Monograph Title	Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Aminosalicylic Acid Tablets	<i>Limit of m-aminophenol</i>	USP35–NF30	2179	30-Nov-2012	1-Dec-2012	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	mix. Change the subsection: <i>Mobile phase and Internal standard solution</i>—Prepare as directed in the Assay under <i>Aminosalicylic Acid</i>. to: <i>Mobile phase</i>—Prepare as directed in the Assay under <i>Aminosalicylic Acid</i>. <i>Internal standard solution</i>—Prepare a solution of sulfanilamide in <i>Mobile phase</i> having a concentration of about 5 µg per mL.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Line 1 of <i>Test solution</i>: Change Use the Assay <i>preparation</i>, prepared as directed in the Assay. to: Weigh and finely powder not fewer than 20 Tablets. Transfer an accurately weighed portion of the powder, equivalent to about 500 mg of aminosalicylic acid, to a 100-mL low-actinic volumetric flask. Add 50 mL of <i>Mobile phase</i>, and shake for about 5 minutes. Dilute with <i>Mobile phase</i> to

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									volume, and mix. Filter, and transfer 10.0 mL of the clear filtrate to a 100-mL low-actinic volumetric flask containing 10.0 mL of <i>Internal standard solution</i> , dilute with <i>Mobile phase</i> to volume, and mix.
Ampicillin Sodium	SPECIFIC TESTS/ <i>pH</i> <791>	USP35–NF30	2213	30-Nov-2012		1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Line 2: Change text of <i>Sample solution</i> from 10.0 mg/mL to: 10.0 mg/mL of ampicillin
Budesonide	ASSAY/ <i>Procedure</i>	USP35–NF30	2394	30-Nov-2012		1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Line 2 of <i>Acceptance criteria</i> : Change <i>Epimer A</i> : 40.0%–51.0% on the dried basis to:

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Dibasic Calcium ASSAY Phosphate Dihydrate	USP35–NF30	2463	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Epimer A: 40.0%–51.0% Line 14 of Analysis: Change <i>W</i> = Sample weight (mg) to: <i>W</i> = Sample weight (mg) in 20.0 mL of the Sample solution
Dibasic Calcium IM Phosphate PUR Dihydrate ITIES/Heavy Metals, Method I <231>	USP35–NF30	2463	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Line 1 of Test preparation: Change Warm 1.3 g with 3 mL of 3 N hydrochloric acid to completely dissolve. to: Warm 1.3 g with 3 mL of 3 N hydrochloric acid until no more dissolves.
Anhydrous ASSAY Dibasic Calcium Phosphate	USP35–NF30	2464	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	In line 14 of Analysis: Change <i>W</i> = Sample

Monograph Title Section		Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Anhydrous Dibasic Calcium Phosphate	IM	USP35–NF30	2464	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	weight (mg) to: <i>W</i> = Sample weight (mg) in 20.0 mL of the Sample solution
	PUR ITIES/Heavy Metals, Method I <231>							Line 1 of Test preparation: Change Warm 1.3 g with 3 mL of 3 N hydrochloric acid to completely dissolve. to: Warm 1.3 g with 3 mL of 3 N hydrochloric acid until no more dissolves.
Cod Liver Oil	ASSAY/Vitamin D	USP35–NF30	2756	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Line 1 of Aqueous potassium hydroxide solution: Change Dissolve 800 mg of potassium hydroxide in

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Glimepiride Tablets	PERFORMANCE TESTS/ <i>Dissolution/Test 1</i>	USP35–NF30 3335	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	1000 mL of freshly boiled water, mix, and cool. to: Dissolve 800 g of potassium hydroxide in 1000 mL of freshly boiled water, mix, and cool. Line 3 of <i>Analysis</i> : Change Result = $(r_U/r_S) \times (C_S/L) \times V \times 100$ to: Result = $(r_U/r_S) \times (C_S/L) \times V \times D \times 100$ AND after Line 8 of <i>Analysis</i> : Add <i>D</i> = dilution factor of the <i>Sample solution</i>
Moxifloxacin Ophthalmic Solution	<i>Related compounds/Test 1</i>	USP35–NF30 3960	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Line 4 of <i>Chromatographic system</i> :

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Metronidazole	ASSAY	USP36–NF31	4352	30-Nov-2012		1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Delete The flow rate is about 0.5 mL per minute. Line 8 of <i>Chromatographic system</i> : Add new subsection after <i>Injection volume</i> : <i>Run time</i> : Twice the retention time of metronidazole
Tramadol Hydrochloride Tablets	IMPURITIES/Organic Impurities/Procedure	USP35–NF30	4905	30-Nov-2012		1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Line 5 of <i>Analysis</i> : Change Result = $(r_U/r_S) \times (C_S/C_U) \times (1/F) \times 0.1$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times (1/F) \times 100$
Triclosan	Related compounds	USP35–NF30	4939	30-Nov-2012		1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Line 1 of <i>Procedure</i> : Change Inject a volume (about 0.5 µL) to: Inject a volume

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Compound Undecylenic Acid Ointment	Assay for zinc undecylenate	USP35–NF30	4978	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31		(about 2.0 µL) Line 17 of Procedure: Change A_U , A_H , and A_L to: A_U , A_{S1} , and A_{S2}
Containers—Glass	SPECIFIC TESTS/ Hydrolytic Resi stance/Method	First Supplement to USP35–NF30	5150	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31		In the Note in line 11 of Titration: Change Rinse the grains by swirling with three 15-mL portions of Purified Water, and add the washings to the main solution. to: Rinse the grains by swirling with three 15-mL portions of Carbon Dioxide-Free Water, and add the washings to the main solution.
Esomeprazole Magnesium Del	ASSAY/ Procedure	First Supplement to	5473	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to		Line 1 of Standard

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ayed-Release Capsules		USP35–NF30						USP36–NF31	<i>solution:</i> Change Transfer 10 mg of USP Omeprazole RS to a 250-mL volumetric flask, and dissolve in about 10 mL of methanol. <i>to:</i> Transfer 10 mg of USP Omeprazole RS to a 250-mL volumetric flask, and dissolve in about 10 mL of alcohol.
Esomeprazole Magnesium Delayed-Release Capsules	PERFORMANCE TESTS/ Dissolution <711>	<i>First Supplement to USP35–NF30</i>	5473	30-Nov-2012		1-Dec-2012	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	Change <i>Buffer, Diluent, Mobile phase, System suitability, and Chromatographic system:</i> Proceed as directed in the Assay. <i>to:</i> <i>Buffer, Mobile</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Esterified Estrogens Tablets	ASSAY/ Procedure	<i>First Supplement to USP35–NF30</i>	5485	30-Nov-2012		1-Dec-2012	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	<i>phase, System suitability, and Chromatographic system:</i> Proceed as directed in the Assay. Line 3 of Analysis: Change Separately calculate the percentage of the labeled amount of sodium estrone sulfate and sodium equilin sulfate in the portion of Conjugated Estrogens taken: to: Separately calculate the percentage of the labeled amount of sodium estrone sulfate and

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Itraconazole	IM PUR ITIES/Organic Impurities	<i>First Supplement to USP35–NF30</i>	5508	30-Nov-2012		1-Dec-2012	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	sodium equilin sulfate in the portion of Tablets taken: Line 1 of <i>Standard solution</i> : Change 1.0 µg/mL of USP Itraconazole RS in <i>Diluent</i> to: 10.0 µg/mL of USP Itraconazole RS in <i>Diluent</i>
Omega-3-Acid Ethyl Esters Capsules	SPECIFIC TESTS/ <i>Microbial Enumeration <61></i>	<i>First Supplement to USP35–NF30</i>	5524	30-Nov-2012		1-Dec-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Line 2: Change 10 ³ to: 10 ³ cfu/g AND Line 3: Change 10 ² to: 10 ² cfu/g
Carisoprodol Tablets	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	<i>Second Supplement to USP35–NF30</i>	5921	30-Nov-2012		1-Dec-2012	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	Line 5: At end of <i>USP Reference Standards</i> , add USP

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Cefepime Hydrochloride	IM PUR ITIES/Organic Impurities/Procedure 1: Limit of N-Methylpyrrolidine	Second Supplement to USP35–NF30	5923	30-Nov-2012		1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	Meprobamate RS Line 5 of Chromatographic system: Change Column: 4.0-mm x 25-cm; 5-µm packing L## ¹ to: Column: 4.0-mm x 25-cm; 5-µm packing L76 AND Delete corresponding footnote: "Available as Metrosep C4-250."

Pagination

- [First page](#) « [First](#)
- [Previous page](#) < [Previous](#)
- ...
- [Page 32](#)
- [Page 33](#)
- [Page 34](#)

-
- [Page 35](#)
 - [Page 36](#)
 - [Page 37](#)
 - [Page 38](#)
 - [Page 39](#)
 - [Page 40](#)
 - [Next page Next ›](#)
 - [Last page Last »](#)