

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
POLYSORBAT SPECIFIC	USP35–NF30	1920	28-Sep-2012	1-Oct-2012	USP37–NF32	First	Line 1 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
E 60	TESTS/ <i>Acid Value</i>							<i>Supplement to USP36–NF31</i>	<i>Sample: Change 10.0 to: 10.0 g</i>
SODIUM HYDROXIDE	ASSAY/ <i>Procedure</i>	<i>USP35–NF30</i>	1955	28-Sep-2012		1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	<i>Line 10 of Analysis: Change Result = $\{[(V_{S1} ? V_B) \times N \times F_1]/W\} \times 100$ to: Result = $\{[(V_{S2} ? V_B) \times N \times F_1]/W\} \times 100$ AND Line 11 of Analysis: Change V_{S1} to: V_{S2}</i>
TREHALOSE	ADDITIONAL REQUIREMENTS/ <i>USP Reference Standards <11></i>	<i>USP35–NF30</i>	2007	28-Sep-2012		1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	<i>Line 2: Delete USP Glycerin RS</i>
ZEIN	IDENTIFICATION/ <i>SDS-Polyacrylamide Gel</i>	<i>USP35–NF30</i>	2019	28-Sep-2012		1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	<i>Lines 1 and 2 of the Acceptance criteria: Change Zein has two</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
<i>Electrophoresis</i>									major bands: the ? band is at 21–25 kDa, and the ? band is at 17–18 kDa. to: Zein has two major bands for ?-zein at 19–26 kDa.
ACETAZOLAMI DE FOR INJECTION	ASSAY	USP35–NF30	2063	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 19: Change 25C(A_U/A_S) to: 250C(A_U/A_S)
ADENOSINE	IDENTIFICATIO N/ <i>Infrared Absorption</i> <197M>	USP35–NF30	2079	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 1: Delete NMT 0.1%
ALPRAZOLAM ORALLY-DISIN TEGRATING TABLETS	IM PUR ITIES/ <i>Procedure</i>	USP35–NF30	2106	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Change the subsection <i>Buffer</i> and <i>Diluent</i> : Prepare as directed in the Assay. to: <i>Diluent</i> : Prepare as directed in the Assay. <i>Buffer</i> : 6.8 g/L

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN TABLETS	PERFORMANCE TESTS	USP35–NF30	2202	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	of monobasic potassium phosphate in water. Adjust with phosphoric acid to a pH of 3.0. Line 4 of Analysis: Change Result = $(r_U/r_S) \times (C_S/L) \times (D/V) \times P \times F \times 100$ to: Result = $(r_U/r_S) \times (C_S/L) \times V \times D \times P \times F \times 100$ AND Transpose lines 12 and 13 of the variable definition list to match the order in the equation
CHLOROPHYLLIN COPPER COMPLEX SODIUM	SPECIFIC TESTS/Loss on Drying <231>	USP35–NF30	2628	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 1: Change 150° to: 105°
FLUTICASONE PROPIONATE	IMPURITIES/Organic	USP35–NF30	3261	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 1 of the Sample solution:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	<i>Impurities</i>								Change 2.0 mg/mL to: 0.2 mg/mL
GANCICLOVIR ASSAY ORAL SUSPENSION		USP35–NF30	3319	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 1 of Internal standard solution: Change 4 mg per mL to: 0.2 mg/mL
INDINAVIR SULFATE	OTHER COMPONENTS/Procedure 2: Content of Alcohol	USP35–NF30	3489	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 6 of Chromatographic system in the subsection Column: Change G14 to: G16
METFORMIN HYDROCHLORIDE TABLETS	Dissolution <711>/Test 3	USP35–NF30	3830	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Lines 6 and 7 of Procedure: Change $r_U \times C_S \times 900 \times 100/r_S \times D \times LC$ to: $r_U \times C_S \times 1000 \times 100/r_S \times D \times LC$ AND

Monograph Title	Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METRONIDAZ OLE	<i>Related compounds</i>	USP35–NF30	3905	28-Sep-2012	1-Oct-2012	USP37–NF32	<i>First Supplement to USP36–NF31</i>	Line 11 of <i>Procedure</i>: Change 900 is the volume to: 1000 is the volume Line 19 of <i>Procedure</i>: Change r_i is the peak response for any unspecified degradation product peak in the <i>Test solution</i> to: r_i is the peak response for any single unspecified impurity in the <i>Test solution</i>
NAFTIFINE HY DROCHLORIDE GEL	<i>Content of alcohol</i>	USP35–NF30	3983	28-Sep-2012	1-Oct-2012	USP37–NF32	<i>First Supplement to USP36–NF31</i>	Line 4 of <i>Procedure</i>: Change Calculate the quantity, in mg, of C

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
POLYVINYL ALCOHOL	Identification test C	USP35–NF30	4351	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	$^2\text{H}_5\text{OH}$ in the portion of Gel taken by the formula: to: Calculate the percentage of $\text{C}_2\text{H}_5\text{OH}$ in the portion of Gel taken by the formula: Line 5: Change Add 10 mL of alcohol to the remaining 5 mL of the polyvinyl alcohol solution, and mix to: Add 10 mL of alcohol to the remaining 2 mL of the polyvinyl alcohol solution, and mix.
POVIDONE	IM PURITIES/Limit of Aldehydes	USP35–NF30	4379	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 15 of Analysis: Change Result = $10 \times (\text{C}/\text{W}) \times \{[(A_{U2} ? A_{U1}) \times (A_{B2} ? A$

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							$\frac{B_1}{B_1} \left/ \left[\frac{A_{S2}}{A_{S1}} \right] \right. \left. \frac{A_{B2}}{A_{B1}} \right\}$ to: $\text{Result} = 100 \times \left(\frac{C_S}{C_U} \right) \times \left\{ \left[\frac{A_{U2}}{A_{U1}} \right] \frac{A_{B2}}{A_{B1}} \right\} \left/ \left[\frac{A_{S2}}{A_{S1}} \right] \right. \left. \frac{A_{B2}}{A_{B1}} \right\}$ AND Line 17 of <i>Analysis</i>: Change $C =$ concentration of acetaldehyde in the <i>Standard solution</i> (mg/mL) $W =$ weight of Povidone taken (g) to: $C_S =$ concentration of acetaldehyde in the <i>Standard solution</i> (mg/mL) $C_U =$ concentration of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
POVIDONE	IMPURITIES/ <i>Vinylpyrrolidone</i>	USP35–NF30	4379	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	<i>Sample solution</i> (mg/mL) Line 2 of the Note in <i>Column, Analytical in Chromatographic system</i>: Change 4.0- × 30-mm or a 4.6- × 30-mm guard column to: 4.0-mm × 30-mm or a 4.6-mm × 30-mm guard column
PRILOCAINE AND EPINEPHRINE INJECTION	Assay for <i>epinephrine</i>	USP35–NF30	4411	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 7 of <i>Procedure</i>: Change 183.21/333.30 to: 183.20/333.29 AND Line 8 of <i>Procedure</i>: Change 183.21 and 333.30 to: 183.20 and

Monograph Title	Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RIBAVIRIN TABLETS	ASSAY/ <i>Procedure</i>	USP35–NF30	4544	28-Sep-2012	1-Oct-2012	USP37–NF32	<i>First Supplement to USP36–NF31</i>	333.29 Line 5 of System suitability in subsection <i>Tailing factor</i> : Change NLT 2.0 to: NMT 2.0
TYROSINE	IM PURITIES/ <i>Heavy Metals <231></i>	USP35–NF30	4976	28-Sep-2012	1-Oct-2012	USP37–NF32	<i>First Supplement to USP36–NF31</i>	Line 1: Change <i>Method I</i> to: <i>Method II</i>
VINORELBINE TARTRATE	ASSAY/ <i>Procedure</i>	USP35–NF30	5027	28-Sep-2012	1-Oct-2012	USP37–NF32	<i>First Supplement to USP36–NF31</i>	Line 1 of <i>Relative standard deviation</i> in System suitability: Change NLT 2.0% to: NMT 2.0%
ZINC CARBONATE	IM PURITIES/ <i>Iron <241></i>	USP35–NF30	5068	28-Sep-2012	1-Oct-2012	USP37–NF32	<i>First Supplement to USP36–NF31</i>	Line 1 of <i>Sample solution</i> : Change <i>Sample solution</i> : Dissolve 1.0 g

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									in 20 mL of water and 3 mL of hydrochloric acid. to: <i>Test preparation:</i> Dissolve 0.5 g in 20 mL of water and 3 mL of hydrochloric acid.
DELIVERABLE VOLUME	ACCEPTANCE CRITERIA/For Multiple-Unit Containers	<i>First Supplement to USP35–NF30</i>	5154	28-Sep-2012		1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	<i>Figure 1</i> , right branch, left box: Change Volume of 1 more containers is less than 95% LV to: Volume of 1 or more containers is less than 95% LV
DIVALPROEX SODIUM EXTENDED-RELEASE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> <711>/Test 3	<i>First Supplement to USP35–NF30</i>	5460	28-Sep-2012		1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Line 2 of <i>Analysis:</i> Change <i>Samples: Acid stage standard solution, Buffer stage standard</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ESOMEPRAZO PERFORMANC LE E MAGNESIUM D TESTS/ ELAYED- RELEASE CAPSULES	<i>First Supplement to USP35–NF30 Dissolution <711></i>	5473	28-Sep-2012	1-Oct-2012	USP37–NF32	<i>First Supplement to USP36–NF31</i>	<i>solution, Acid stage sample solutions, and Buffer stage sample solutions to:</i> <i>Samples: Acid stage standard solution, Buffer stage standard solution, and Sample solutions</i> Line 4 of Medium: Change and adjust with 2 N hydrochloric acid or 2 N sodium, if necessary, to a pH to: and adjust with 2 N hydrochloric acid or 2 N sodium hydroxide, if necessary, to a pH

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ESOMEPRAZO IM LE PUR MAGNESIUM DITIES/ <i>Organic</i> ELAYED- <i>Impurities</i> RELEASE CAPSULES	<i>First Supplement to USP35–NF30</i>	5473	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Line 1 of <i>Sample solution:</i> Change Transfer a portion of the powdered pellets, from the Capsule content, equivalent to 80–90 mg of esomeprazole, to a 200-mL volumetric flask, add 20 mL of methanol, and shake for 30 s. to: Transfer a portion of the powdered pellets (about 80–90 mg), from the Capsule content, to a 200-mL volumetric flask, add 20 mL of methanol, and

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OMEGA-3-ACID ETHYL ESTERS CAPSULES	SPECIFIC TESTS/ <i>Microbial Enumeration Tests <61> and Tests for Specified Microorganisms <62></i>	<i>First Supplement to USP35–NF30</i>	5524	28-Sep-2012		1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	shake for 30 s. Line 2: Change 10 ³ to: 10 ³ cfu/mL AND Line 3: Change 10 ² to: 10 ² cfu/mL AND Line 6: Change <i>Salmonella</i> in 10 g. to: <i>Salmonella</i> species in 10 g. Footnote h of Table 3: Change (3S,4R,5S,8S,9E,12S,14S,15R,16S,18R,19R,26aS)-5,6,8,11,12,13,14,15,16,17,18,19,24,25,26,26a-hexadecahydro-5,19-dihydroxy-3- <i>{(E)}</i> -2-[(1R,3R,4
TACROLIMUS	IMPURITIES/ <i>Procedure 2</i>	<i>First Supplement to USP35–NF30</i>	5538	28-Sep-2012		1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>R</i>)-4-hydroxy-3-methoxycyclohexyl]-1-methylvinyl}-14,16-dimethoxy-4,10,12,18-tetramethyl-15,19-epoxy-8-propyl-3<i>H</i> -pyridod[2,1-<i>c</i>][1,4]oxaazacyclotricosine-1,7,20,21(4<i>H</i>,23<i>H</i>)-tetrone. to: (3<i>S</i>,4<i>R</i>,5<i>S</i>,8<i>R</i>,9<i>E</i>,12<i>S</i>,14<i>S</i>,15<i>R</i>,16<i>S</i>,18<i>R</i>,19<i>R</i>,26<i>aS</i>)-5,6,8,11,12,13,14,15,16,17,18,19,24,25,26,26<i>a</i>-hexadecahydro-5,19-dihydroxy-3-[(<i>E</i>)-2-[(1<i>R</i>,3<i>R</i>,4<i>R</i>)-4-hydroxy-3-methoxycyclohexyl]-1-methylvinyl

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TACROLIMUS CAPSULES	IMPURITIES/ Procedure 2	First Supplement to USP35–NF30	5541	28-Sep-2012	1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31		}-14,16-dimethoxy-4,10,12,18-tetramethyl-15,19-epoxy-8-propyl-3H-pyrido[2,1-c][1,4]oxaazacyclotricosine-1,7,20,21(4H,23H)-tetrone. Footnote j of Table 5: Change (3S,4R,5S,8S,9E,12S,14S,15R,16S,18R,19R,26aS)-5,6,8,11,12,13,14,15,16,17,18,19,24,25,26,26a-hexadecahydro-5,19-dihydroxy-3-[(E)-2-[(1R,3R,4R)-4-hydroxy-3-methoxycyclohexyl]-1-methylvinyl]-14,16-dimethoxy-4,10,12,18-te

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							tramethyl-15,19 -epoxy-8-propyl -3 <i>H</i> -pyri do[2,1- <i>c</i>][1,4]oxaazacycl otricosine-1,7,2 0,21(4 <i>H</i> ,23 <i>H</i>)-tetrone. to: (3 <i>S</i> ,4 <i>R</i> ,5 <i>S</i> ,8 <i>R</i> ,9 <i>E</i> ,12 <i>S</i> ,14 <i>S</i> ,15 <i>R</i> ,16 <i>S</i> ,18 <i>R</i> ,19 <i>R</i> ,26 <i>aS</i>)-5,6,8, 11,12,1 3,14,15,16,17,1 8,19,24,25,26,2 6 <i>a</i> -hexadecahy dro-5,19-dihydr oxy-3-{(<i>E</i>)-2-[(1 <i>R</i> ,3 <i>R</i> ,4 <i>R</i>)-4-hydroxy-3-m ethoxycyclohex yl]-1-methylvinyl }-14,16-dimetho xy-4,10,12,18-te tramethyl-15,19 -epoxy-8-propyl -3 <i>H</i> -pyri

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ELEMENTAL I DRUG IMPURITIES—LISUBSTANCE AND EXCIPIENTS	<i>Second Supplement to USP35–NF30</i>	5633	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	do[2,1-c][1,4]oxaazacyclotricosine-1,7,20,21(4 <i>H</i> ,23 <i>H</i>)-tetrone. Rows 11 and 15 of <i>Column 2</i> of <i>Table 2</i> : Change 100 to: 10 AND Rows 11 and 15 of <i>Column 3</i> of <i>Table 2</i> : Change 10 to: 1.0 AND Row 11 of <i>Column 4</i> of <i>Table 2</i> : Change 1.5 to: 0.15 AND Row 15 of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Column 4 of Table 2: Change 30 to: 3.0
ELEMENTAL I ANALYTICAL MPURITIES—LITESTING MITS	<i>Second Supplement to USP35–NF30</i>	5633	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Line 6: Change Pd to: Pb
ELEMENTAL I DRUG MPURITIES—LISUBSTANCE MITS AND EXCIPIENTS	<i>Second Supplement to USP35–NF30</i>	5633	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Row 13 of Column 4 of Table 2: Change 25 to: 1.0
ELEMENTAL I DRUG MPURITIES—LIP MITS RO DUCTS/ Large Volume Parenterals	<i>Second Supplement to USP35–NF30</i>	5633	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Row 13 of Column 4 of Table 1: Change 250 to: 10
ELEMENTAL I INTRODUCTIO MPURITIES—P N/Definition PROCEDURES	<i>Second Supplement to USP35–NF30</i>	5634	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Line 2 of Target Elements: Change Pd to: Pb
AZITHROMYCI IM	<i>Second</i>	5910	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First</i>	Row 11 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
N FOR INJECTION	PURITIES/Limit Supplement to of Aminoazithro mycin, Formamido Analog, Methylf ormamido Analog, and 3?-De(dimethylami no)-3?-oxoazithr omycin							Supplement to USP36–NF31	Table 2: Change 3?-Demethyl-3? -N -[(4-methylphen yl)sulfonyl]azithr omycin to: 3?-N -D eme thyl-3?-N -[(4-methylphen yl)sulfonyl]azithr omycin
AZITHROMYCI N FOR INJECTION	IM PURITIES/Limit Supplement to of Azithromycin N-Oxide, Desos aminylazithromy cin, and N-Dem ethylazithromyci n	Second	5910	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 5 of Analysis: Change Result = $(r_U/r_S) \times (C_S/C_U) \times P \times F \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times P \times 100$

Pagination

- [First page « First](#)
- [Previous page < Previous](#)

-
- ...
 - [Page 33](#)
 - [Page 34](#)
 - [Page 35](#)
 - [Page 36](#)
 - [Page 37](#)
 - [Page 38](#)
 - [Page 39](#)
 - [Page 40](#)
 - [Page 41](#)