
[CSV April 3, 2023 through April 3, 2025](#) [See all Errata for USP–NF](#) [How to use](#)

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CELL	5. CELL BANK	<i>USPNF Online</i> Online	31-Mar-2023	1-May-2023	NA	NA	In <i>Table 4</i> :

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BANKING PRACTICES FOR RECOMBINANT BIOLOGICS							Change In vitro assay ^{d,e} + + + ^f to: In vitro assay ^{d,e} + ? ^f +
RESIDUAL HOST CELL PROTEIN MEASUREMENT IN BIOPHARMACEUTICALS BY LIQUID CHROMATOGRAPHY–MASS SPECTROMETRY	1. INTRODUCTION AND SCOPE	USPNF Online Online	31-Jan-2025	1-May-2025	NA	NA	In paragraph 3: Change Residual HCP ELISA to: HCP ELISA
RESIDUAL HOST CELL PROTEIN MEASUREMENT IN BIOPHARMACEUTICALS BY LIQUID CHROMATOGRAPHY–MASS SPECTROMETRY	4. SAMPLE PREPARATION, CHROMATOGRAPHIC SEPARATION, AND MASS SPECTROMETRY ANALYSIS	USPNF Online Online	31-Jan-2025	1-May-2025	NA	NA	In paragraph 4 in <i>4.1 Sample Preparation</i> : Change product (or polysorbate) to: product protein (or polysorbate)
RESIDUAL HOST CELL PROTEIN MEASUREMENT IN BIOPHARMACEUTICALS BY LIQUID CHROMATOGRAPHY–MASS SPECTROMETRY	5. QUANTITATION OF HCPs	USPNF Online Online	31-Jan-2025	1-May-2025	NA	NA	In three instances in <i>5.1 Methods for HCP Quantitation</i> :

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
EUTICALS BY LIQUID CHRO MATOGRAPHY –MASS SPECT ROMETRY							Change product to: product protein
RESIDUAL HOST CELL PROTEIN MEA SUREMENT IN BIOPHARMAC EUTICALS BY LIQUID CHRO MATOGRAPHY –MASS SPECT ROMETRY	7. BEST PRACTICES FOR REPORTING DATA FROM ELISA VERSUS LC-MS/MS	<i>USPNF Online</i> Online	31-Jan-2025	1-May-2025	NA	NA	In paragraph 1 in 7.3 <i>Comparison of ELISA and LC- MS/MS HCP Results:</i> Change the comparing to: comparing
DRY HEAT DE PYROGENATI ON	INTRODUCTIO N	<i>USPNF Online</i> Online	23-Feb-2024	1-Mar-2024	NA	NA	Change parental manufacturing to: parenteral manufacturing
LEAD	PROCEDURES <i>/Procedure 1: Chemical Method</i>	<i>USPNF Online</i> Online	27-Jan-2023	1-Jun-2023	NA	NA	In <i>Analysis:</i> Change Add to the acid solution 5.0 mL of <i>Standard dithizone solution</i> and 4 mL of <i>Ammonia cyanide solution,</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LEAD	REQUIREMENTS FOR PROCEDURE VALIDATION	USPNF Online Online	27-Jan-2023	1-Jun-2023	NA	NA	to: Add to the acid solution 5.0 mL of <i>Standard dithizone solution</i> and 4 mL of <i>Ammonium cyanide solution</i> , Change • Precision Repeatability to: • Precision
TOPICAL AND SPECIFIC TRANSDERMA TESTS FOR L DRUG PRODUCTS—PRODUCT QUALITY TESTS		USPNF Online Online	28-Jul-2023	1-Dec-2023	NA	NA	In <i>Release Liner Peel Test</i> . Change The product fails the test if the mean peel force is outside the acceptable range determined during product development. to: The product fails the test if the overall

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PARTICLE SIZE ANALYSIS BY DYNAMIC LIGHT SCATTERING	GLOSSARY	<i>USPNF Online</i> Online	27-Oct-2023	1-May-2024	NA	NA	mean peel force is outside the acceptable range determined during product development. In <i>Average particle diameter</i> . Change expressed in nanometers. to: expressed in meters. AND In <i>Viscosity</i> . Change in millipascal-seconds (mPa?s). to: in pascal-seconds (Pa?s). In <i>Table 5</i> : Change Sum 98.809 100.000 107.307 White point
COLOR AND ACHROMICITY	METHOD II: INSTRUMENTAL (QUANTITATIVE) ASSESSMENT OF COLOR	<i>USPNF Online</i> Online	17-Nov-2023	1-Dec-2023	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
								98.811 100.000 107.304 to: Sum 94.809 100.000 107.307 White point 94.811 100.000 107.304
PACKAGING AND STORAGE REQUIREMENTS	GENERAL <i>Packaging Definitions</i>	<i>Second Supplement to USP43–NF38</i>	Online	26-Mar-2021	1-Dec-2025	NA	NA	In <i>Light-resistant container</i> . Change ?661.2?, <i>Functionality, Spectral Transmission Requirements for Light-Resistant Components and Systems</i> . to: ?661.2?, <i>Functionality Test Method, Spectral Transmission Requirements for Light-Resistant</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ANTIBIOTICS—APPENDICES MICROBIAL ASSAYS	USPNF Online	Online	29-Dec-2023	1-Jan-2024	NA	NA	<i>Components and Systems.</i> In two instances in <i>Appendix 1</i> equations: Change 14.020 to: 14.022
MEASUREME NT OF STRUCTURAL STRENGTH OF SEMISOLIDS BY PENETRO METRY	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>Figure 2</i> : Change 66±0.25 Ø to: 65±0.25 Ø
ACARBOSE IMPURITIES	USPNF Online	Online	29-Dec-2023	1-Jan-2024	NA	NA	In <i>Chromatographi</i> <i>c</i> <i>Purity/Analysis</i> : Change Result = (r_U/r_A) $\times (1/F) \times 100$ to: Result = (r_U/r_A) $\times (1/F)$
ACARBOSE TABLETS	USPNF Online	Online	28-Apr-2023	1-May-2023	NA	NA	Change The spectrum obtained from the <i>Sample solution</i> shows

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACESULFAME SPECIFIC POTASSIUM TESTS	USPNF Online	Online	27-Dec-2024	1-Jan-2025	NA	NA	<p>IR maxima in the regions of 3500–3200, 2950–2890, 1653–1633, and 1070–1000 cm^{-1}.</p> <p>to: The spectrum obtained from the sample preparation shows IR maxima in the regions of 3500–3200, 2950–2890, 1653–1633, and 1070–1000 cm^{-1}.</p> <p>In <i>Acidity or Alkalinity/Analysis:</i> Change If the solution is blue, titrate with 0.01 N hydrochloride acid to: If the solution is</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACYCLOVIR	ASSAY/ Procedure	USPNF Online	29-Apr-2022	1-May-2023	NA	NA	blue, titrate with 0.01 N hydrochloric acid In the <i>Sample solution</i> : Change 0.1 N sodium hydroxide to: 0.01 N sodium hydroxide
ADENOSINE	ASSAY	USPNF Online	27-Sep-2024	1-Oct-2024	NA	NA	In <i>Procedure/Buffer</i> : Change tetrabutyl ammonium to: tetrabutylammonium
ALUMINUM SULFATE	CHEMICAL INFORMATION	USPNF Online	25-Oct-2024	1-Nov-2024	NA	NA	Change $\text{Al}_2(\text{SO}_4)_3 \cdot x\text{H}_2\text{O}$ (anhydrous) 342.15 to: $\text{Al}_2(\text{SO}_4)_3 \cdot x\text{H}_2\text{O}$ AND Change Anhydrous

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMANTADINE IDENTIFICATIO HYDROCHLORN IDE	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	342.16 to: Anhydrous 342.13 In A.: Change <i>Spectroscopic</i> <i>Identification</i> <i>Tests ?197?</i> , <i>Infrared</i> <i>Spectroscopy</i> : 197A, 197K, and 197S to: <i>Spectroscopic</i> <i>Identification</i> <i>Tests ?197?</i> , <i>Infrared</i> <i>Spectroscopy</i> : 197A, 197K, or 197S Procedure for 197S
AMIKACIN SULFATE	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>Proce</i> <i>dure/Analysis</i> : Change $C_U =$ concentration of amikacin in the <i>Sample solution</i> (mg/mL)

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMLODIPINE ASSAY AND BENZAEPRI H YDROCHLORI DE CAPSULES	USPNF Online	Online	27-Sep-2024	1-Oct-2024	NA	NA	to: $C_U =$ concentration of Amikacin Sulfate in the <i>Sample solution</i> (mg/mL) In <i>Proce</i> <i>dure/Buffer 1:</i> Change tetrabutyl ammonium to: tetrabutylammo nium
AMOXICILLIN IDENTIFICATIO BOLUSES N	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	Change <i>Application</i> <i>volume,</i> <i>Developing</i> <i>solvent system,</i> <i>Proce</i> <i>dure</i> —Proceed as directed for the <i>Identification</i> test under <i>Amoxicillin</i> <i>Tablets.</i> to: <i>Application</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>volume</i>—5 µL.</p> <p><i>Developing solvent system</i>—a mixture of methanol, chloroform, water, and pyridine (90:80:30:10).</p> <p><i>Procedure</i>—Proceed as directed in <i>Thin-Layer Chromatographic Identification Test <201></i>. Dry the plate with the aid of a current of warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN FOR INJECTABLE SUSPENSION	Identification <i>USPNF Online</i>	Online	27-Oct-2023	1-Nov-2023	NA	NA	minutes. Change Prepare a test solution containing the equivalent of 4 mg of amoxicillin per mL by adding 0.1 N hydrochloric acid to Amoxicillin for Injectable Suspension. Allow the solution to stand for 5 minutes before use: the solution responds to the <i>Identification</i> test under <i>Amoxicillin</i> <i>Capsules</i> . to: Prepare a test solution containing the equivalent of 4

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>mg of amoxicillin per mL by adding 0.1 N hydrochloric acid to Amoxicillin for Injectable Suspension. Allow the solution to stand for 5 minutes before use. Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric acid containing 4 mg per mL. Use within 10 minutes after preparation. Apply separately 5 μL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>layer of chromatographic silica gel mixture (see <i>Chromatography</i> <621>). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol, chloroform, water, and pyridine (90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN I IDENTIFICATIO NTRAMAMMA N RY INFUSION	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained from the Standard solution. Change The solution obtained responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i> . to: Prepare a Standard

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>solution of USP Amoxicillin RS in 0.1 N hydrochloric acid containing 4 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> <621>). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>methanol, chloroform, water, and pyridine (90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN ORAL SUSPENSION	IDENTIFICATIO N USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	corresponds to that obtained from the Standard solution. Change Shake a portion of Oral Suspension with a mixture of acetone and 0.1 N hydrochloric acid (4:1) to obtain a solution containing about 1 mg of amoxicillin per mL. The solution responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i> . to: Prepare a test solution by shaking a portion of Oral

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Suspension with a mixture of acetone and 0.1 N hydrochloric acid (4:1) to obtain a solution containing about 1 mg of amoxicillin per mL. Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric acid containing 1 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							gel mixture (see <i>Chromatography</i> ?621?). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol, chloroform, water, and pyridine (90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
APIGENIN	CHEMICAL INFORMATION	<i>USPNF Online</i> Online	28-Feb-2025	1-Aug-2025	NA	NA	plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained from the Standard solution. Change $C_{15}H_{12}O_5$ 272.26 to: $C_{15}H_{10}O_5$ 270.24
ARIPIPRAZOL E TABLETS	PERFORMANC E TESTS	<i>USPNF Online</i> Online	25-Aug-2023	1-Sep-2023	NA	NA	In <i>Dissolution</i> <711>/Test 1/ <i>Proce</i> <i>dure/</i> <i>Chromatographi</i> <i>c</i>

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
Sort		Publication		Date	Date	Print Publication	Fix Publication	
descending								
ATORVASTATIN CALCIUM	ADDITIONAL REQUIREMENT S/USP Reference Standards ?11?	USPNF Online	Online	26-May-2023	1-Jun-2023	NA	NA	<p><i>procedure/Analysis:</i> Change Result = $(R_U/R_S) \times C_S \times V \times (1/L) \times 100$ to: Result = $(R_U/R_S) \times C_S \times V \times D \times (1/L) \times 100$ AND Add <i>D</i> = dilution factor of the <i>Sample solution</i>, 2 Change USP Atorvastatin Related Compound H RS (lactone impurity) to: USP Atorvastatin Related Compound H RS Also known as</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ATORVASTATI ASSAY/ N CALCIUM TABLETS <i>Procedure</i>	<i>USPNF Online</i> Online		30-Jun-2023	1-Jul-2023	NA	NA	Lactone impurity; AND Change USP Atorvastatin Related Compound I RS (acetone impurity) to: USP Atorvastatin Related Compound I RS Also known as Acetone impurity; In <i>Analysis</i> : Change M_{r1} = molecular weight of atorvastatin, 558.64 M_{r2} = molecular weight of atorvastatin calcium, 1155.34 to: M

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ATORVASTATIN PERFORMANC N CALCIUM E TABLETS TESTS/ Dissolution ?711?	USPNF Online	Online	30-Jun-2023	1-Jul-2023	NA	NA	r_1 = molecular weight of atorvastatin, 558.65 M_{r_2} = molecular weight of atorvastatin calcium, 1155.36 In Test 1, Test 3, Test 4, Test 5, and Test 6/Analysis: Change M_{r_1} = molecular weight of atorvastatin, 558.64 M_{r_2} = molecular weight of atorvastatin calcium, 1155.34 to: M_{r_1} = molecular weight of atorvastatin, 558.65 M_{r_2} = molecular weight of atorvastatin

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ATORVASTATIN CALCIUM TABLETS ADDITIONAL REQUIREMENTS/ <i>USP Reference Standards</i> ?11?	<i>USPNF Online</i>	Online	30-Jun-2023	1-Jul-2023	NA	NA	calcium, 1155.36 In USP Atorvastatin Related Compound B RS: Change 1155.34 to: 1155.36
ATORVASTATIN CALCIUM TABLETS LIMITS/PURITIES/ <i>Organic Impurities</i>	<i>USPNF Online</i>	Online	30-Jun-2023	1-Jul-2023	NA	NA	In <i>Analysis</i> : Change M_{r1} = molecular weight of atorvastatin, 558.64 M_{r2} = molecular weight of atorvastatin calcium, 1155.34 to: M_{r1} = molecular weight of atorvastatin, 558.65 M_{r2} = molecular weight of atorvastatin calcium, 1155.36

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ATOVAQUONE IMPURITIES	USPNF Online	Online	26-May-2023	1-Jun-2023	NA	NA	<p>Change Related Compounds System suitability solution and Sample solution: Prepare as directed in the Assay.</p> <p>Analysis Samples: <i>System suitability solution</i> and <i>Sample solution</i> Using the chromatograms of the <i>Sample solution</i> and the <i>System suitability solution</i>, calculate the percentage of atovaquone related compounds in the portion of</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Atovaquone taken: to: Organic Impurities Mobile phase, Diluent, System suitability solution, Standard solution, Sample solution, Chromatographic system and System suitability: Proceed as directed in the Assay. Analysis Sample: <i>Sample solution</i> Calculate the percentage of atovaquone related compounds in the portion of</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZITHROMYCI IMPURITIES N	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	Atovaquone taken: In <i>Organic Impurities/ Table 2</i> : Change 3'-N-D-emet hyl-3'-N-[(4-methylphenyl)sulfonyl]azithromycin ^m to: 3?-N-[[4-(Acetylamino)phenyl]sulfonyl]-3?-demethyl azithromycin ^m AND In <i>Table 2/footnote m</i> : Change (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-?-L-ribo-hexopyranosyl)

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3-[N -(4-methylpheny lsulfon yl)-N -methylamino]-3 ,4,6-trideoxy-β- D-xylo -hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. to: (2R,3S,4R,5R ,8R,10R,11R ,12S,13S,14R)-13-[(2,6-Dideo xy-3-C -meth yl-3-O-methyl-?- L-ribo -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3-[N -(4-acetamidop

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZITHROMYCI CHEMICAL N INFORMATION	<i>USPNF Online</i> Online		25-Aug-2023	1-Sep-2023	NA	NA	h en ylsulf onyl)-N -methylamino]-3 ,4,6-trideoxy-?- D-xylo -hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. Change 748.98 to: 749.00 AND Change 767.00 to: 767.01 AND Change 785.02 to: 785.03 In <i>Organic</i> <i>Impurities/ Table</i> 2: Change: 3?-N -[4-(Acetylamin o)phenyl]sulfon
AZITHROMYCI IMPURITIES N	<i>USPNF Online</i> Online		25-Aug-2023	1-Sep-2023	NA	NA	

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							yl}-3?-demethyl azithromycin ^m to: 3'-N -D emet hyl-3'-N -[(4-methylphen yl)sulfonyl]azithr omycin ^m AND In <i>Organic</i> <i>Impurities/ Table</i> <i>2/footnote m:</i> Change (2R,3S,4R,5R ,8R,10R,11R ,12S,13S,14R)-13-[(2,6-Dideo xy-3-C -meth yl-3- O-methyl-?- L-ribo -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3-[N -(4-acetamidop h

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>en ylsulf onyl)-<i>N</i> -methylamino]-3 ,4,6-trideoxy-?- D-xylo -hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. to: (2<i>R</i>,3<i>S</i>,4<i>R</i>,5<i>R</i> ,8<i>R</i>,10<i>R</i>,11<i>R</i> ,12<i>S</i>,13<i>S</i>,14<i>R</i>)-13-[(2,6-Dideo xy-3-<i>C</i> -meth yl-3-<i>O</i>-methyl-?- L-ribo -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3-<i>N</i> -(4-methylpheny lsulfon yl)-<i>N</i> -methylamino]-3 ,4,6-trideoxy-β- D-xylo</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZITHROMYCI N ADDITIONAL R EQUIREMENT S	<i>USPNF Online</i>	Online	25-Aug-2023	1-Sep-2023	NA	NA	-hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. In <i>USP</i> <i>Reference</i> <i>Standards</i> ?11?/USP Azae rythromycin A RS: Change 734.96 to: 734.97 AND In <i>USP</i> Azithromycin Related Compound F RS: Change 762.97 to: 762.98 AND In <i>USP</i> Desosa minylazithromyc in RS: Change 590.79 to: 590.80
AZITHROMYCI N FOR IMPURITIES	<i>USPNF Online</i>	Online	28-Jul-2023	1-Aug-2023	NA	<i>USPNF 2024</i> <i>Issue 2</i>	In footnote m in <i>Table 2:</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
INJECTION							Change (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-L-ribohexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3-[N-(4-acetamidophenylsulfonyl)-N-methylamino]-3,4,6-trideoxy-D-xylhexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one. to: (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZITHROMYCI N FOR INJECTION	ADDITIONAL R EQUIREMENT S	USPNF Online Online	28-Jul-2023	1-Aug-2023	NA	USPNF 2024 Issue 2)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-L-ribohexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3-[N-(4-methylphenylsulfonyl)-N-methylamino]-3,4,6-trideoxy-β-D-xyloribopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one. In USP Reference Standards ?11?/USP Azithromycin A RS: Change 734.96 to: 734.97 AND

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZITHROMYCI IMPURITIES N TABLETS	<i>USPNF Online</i> Online		28-Mar-2025	1-Apr-2025	NA	NA	In USP Azithromycin N-oxide RS: Change 764.98 to: 765.00 AND In USP N -Demethylazithr omycin RS: Change 734.96 to: 734.97 AND In USP Desosa minylazithromyc in RS: Change 590.79 to: 590.80 In <i>Organic</i> <i>Impuri</i> <i>ties/</i> <i>Analysi</i> <i>s/Samples:</i> Change <i>Standard</i> <i>solution,</i> <i>Sample</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BISOPROLOL FUMARATE	CHEMICAL INFORMATION	USPNF Online Online	28-Apr-2023	1-May-2023	NA	NA	<p><i>solution, and Blank to: Peak identification solution, Standard solution, Sample solution, and Blank Change (±)-1-[[?-(2-Isop</i></p> <p><i>p -tolyl]oxy]-3-(iso propyl amino)-2 -propanol fumarate (2:1) (salt) to: (±)-1-[[?-(2-Isop</i></p> <p><i>p -tolyl]oxy]-3-(iso propylamino)-2- propanol</i></p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BLACK CUMIN DEFINITION SEED THYMO QUINONE OIL	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	fumarate (2:1) (salt) Change carvacol to: carvacrol
BLACK CUMIN SPECIFIC SEED THYMO TESTS QUINONE OIL	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	In <i>Fats and Fixed Oils</i> ?401?, <i>Procedures,</i> <i>Fatty Acid</i> <i>Co</i> <i>mposition/ Table</i> 2: Change Linoleic to: Linoleic acid
BROMPHENIR SPECIFIC AMINE TESTS MALEATE	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	Change Optical Rotation ?781? to: Optical Rotation, <i>Angular</i> <i>Rotation</i> ?781A?
BUPIVACAINE ASSAY/ HYDROCHLOR Procedure IDE INJECTION	USPNF Online	Online	28-Apr-2023	1-May-2023	NA	NA	In <i>Chromatographi</i> <i>c</i> <i>system/Column:</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Change 4-mm x 30-cm; packing L1 to: 3.9-mm x 30-cm; packing L1 AND In <i>System</i> <i>suitability</i>: Change [Note—The relative retention times for bupivacaine hydrochloride and dibutyl phthalate are about 1.0 and 1.2, respectively.] to: [Note—The relative retention times for bupivacaine and dibutyl phthalate are about 1.0 and 1.2, respectively.]</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>AND</p> <p>In System suitability/Suitability requirements: Change Resolution: NLT 2.0 between bupivacaine hydrochloride and dibutyl phthalate Relative standard deviation: NMT 1.0% for the ratio of bupivacaine to the internal standard from three replicate injections to: Resolution: NLT 2.0 between bupivacaine and dibutyl phthalate Relative</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CALCITONIN SALMON	IMPURITIES <i>USPNF Online</i>	Online	27-Sep-2024	1-Oct-2024	NA	NA	<p>standard deviation: NMT 1.0% for the peak response ratio of bupivacaine to the internal standard from three replicate injections</p> <p><i>In Procedure: Related Peptides and Other Related Substances/Test 2:</i> Change Resolution solution: to: System suitability solution: AND <i>In Procedure: Related Peptides and Other Related Substances/Test</i></p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CALCITONIN SALMON	SPECIFIC TESTS	USPNF Online	27-Sep-2024	1-Oct-2024	NA	NA	2/Sample solution: Change 100 mL of Buffer C. to: 100 ?L of Buffer C. In <i>Bioid entity/Medium B</i> : Change 2 mM RPMI 1640 to: RPMI 1640
CALCIUM ASCORBATE	IDENTIFICATIO N/A.	USPNF Online	26-May-2023	1-Aug-2023	NA	NA	Change Characteristic emission lines for calcium at 184.0, 315.9, and 317.9 nm from the <i>Sample solution</i> correspond to those from the <i>Standard solution</i> , as obtained in the Assay. to:

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Characteristic emission lines for calcium at 184.0, 315.9, and 317.9 nm from the <i>Sample solution</i> correspond to those from the <i>Standard solution</i> , as obtained in the <i>Content of Calcium</i> .

Pagination

- [Page 1](#)
- [Page 2](#)
- [Page 3](#)
- [Page 4](#)
- [Next page](#) [Next ›](#)
- [Last page](#) [Last »](#)