
[CSV May 5, 2023 through May 5, 2025](#) [See all Errata for USP–NF](#) [How to use](#)

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CEFDINIR FOR ADDITIONAL R	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In USP

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ORAL EQUIREMENT SUSPENSION S							<i>Reference Standards</i> ?11?/USP Cefdinir Related Compound A RS: Change 413.43 to: 413.42 AND In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound B RS: Change $C_{14}H_{13}N_4O_4S_2$ 365.41 to: $C_{14}H_{14}N_4O_4S_2$ 366.41
CEFUROXIME ASSAY AXETIL FOR ORAL SUSPENSION	<i>USPNF Online</i> Online		31-May-2024	1-Jun-2024	NA	NA	In <i>Proce dure/System suitability:</i> Change [Note—The relative retention times for acetanilide,

Monograph Title Section __Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CETIRIZINE HYIMPURITIES DROCHLORID	USPNF Online Online		27-Sep-2024	1-Oct-2024	NA	NA	cefuroxime axetil diastereoisomer B, cefuroxime axetil diastereoisomer A, and cefuroxime axetil delta-3 isomers are 0.4, 0.8, 0.9, and 1.0, respectively.] to: [Note—The relative retention times for cefuroxime axetil diastereoisomer B, cefuroxime axetil diastereoisomer A, and cefuroxime axetil delta-3 isomers are 0.8, 0.9, and 1.0, respectively.] In <i>Organic Impurities</i> ,

Monograph TitleSection __Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
E							<i>Procedure 2/Solution A: Change tetrabutyl ammonium to: tetrabutylammo nium</i>
CETIRIZINE HYIMPURITIES DROCHLORID E TABLETS	<i>USPNF Online</i> Online		27-Sep-2024	1-Oct-2024	NA	NA	<i>In Organic Impuri ties/Buffer: Change tetrabutyl ammonium to: tetrabutylammo nium</i>
CHLORTETRA CHEMICAL CYCLINE HYD INFORMATION ROCHLORIDE	<i>USPNF Online</i> Online		28-Jul-2023	1-Aug-2023	NA	NA	<i>Change 7-Chloro-4-(dim ethylamino)-1,4, 4a,5,5a,6,11,12 a-octahydro-3,6 ,10,12,12a-pent ahydroxy-6-met hyl-1,11-dioxo-2 -naphthaceneca rboxamide mon ohydrochloride to: (4S,4aS,5aS ,6S,12aS</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CLOMIPHENE CITRATE TABLETS	IMPURITIES/ <i>Organic Impurities</i>	USPNF Online Online	28-Jul-2023	1-Aug-2023	NA	NA	)-7-Chloro-4-(dimethylamino)-3,6,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-1,4,4a,5,5a,6,11,12a-octahydro-tetracene-2-carboxamide monohydrochloride In <i>Table 2</i> : Change Clomiphene related compound A 0.87 – 2.0 to: Clomiphene related compound A 0.87 1.0 2.0
COCOYL CAP RYLOCAPRAT E	SPECIFIC TESTS	USPNF Online Online	23-Feb-2024	1-May-2024	NA	NA	In <i>Fats and Fixed Oils</i> ?401?, <i>Procedures, Hydroxyl Value/Analysis</i> : Change Calculate the acid value as directed in the

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description	
COSYNTROPIN	IDENTIFICATION	USPNF Online	Online	28-Mar-2025	1-Apr-2025	NA	NA	chapter. to: Calculate the hydroxyl value as directed in the chapter. In <i>B. Amino Acid Analysis/System suitability/Resolution</i> : Change $(hp \text{ ? } hv)/hp \times 100 \pm 90\%$, to: $(hp \text{ ? } hv)/hp \times 100 \text{ ? } 90\%$, In <i>Content of Preparation</i>
CRANBERRY FRUIT DRY JUICE	COMPOSITION	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
								RS AND In <i>Content of Pr</i>
								<i>/Analysis:</i> Change Use the absorbance recorded for <i>Standard</i> <i>solutions 1–5</i> to obtain a calibration curve (absorbance vs. concentration, in µg/mL, of procyanidin A ₂) and perform a linear regression analysis. Determine the concentration (C), in µg/mL, of total proanthocy anidins as procyanidin A ₂ in the <i>Sample</i>

Monograph Title Section __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>solution.</i> to: Use the absorbance recorded for <i>Standard solutions 1–5</i> to obtain a calibration curve (absorbance vs. concentration, in µg/mL, of procyanidin A2) and perform a linear regression analysis. Determine the concentration (C), in µg/mL, of total proanthocyanidins as procyanidin A2 in the <i>Sample solution.</i> AND In <i>Content of Pr</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>/Analysis:</i> Change C = concentration of the <i>Sample</i> <i>solution</i> as procyanidin A₂ from the regression line (µg/mL) to: C = concentration of the <i>Sample</i> <i>solution</i> as procyanidin A2 from the regression line (µg/mL) AND In <i>Content of Pr</i> <i>/Acceptance</i> <i>criteria:</i> Change procyanidin A₂ to: procyanidin A2 In <i>USP</i> <i>Reference</i>
CRANBERRY FRUIT DRY	ADDITIONAL R EQUIREMENT	USPNF Online Online	25-Aug-2023	1-Sep-2023	NA	NA	

Monograph Title Sort descending	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
JUICE	S							<i>Standards ?11?: Change USP Procyanidin A₂ RS to: USP Procyanidin A2 RS</i>
CRANBERRY FRUIT DRY JUICE	DEFINITION	<i>USPNF Online</i>	Online	25-Aug-2023	1-Sep-2023	NA	NA	<i>Change procyanidin A₂ to: procyanidin A2 In A./Standard solution B:</i>
CRANBERRY FRUIT DRY JUICE	IDENTIFICATION	<i>USPNF Online</i>	Online	25-Aug-2023	1-Sep-2023	NA	NA	<i>Change USP Procyanidin A₂ RS to: USP Procyanidin A2 RS AND In A./System suitability/Suitability re quire ments/ Derivatization</i>

Monograph Title Section __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>reagent B/White light: Change Standard solution B exhibits two brown bands in the upper-half section corresponding to procyanidin A₂ and epicatechin. Standard solution C exhibits two brown bands in the upper-half section corresponding in R_F and color to procyanidin A₂ and epicatechin in Standard solution B. Standard solution C also exhibits a series of faint or indistinct brown bands of</i>

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							differing intensities below procyanidin A₂ in the lower-half section. to: <i>Standard solution B</i> exhibits two brown bands in the upper-half section corresponding to procyanidin A₂ and epicatechin. <i>Standard solution C</i> exhibits two brown bands in the upper-half section corresponding in R_F and color to procyanidin A₂ and epicatechin in <i>Standard solution B</i>. <i>Standard</i>

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>solution C</i> also exhibits a series of faint or indistinct brown bands of differing intensities below procyanidin A2 in the lower-half section. AND In A./ <i>Acceptance criterial</i> <i>Derivatization reagent B/White light</i>: Change The <i>Sample solution</i> exhibits two faint brown bands corresponding in R_F to procyanidin A₂ and epicatechin in <i>Standard solution B</i>. The <i>Sample solution</i> also exhibits a series of faint or

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							indistinct brown bands of differing intensities in the lower-half section, corresponding to the same bands in <i>Standard solution C</i>. No bands corresponding in R_F to epigallocatechin-3-O-gallate, procyanidin B₂, or procyanidin B₁ appear below procyanidin A₂. to: The <i>Sample solution</i> exhibits two faint brown bands corresponding in R_F to procyanidin A₂ and epicatechin

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							in <i>Standard solution B</i>. The <i>Sample solution</i> also exhibits a series of faint or indistinct brown bands of differing intensities in the lower-half section, corresponding to the same bands in <i>Standard solution C</i>. No bands corresponding in R_F to epigallocatechin-3-O-gallate, procyanidin B2, or procyanidin B1 appear below procyanidin A2. AND In C./ <i>Acceptance criterial</i>Profile at

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CRANBERRY FRUIT JUICE DRY EXTRACT	IDENTIFICATIO N USPNF Online	Online	26-Jul-2024	1-Aug-2024	NA	NA	520 nm: Change cyani din-3-O -arabinose, to: cyani din-3-O -arabinoside, AND In C./ Acceptance criterialProfile at 520 nm: Change peon idin-3-O -arabinose to: peon idin-3-O -arabinoside In A. HPTLC for Articles of Botanical Origin <203>/Sample solution: Change Mix 50 mg of Cranberry Fruit Juice Dry

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Extract with 7 mL of water. Sonicate for 10 min at room temperature, centrifuge, and save the supernatant. Precondition an SPE cartridge (L2; 500 mg/6 mL) with 3 mL of methanol, and drain it with suction. Load 3 mL of water onto the cartridge and apply suction until the solvent reaches 1–2 mm above the top of the cartridge's stationary phase. Then load the cartridge with 1.5 mL of the supernatant, apply suction,

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							and discard the eluate. Add 1 mL of a mixture of water and methanol (80:20). Load 1 mL of methanol and collect the eluate as the <i>Sample solution</i>. to: Mix 50 mg of Cranberry Fruit Juice Dry Extract with 7 mL of water. Sonicate for 10 min at room temperature, centrifuge, and save the supernatant. Precondition an SPE cartridge (L2; 500 mg/6 mL) with 3 mL of methanol, and drain it with suction. Load 3 mL of water

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DAPSONE TABLETS	PERFORMANC E TESTS	USPNF Online	26-Apr-2024	1-May-2024	NA	NA	onto the cartridge and apply suction until the solvent reaches 1–2 mm above the top of the cartridge's stationary phase. Then load the cartridge with 1.5 mL of the supernatant, apply suction, and discard the eluate. Add 1 mL of a mixture of water and methanol (80:20), apply suction, and discard the eluate. Load 1 mL of methanol and collect the eluate as the <i>Sample solution</i> . In Dissolution ?711?/Standard

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DESCRIPTION AND SOLUBILITY	Hydrogenated Castor Oil	USPNF Online	28-Jun-2024	1-Aug-2026	NA	NA	<i>solution:</i> Change USP Dapsone RS of a known concentration in <i>Medium</i> to: (L/1000) mg/mL of USP Dapsone RS in <i>Medium</i> , where <i>L</i> is the label claim in mg/Tablet. Transfer a portion of this solution containing 0.2 mg of dapsone to a 25-mL volumetric flask, add 5 mL of 1 N sodium hydroxide, and dilute with water to volume. Change White, crystalline wax. Freely soluble in water, in

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							saline TS, and in dextrose solutions; very slightly soluble in alcohol; practically insoluble in chloroform and in ether. Insoluble in water and in most common organic solvents. <i>NF</i> category: Stiffening agent; lubricant; film-forming agent; release-modifying agent. to: White, crystalline wax. Insoluble in water and in most common organic solvents. <i>NF</i> category: Stiffening agent;

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DEXTROMETH Assay ORPHAN HYD ROBROMIDE ORAL SOLUTION	USPNF Online Online		25-Aug-2023	1-Sep-2023	NA	NA	lubricant; film-forming agent; release-modifying agent. In <i>Chromatographic system and Procedure:</i> Change C is the concentration, in mg per mL, of USP Dextromet horphan Hydrobromide RS, on the anhydrous basis, in the <i>Standard preparation</i> ; to: C is the concentration, in mg per mL, of USP Dextromet horphan Hydrobromide RS in the <i>Standard preparation</i> ;

Monograph Title Sort descending	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DIBUCAINE	CHROMATOGRAPHIC PURITY	USPNF Online	Online	27-Dec-2024	1-Jan-2025	NA	NA	Change Proceed as directed for <i>Chromatographic purity</i> under <i>Dibucaine Hydrochloride</i> , to: Proceed as directed for <i>Organic Impurities</i> under <i>Dibucaine Hydrochloride</i> , In <i>Dissolution</i> ?711?: Move <i>Test 2</i> after <i>Test 1</i>
DICLOFENAC SODIUM AND MISOPROSTOL DELAYED-RELEASE TABLETS	PERFORMANCE TESTS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	
DICYCLOMINE HYDROCHLORIDE	IDENTIFICATION	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	In <i>B. Identification Tests—General</i> ?191?, <i>Chemical Identification Tests, Chloride</i> : Change Meets the requirements when tested as

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DIGOXIN TABLETS	ASSAY/ <i>Procedure</i>	USPNF Online Online	30-Jun-2023	1-Jul-2023	NA	NA	specified in test <i>B</i> . to: Meets the requirements of the test for amine hydrochlorides In <i>Chromatographi</i> <i>c system</i> : Change Column : 4.2-mm × 25-cm; 5-?m packing L1 to: Column : 4.6-mm × 25-cm; 5-μm packing L1
DIGOXIN TABLETS	ASSAY	USPNF Online Online	29-Sep-2023	1-Oct-2023	NA	NA	In <i>Proce</i> <i>dure/Analysis</i> : Change C_U = nominal concentration of in the <i>Sample</i> <i>solution</i> (μg/mL) to:

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DILUTED ISOSORBIDE MONONITRAT E	IMPURITIES	USPNF Online Online	26-Apr-2024	1-May-2024	NA	NA	C_U = nominal concentration of digoxin in the <i>Sample solution</i> (µg/mL) In <i>Organic Impurities/Standard solution</i> : Change isosorbide related compound A to: isosorbide mononitrate related compound A AND In <i>System suitability/Suitability requirements/Relative standard deviation</i> : Change isosorbide related compound A, to:

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							isosorbide mononitrate related compound A, AND In four instances in <i>Analysis</i>: Change isosorbide related compound A, to: isosorbide mononitrate related compound A, AND In <i>Table 1</i>: Change Isosorbide related compound A to: Isosorbide mononitrate related compound A In <i>Acidity/ Sample solution</i>: Change 500 mg/mL of Dimethyl
DIMETHYL SULFOXIDE	SPECIFIC TESTS	USPNF Online Online	28-Mar-2025	1-Apr-2025	NA	NA	

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DIVALPROEX SODIUM EXTENDED-RELEASE TABLETS	PERFORMANCE TESTS	USPNF Online	29-Sep-2023	1-Oct-2023	NA	NA	Sulfoxide in water to: 50.0 g of Dimethyl Sulfoxide in 100 mL of water <i>In Dissolution</i> <i><711>/Test 8/Tolerances:</i> Change The percentage of the labeled amount of valproic acid (C ₈ H ₁₆ O ₂) dissolved at the times specified conform to <i>Dissolution</i> <i><711></i> , <i>Acceptance Table 1.</i> to: The percentage of the labeled amount of valproic acid (C ₈ H ₁₆ O ₂) dissolved at the times specified

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DOCETAXEL	IMPURITIES	USPNF Online Online	31-May-2024	1-Jun-2024	NA	NA	conform to <i>Dissolution</i> <711>, <i>Acceptance</i> <i>Table 2.</i> In <i>Organic</i> <i>Impurities</i> , <i>Procedure 1:</i> Change System suitability solution, Standard solution, Sample solution, and Chromatograp hic system: Proceed as directed in the Assay. to: Mobile phase, Diluent, System suitability solution, Standard solution, Sample solution,

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							and Chromatograph hic system: Proceed as directed in the Assay. In <i>Proce dure/System suitability solution:</i> Add link to USP Store for USP Epirubicin Hydrochloride RS In <i>USP Reference Standards</i> ?11?/USP Dihy drodutasteride RS: Change <i>N</i> -[2,5-Bis(trifluor omethyl)phenyl] -3-oxo-4-aza-5? -androst-1-ene- 17?- carboxamide. to: <i>N</i>
DOXORUBICIN ASSAY HYDROCHLOR IDE	USPNF Online Online		26-Apr-2024	1-May-2024	NA	NA	
DUTASTERIDE ADDITIONAL R AND EQUIREMENT TAMSULOSIN S HYDROCHLOR IDE CAPSULES	USPNF Online Online		17-Nov-2023	1-Dec-2023	NA	NA	

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DUTASTERIDE PERFORMANCE AND TESTS TAMSULOSIN HYDROCHLORIDE CAPSULES	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	-[2,5-Bis(trifluoromethyl)phenyl]-3-oxo-4-aza-5?-androstane-17?-carboxamide. In <i>Dissolution</i> ?711?/Test for dutasteride/Tier 2/Medium: Change 10 g/L of cetyltrimethylammonium bromide and 750,000 USP units of activity/mg of pepsin, purified in 0.1 N hydrochloric acid; 900 mL to: Dissolve 10 g of cetyltrimethylammonium bromide and 1.6 g of pepsin, purified in 1000 mL of 0.1 N hydrochloric acid; 900 mL In two
EDETATE	DEFINITION	USPNF Online	28-Jun-2024	1-Jul-2024	NA	NA	

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DISODIUM CO MPOUNDED OPHTHALMIC SOLUTION							instances: Change to a pH between 6.5 and 7.5. to: to a pH between 6.1 and 7.1.
ENSULIZOLE	IDENTIFICATIO N	USPNF Online Online	29-Mar-2024	1-Apr-2024	NA	NA	In <i>B.</i> : Change The retention time of the major peak of the <i>Sample solution</i> exhibits maxima and minima at the same wavelengths as those of the <i>Standard solution</i> , as obtained in the <i>Assay</i> . to: The retention time of the major peak of the <i>Sample solution</i> corresponds to

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
EXENATIDE INJECTION	PRODUCT- RELATED SUBSTANCES AND IMPURITIES	USPNF Online Online	26-Jul-2024	1-Aug-2024	NA	NA	that of the <i>Standard solution</i> , as obtained in the Assay. In <i>Proce dure/ Chromatographi c system/Column:</i> Change 4.6-mm × 10-cm; 3-µm packing L52 to: 4.6-mm × 10-cm; 3-µm packing L52; two columns in series
FLUCONAZOL E	IMPURITIES	USPNF Online Online	25-Oct-2024	1-Nov-2024	NA	NA	In <i>Organic Impuri ties/Analysis:</i> Change Calculate the percentage of any individual unspecified impurity in the portion of

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLUCONAZOLE TABLETS	ADDITIONAL REQUIREMENTS	USPNF Online	27-Sep-2024	1-Oct-2024	NA	NA	Fluconazole taken: to: Calculate the percentage of any other specified and unspecified impurity in the portion of Fluconazole taken: AND Change r_U = peak response of any individual impurity from the <i>Sample solution</i> to: r_U = peak response of any other specified and unspecified impurity from the <i>Sample solution</i> In <i>USP Reference Standards</i>

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLURAZEPAM USP HYDROCHLORIDE REFERENCE STANDARDS ?11?	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	<11>/USP Fluconazole Related Compound B RS: Change C ₁₃ H ₁₃ FN ₉ O to: C ₁₃ H ₁₃ FN ₆ O In USP Flurazepam Related Compound C RS: Change 5-Chloro-2-(2-di ethylaminoethyl (amino)-2?-fluor obenzophenone hydrochloride. to: 5-Chloro-2-(2-di ethylaminoethyl amino)-2?-fluor obenzophenone hydrochloride. In <i>Dissolution</i> ?711?/ <i>Medium</i> : Change 26.7 g/L of sodium acetate trihydrate in water. Add 133
FOSAMPRENA PERFORMANC VIR CALCIUM E TESTS TABLETS	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
GLUCAGON	PROCESS-RELATED IMPURITIES AND OTHER COMPONENTS	USPNF Online Online	29-Dec-2023	1-Jan-2024	NA	NA	mL of glacial acetic acid to this solution, and then dilute with water to 10 L; 900 mL. to: 0.02 M sodium acetate buffer, pH 3.5, prepared as follows. Dissolve 2.67 g of sodium acetate in 100 mL of water. Add 13.3 mL of glacial acetic acid and then dilute with water to 1000 mL; 900 mL. In <i>Acetic Acid in Peptides/Analysis</i> : Change C_{SPA} = concentration of potassium acetate in each of the <i>Standard</i>

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>solutions</i> (mg/mL) to: C_{SPA} = concentration of potassium acetate in each of the <i>Standard</i> <i>solutions</i> (µg/mL) AND In <i>Am</i> <i>monium/</i> <i>Analysis:</i> Change C_{SAC} = concentration of ammonium chloride in each of the <i>Standard</i> <i>solutions</i> (mg/mL) to: C_{SAC} = concentration of ammonium chloride in each of the <i>Standard</i> <i>solutions</i> (µg/mL)

Monograph Title Sort descending	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
GLYCYL-L-TYROSINE	IM PURITIES/Related Compounds	USPNF Online	Online	24-Feb-2023	1-Jun-2023	NA	NA	In <i>Buffer solution</i> : Change Dissolve 6.84 g of potassium phosphate in 1000 mL of water. to: Dissolve 6.84 g of monobasic potassium phosphate in 1000 mL of water.
HYDROXYPROPYL BETADEX	IMPURITIES	USPNF Online	Online	31-Jan-2025	1-Feb-2025	NA	NA	In <i>Limit of Betadex, Propylene Glycol, and Other Related Substances/Chromatographic system</i> : Change Column temperature: 40° to: Temperatures

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
INDOMETHACIN SODIUM	ADDITIONAL REQUIREMENTS	USPNF Online	22-Nov-2024	1-Dec-2024	NA	NA	Detector: 40° Columns: 40° In <i>USP Reference Standards</i> ?11?/ <i>USP Indomethacin Related Compound A</i> RS: Change (C ₁₂ H ₁₃ NO ₃) to: C ₁₂ H ₁₃ NO ₃ AND In <i>USP Reference Standards</i> ?11?/ <i>USP Indomethacin Related Compound B</i> RS: Change (C ₇ H ₅ ClO ₂) to: C ₇ H ₅ ClO ₂ In <i>USP Reference Standards</i> ?11?/ <i>USP Iodixanol</i>
IODIXANOL INJECTION	ADDITIONAL REQUIREMENTS	USPNF Online	23-Feb-2024	1-Mar-2024	NA	NA	

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Related Compound E RS: Change 5-[[3-[[3-[[(2,3-Dihydroxypropyl)amino]carbonyl]-5- [[amino]carbonyl]-2,4,6-triiodophenyl](acetylimino)]-2-hydroxypropyl]-(acetylimino))-N,N?-bis(2,3-dihydroxypropyl)-2,4,6-triiodo-1,3-benzenedicarboxamide. to: 5-{N-[3-(N-{3-Carbamoyl-5-[(2,3-dihydroxypropyl)carbamoyl]-2,4,6-triiodophenyl}acetamido)-2-hydroxypropyl]acetamido}-N¹,N³-bis(2,3-dihydroxypropyl)-2,4,6-triiodoisophthalamide. In <i>Organic</i>
IODIXANOL	IMPURITIES	USPNF Online Online	23-Feb-2024	1-Mar-2024	NA	NA	

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
INJECTION							<i>Impurities, Procedure 2/footnote 4:</i> Change 5-[[3-[[3-[[[3-[[3-[[3,5-Bis-[[[2,3-dihydroxypropyl]amino]carbonyl]-2,4,6-triiodophenyl](acetylimino)]-2-hydroxypropyl](acetylimino)]-5-[[[2,3-dihydroxypropyl]amino]carbonyl]-2,4,6-triiodophenyl]carbonyl]amino]-2-hydroxypropyl]oxy]-2-hydroxypropyl](acetylimino)]-N,N'-bis(2,3-dihydroxypropyl)-2,4,6-triiodo-1,3-benzendicarboxamide. to: 5-[[3-[[3-[[[3-[[3-[[3,5-Bis-[[[2,3-dihydroxypropyl]amino]carbonyl

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
IOPAMIDOL INJECTION	USP REFERENCE STANDARDS <11>	USPNF Online Online	28-Mar-2025	1-Apr-2025	NA	NA	]-2,4,6-triiodoph enyl](acetylamin o)]-2-hydroxypr opyl](acetylamin o)]-5-[[[2,3-dihy droxypropyl]ami no]carbonyl]-2,4 ,6-triiodophenyl] carbonyl]amino] -2-hydroxypropy l]oxy]-2-hydroxy propyl](acetyla mino)]-N,N '-bis(2,3-dihydro xypropyl)-2,4,6-t riiodo-1,3-benze ndicarboxamide . In USP Iopamidol Related Compound B RS: Change N,N ?-bis[2-hydroxy- 1-(hydroxymeth yl)ethyl]-2,4,6-tri iodoisophthala

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							mide. $C_{16}H_{20}I_3N_3O_7$ 747.07 to: N^1,N^3 -Bis(1,3-dihydroxypropan-2-yl)-5-(2-hydroxyacetamido)-2,4,6-triiodoisophthalamide. $C_{16}H_{20}I_3N_3O_8$ 763.06 In <i>Organic Impurities</i>: Change Column: 4.6-mm × 25-μm; 5-μm packing L1 to: Column: 4.6-mm × 25-cm; 5-μm packing L1 In <i>Organic Impurities/Standard solution</i>: Change
IPRATROPIUM IMPURITIES BROMIDE INHALATION SOLUTION	USPNF Online	Online	29-Mar-2024	1-Apr-2024	NA	NA	
ISOSORBIDE IMPURITIES MONONITRATE TABLETS	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							isosorbide related compound A to: isosorbide mon onitrate related compound A AND In <i>System</i> <i>suitabil</i> <i>ity/Suitability</i> <i>re</i> <i>quire</i> <i>ments/Relative</i> <i>standard</i> <i>deviation:</i> Change isosorbide related compound A, to: isosorbide mon onitrate related compound A, AND In four instances in <i>Analysis:</i> Change isosorbide related

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
KETOCONAZO ASSAY LE	USPNF Online	Online	27-Sep-2024	1-Oct-2024	NA	NA	compound A, to: isosorbide mon onitrate related compound A, AND In <i>Table 1</i> : Change Isosorbide related compound A to: Isosorbide mon onitrate related compound A In <i>Proce dure/Buffer</i> : Change tetrabutyl ammonium to: tetrabutylammo nium
LEVORPHANO PERFORMANC L TARTRATE E TABLETS TESTS/ Uniformity of Dosage Units ?905?	USPNF Online	Online	31-Mar-2023	1-Aug-2023	NA	NA	In <i>Sample solution</i> : Change Nominally about 80 ug/mL of levorphanol tartrate in

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LIDOCAINE	ASSAY	USPNF Online Online	29-Mar-2024	1-Apr-2024	NA	NA	<i>Diluent</i> prepared as follows. to: Nominally about 80 µg/mL of levorphanol tartrate in <i>Diluent</i> prepared as follows. In <i>Procedure</i> : Change Column: 3.9-mm × 30-cm; 4-µm packing L1 to: Column: 3.9-mm × 30-cm; 10-µm packing L1
LIDOCAINE, R ACEPINEPHRI NE AND TETRACAINE HYDROCHLOR IDES COMPOU NDED TOPICAL GEL	DEFINITION	USPNF Online Online	29-Mar-2024	1-Apr-2024	NA	NA	Change Prepare Lidocaine, Racepinephrine, and Tetracaine Hydrochlorides Compounded Topical Gel

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							containing 40 mg/mL of lidocaine hydrochloride, 1 mg/mL of racepinephrine hydrochloride, and 10 mg/mL of tetracaine hydrochloride as follows (see <i>Pharmaceutical Compounding—Sterile Preparations</i> <797>). to: Prepare Lidocaine, Race pinephrine, and Tetracaine Hydrochlorides Compounded Topical Gel containing 40 mg/mL of lidocaine hydrochloride, 1 mg/mL of racepinephrine

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LINEZOLID TABLETS	IM PUR ITIES/ <i>Organic Impurities</i>	USPNF Online Online	26-May-2023	1-Jun-2023	NA	NA	hydrochloride, and 10 mg/mL of tetracaine hydrochloride as follows (see <i>Pharmaceutical Compounding—Nonsterile Preparations</i> <795>). In <i>Sensitivity solution</i> : Change 0.5 ug/mL of USP Linezolid RS from <i>Standard solution</i> in <i>Diluent</i> to: 0.5 ?g/mL of USP Linezolid RS from <i>Standard solution</i> in <i>Diluent</i>
LINEZOLID TABLETS	PERFORMANC E TESTS	USPNF Online Online	26-Jan-2024	1-Feb-2024	NA	NA	In <i>Dissolution</i> ?711?/Test 1/Analysis: Change Result = (r

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							$\frac{r_U}{r_S} \times C_S \times V \times (1/L) \times 100$ $r_U = \text{peak response of linezolid from the Sample solution}$ $r_S = \text{peak response of linezolid from the Standard solution}$ $C_S = \text{concentration of USP Linezolid RS in the Standard solution (mg/mL)}$ $V = \text{volume of Medium, 900 mL}$ $L = \text{label claim (mg/Tablet)}$ to: $\text{Result} = \frac{r_U}{r_S} \times C_S \times V \times (1/L) \times D \times 100$ $r_U = \text{peak response of}$

Monograph TitleSection __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							linezolid from the <i>Sample solution</i> r_S = peak response of linezolid from the <i>Standard solution</i> C_S = concentration of USP Linezolid RS in the <i>Standard solution</i> (mg/mL) V = volume of <i>Medium</i> , 900 mL L = label claim (mg/Tablet) D = dilution factor of the <i>Sample solution</i> , as needed

Pagination

- [First page « First](#)
- [Previous page < Previous](#)
- [Page 1](#)

-
- [_Page_2](#)
 - [_Page_3](#)
 - [_Page_4](#)
 - [_Next page Next >](#)
 - [_Last page Last »](#)