

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DOXORUBICIN ASSAY	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	In

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROCHLORIDE									<i>Procedure/System suitability solution: Add link to USP Store for USP Epirubicin Hydrochloride RS</i>
DILUTED ISOSORBIDE MONONITRATE	IMPURITIES	USPNF Online	Online	26-Apr-2024		1-May-2024	NA	NA	<i>In Organic Impurities/Standard solution: Change isosorbide related compound A to: isosorbide mononitrate related compound A AND In System suitability/Suitability requirements/Relative standard deviation: Change</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BROMPHENIRAMINE	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	<p>isosorbide related compound A, to:</p> <p>isosorbide mononitrate related compound A, AND</p> <p>In four instances in <i>Analysis</i>: Change isosorbide related compound A, to:</p> <p>isosorbide mononitrate related compound A, AND</p> <p>In <i>Table 1</i>: Change Isosorbide related compound A to:</p> <p>Isosorbide mononitrate related compound A</p> <p>Change Optical</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MALEATE							Rotation ?781? to: Optical Rotation, <i>Angular Rotation ?781A?</i>
RIVASTIGMINE IMPURITIES TARTRATE	<i>USPNF Online</i> Online		26-Apr-2024	1-May-2024	NA	NA	In <i>Organic Impurities/Procedure 1/Impurity Table 1/footnote d:</i> Change 3-Nitrophenyl ethyl(methyl)carbamate. to: 4-Nitrophenyl ethyl(methyl)carbamate.
ISOSORBIDE IMPURITIES MONONITRATE TABLETS	<i>USPNF Online</i> Online		26-Apr-2024	1-May-2024	NA	NA	In <i>Organic Impurities/Standard solution:</i> Change isosorbide related compound A to: isosorbide mon

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>onitrate related compound A AND In System <i>suitability/Suitability</i> require <i>ments/Relative standard deviation:</i> Change isosorbide related compound A, to: isosorbide mononitrate related compound A, AND In four instances in <i>Analysis:</i> Change isosorbide related compound A, to: isosorbide mononitrate related compound A,</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DAPSONE TABLETS	PERFORMANCE TESTS	USP <i>Online</i>	Online	26-Apr-2024		1-May-2024	NA	NA	<p>AND</p> <p>In <i>Table 1</i>: Change Isosorbide related compound A to: Isosorbide mononitrate related compound A</p> <p>In <i>Dissolution</i> ?711?/<i>Standard solution</i>: Change USP Dapsone RS of a known concentration in <i>Medium</i> to: (<i>L</i>/1000) mg/mL of USP Dapsone RS in <i>Medium</i>, where <i>L</i> is the label claim in mg/Tablet. Transfer a portion of this solution containing 0.2 mg of dapsone</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LIDOCAINE	ASSAY	USPNF Online	Online	29-Mar-2024		1-Apr-2024	NA	NA	to a 25-mL volumetric flask, add 5 mL of 1 N sodium hydroxide, and dilute with water to volume. In <i>Procedure</i> : Change Column: 3.9-mm x 30-cm; 4- μ m packing L1 to: Column: 3.9-mm x 30-cm; 10- μ m packing L1
ENSULIZOLE	IDENTIFICATION	USPNF Online	Online	29-Mar-2024		1-Apr-2024	NA	NA	In <i>B.</i> : Change The retention time of the major peak of the <i>Sample solution</i> exhibits maxima and minima at the same wavelengths as those of the <i>Standard</i>

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LIDOCAINE, R ACEPINEPHRI NE AND TETRACAINE HYDROCHLOR IDES COMPOU NDED TOPICAL GEL	USPNF Online	Online	29-Mar-2024	1-Apr-2024	NA	NA	<p><i>solution</i>, as obtained in the Assay.</p> <p>to: The retention time of the major peak of the <i>Sample solution</i> corresponds to that of the <i>Standard solution</i>, as obtained in the Assay.</p> <p>Change Prepare Lidocaine, Racepinephrine, and Tetracaine Hydrochlorides Compounded Topical Gel containing 40 mg/mL of lidocaine hydrochloride, 1 mg/mL of racepinephrine hydrochloride, and 10 mg/mL</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>of tetracaine hydrochloride as follows (see <i>Pharmaceutical Compounding—Sterile Preparations</i> <797>).</p> <p>to:</p> <p>Prepare Lidocaine, Racepinephrine, and Tetracaine Hydrochlorides Compounded Topical Gel containing 40 mg/mL of lidocaine hydrochloride, 1 mg/mL of racepinephrine hydrochloride, and 10 mg/mL of tetracaine hydrochloride as follows (see <i>Pharmaceutical Compounding—Nonsterile</i></p>

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
IPRATROPIUM IMPURITIES BROMIDE INHALATION SOLUTION	USPNF Online	Online	29-Mar-2024	1-Apr-2024	NA	NA	Preparations <795>). In <i>Organic Impurities</i> : Change Column: 4.6-mm x 25- μ m; 5- μ m packing L1 to: Column: 4.6-mm x 25-cm; 5- μ m packing L1
SUCROSE IMPURITIES	USPNF Online	Online	29-Mar-2024	1-Apr-2024	NA	NA	In <i>Sulfite/Analyses</i> /footnote 1: Change Test kit for sulfite determination may be ordered from the following suppliers: Megazyme Ltd. (Product code: K-ETSULPH); R-Biopharm (Enzytec)

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									(Article No.: E6275); BioSen Tec/Nzytech (Catalogue No.: AK00071). to: Test kit for sulfite determination may be ordered from the following suppliers: Megazyme Ltd. (Product code K-ETSULPH); R-Biopharm (Enzytec) (Article No. E6275); Nzytech (Catalogue No. AK00071) and BioSenTec (Product reference 040-E).
METHYLNALT REXONE BROMIDE	CHEMICAL INFORMATION	USPNF Online	Online	23-Feb-2024		1-Mar-2024	NA	NA	Correct the chemical structure
IODIXANOL	IMPURITIES	USPNF Online	Online	23-Feb-2024		1-Mar-2024	NA	NA	In <i>Organic</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
INJECTION							<p><i>Impurities, Procedure</i> 2/footnote 4: Change</p> <p>5-[[[3-[[[3-[[[3-[[3-[[3-[[3,5-Bis-[[[2,3-dihydroxypropyl]amino]carbonyl]-2,4,6-triiodophenyl](acetylino)]-2-hydroxypropyl](acetylino)]-5-[[[2,3-dihydroxypropyl]amino]carbonyl]-2,4,6-triiodophenyl]carbonyl]amino]-2-hydroxypropyl]oxy]-2-hydroxypropyl](acetylino)]-N,N'-bis(2,3-dihydroxypropyl)-2,4,6-triiodo-1,3-benzendicarboxamide.</p> <p>to:</p> <p>5-[[[3-[[[3-[[[3-[[3-[[3-[[3,5-Bis-[[[2,3-dihydroxypropyl]amino]carbonyl</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
THALIDOMIDE ASSAY CAPSULES	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA]-2,4,6-triiodophenyl](acetylamin o)]-2-hydroxypropyl](acetylamin o)]-5-[[[2,3-dihydroxypropyl]amino]carbonyl]-2,4,6-triiodophenyl] carbonyl]amino]-2-hydroxypropyl]oxy]-2-hydroxypropyl](acetylamin o)]-N,N'-bis(2,3-dihydroxypropyl)-2,4,6-triiodo-1,3-benzendicarboxamide . In Procedure: Change 1000C(R _J /R _S) to: 500C(R _J /R _S)
COCOYL CAP SPECIFIC RYLOCAPRAT TESTS E	USPNF Online	Online	23-Feb-2024	1-May-2024	NA	NA	In Fats and Fixed Oils ?401?, Procedures, Hydroxyl Value/Analysis: Change Calculate the

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METOLAZONE IMPURITIES	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	acid value as directed in the chapter. to: Calculate the hydroxyl value as directed in the chapter. In <i>Organic Impurities/Chromatographic system/Column:</i> Change 4.6-mm x 25-cm; 5-µm packing 1 to: 4.6-mm x 25-cm; 5-µm packing L1
IODIXANOL INJECTION	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	In <i>USP Reference Standards</i> 111/USP Iodixanol Related Compound E RS: Change 5-[[3-[[3-[[2,3-D

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLURAZEPAM USP HYDROCHLOR IDE STANDARDS ?11?	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	ihydroxypropyl) amino]carbonyl]-5- [[amino]carbonyl]-2,4,6-triiodophenyl](acetylimino)]-2-hydroxypropyl]-(acetylimino)]-N,N?-bis(2,3-dihydroxypropyl)-2,4,6-triiodo-1,3-benzenedicarboxamide. to: 5-{N-[3-(N-{3-Carbamoyl-5-[(2,3-dihydroxypropyl)carbonyl]-2,4,6-triiodophenyl}acetamido)-2-hydroxypropyl]acetamido}-N ¹ ,N ³ -bis(2,3-dihydroxypropyl)-2,4,6-triiodoisophthalamide. In USP Flurazepam Related Compound C RS: Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PROPOFOL	ASSAY	USPNF Online	Online	23-Feb-2024		1-Mar-2024	NA	NA	5-Chloro-2-(2-diethylaminoethyl (amino)-2?-fluorobenzophenone hydrochloride. to: 5-Chloro-2-(2-diethylaminoethyl amino)-2?-fluorobenzophenone hydrochloride. In <i>Procedure 2/Mobile phase</i> : Change Hexane, acetonitrile, and alcohol (990: 7.5: 1) to: Hexane, acetonitrile, and alcohol, absolute (990: 7.5: 1)
DRY HEAT DE INTRODUCTION	PYROGENATION	USPNF Online	Online	23-Feb-2024		1-Mar-2024	NA	NA	Change parental manufacturing to: parenteral manufacturing In <i>B</i> .
DICYCLOMINE IDENTIFICATION		USPNF Online	Online	26-Jan-2024		1-Feb-2024	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROCHLORIN IDE									<i>Identification Tests—General ?191?, Chemical Identification Tests, Chloride: Change Meets the requirements when tested as specified in test B.</i> to: Meets the requirements of the test for amine hydrochlorides
AMOXICILLIN ORAL SUSPENSION	IDENTIFICATION	USP NF Online	Online	26-Jan-2024		1-Feb-2024	NA	NA	Change Shake a portion of Oral Suspension with a mixture of acetone and 0.1 N hydrochloric acid (4:1) to obtain a solution containing about 1 mg of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>amoxicillin per mL. The solution responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i>. to: Prepare a test solution by shaking a portion of Oral Suspension with a mixture of acetone and 0.1 N hydrochloric acid (4:1) to obtain a solution containing about 1 mg of amoxicillin per mL. Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric acid containing</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>1 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> 621?). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol, chloroform, water, and pyridine (90:80:30:10).</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained from the Standard solution.

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LINEZOLID TABLETS	PERFORMANC E TESTS	USPNF Online	Online	26-Jan-2024		1-Feb-2024	NA	NA	<p>In <i>Dissolution</i> ?711?/Test 1/Analysis: Change Result = $(r_U/r_S) \times C_S \times V \times (1/L) \times 100$</p> <p>$r_U$ = peak response of linezolid from the <i>Sample solution</i></p> <p>r_S = peak response of linezolid from the <i>Standard solution</i></p> <p>C_S = concentration of USP Linezolid RS in the <i>Standard solution</i> (mg/mL)</p> <p>V = volume of <i>Medium</i>, 900 mL</p> <p>L = label claim (mg/Tablet)</p> <p>to: Result = $(r$</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description	
CARVEDILOL	PERFORMANC	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	$\frac{U}{r_S} \times C_S \times V \times (1/L) \times D \times 100$ $r_U = \text{peak response of linezolid from the Sample solution}$ $r_S = \text{peak response of linezolid from the Standard solution}$ $C_S = \text{concentration of USP Linezolid RS in the Standard solution (mg/mL)}$ $V = \text{volume of Medium, 900 mL}$ $L = \text{label claim (mg/Tablet)}$ $D = \text{dilution factor of the Sample solution, as needed}$ In <i>Dissolution</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TABLETS	E TESTS								<711>/Test 3/ Chromatographic system/ Column: Change 4.6-mm x 15-mm; 5-?m packing L7 to: 4.6-mm x 15-cm; 5-?m packing L7
THEOPHYLLIN IDENTIFICATION CAPSULES	N	USPNF Online	Online	26-Jan-2024		1-Feb-2024	NA	NA	Change A: The contents of the Capsules respond to <i>Identification</i> tests <i>A</i> and <i>B</i> under <i>Theophylline Tablets</i> . B: The retention time of the major peak in the chromatogram of the Assay preparation corresponds to

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>that in the chromatogram of the <i>Standard preparation</i>, as obtained in the Assay.</p> <p>to:</p> <p>A: Triturate a quantity of the contents of Capsules, equivalent to about 500 mg of theophylline, with 10-mL and 5-mL portions of solvent hexane, and discard the solvent hexane. Triturate the residue with two 10-mL portions of a mixture of equal volumes of 6 N ammonium hydroxide and water, and filter each time. Evaporate the combined</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>filtrates to about 5 mL, neutralize, if necessary, with 6 N acetic acid, using litmus, and then cool to about 15°, with stirring. Collect the precipitate on a filter, wash it with cold water, and dry at 105° for 2 hours: the theophylline so obtained melts between 270° and 274° (see <i>Melting Range or Temperature</i> ?741?, <i>Procedures, Procedure for Class I</i>). Retain the remaining portion of the theophylline for use in <i>Identification test B</i>.</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>B: The IR absorption spectrum of a potassium bromide dispersion of the residue obtained in <i>Identification</i> test A exhibits maxima only at the same wavenumbers as that of a potassium bromide dispersion of USP Theophylline RS.</p> <p>C: The retention time of the major peak in the chromatogram of the <i>Assay preparation</i> corresponds to that in the chromatogram</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACARBOSE	IMPURITIES	USPNF Online	Online	29-Dec-2023		1-Jan-2024	NA	NA	of the <i>Standard preparation</i> , as obtained in the <i>Assay</i> . In <i>Chromatographic Purity/Analysis</i> : Change Result = $(r_U/r_A) \times (1/F) \times 100$ to: Result = $(r_U/r_A) \times (1/F)$
GLUCAGON	PROCESS-RELATED IMPURITIES AND OTHER COMPONENTS	USPNF Online	Online	29-Dec-2023		1-Jan-2024	NA	NA	In <i>Acetic Acid in Peptides/Analysis</i> : Change C_{SPA} = concentration of potassium acetate in each of the <i>Standard solutions</i> (mg/mL) to: C_{SPA} = concentration of potassium acetate in each of the <i>Standard</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ANTIBIOTICS—APPENDICES MICROBIAL ASSAYS	USPNF Online	Online	29-Dec-2023	1-Jan-2024	NA	NA	<p><i>solutions</i> ($\mu\text{g/mL}$) AND In <i>Ammonium/</i> <i>Analysis:</i> Change $C_{SAC} =$ concentration of ammonium chloride in each of the <i>Standard</i> <i>solutions</i> (mg/mL) to: $C_{SAC} =$ concentration of ammonium chloride in each of the <i>Standard</i> <i>solutions</i> ($\mu\text{g/mL}$) In two instances in <i>Appendix 1</i> equations: Change 14.020 to: 14.022 Change</p>
SECOBARBITA OTHER REQUI	USPNF Online	Online	29-Dec-2023	1-Jan-2024	NA	NA	Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
L SODIUM	REMENTS								Where the label states that Secobarbital Sodium is sterile, it meets the requirements for <i>Sterility Tests</i> and for <i>Bacterial endotoxins</i> under <i>Secobarbital Sodium for Injection</i> . Where the label states that Secobarbital Sodium must be subjected to further processing during the preparation of injectable dosage forms, it meets the requirements for <i>Bacterial endotoxins</i> under <i>Secobarbital</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Sodium for Injection.</i></p> <p>to:</p> <p>Where the label states that Secobarbital Sodium is sterile, it meets the requirements for <i>Sterility Tests</i> ?71? and the level of bacterial endotoxins is not more than 0.9 USP Endotoxin Units per mg of secobarbital sodium tested per <i>Bacterial Endotoxins Test</i> <85>. Where the label states that Secobarbital Sodium must be subjected to further processing</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN IDENTIFICATION TEST NTRAMAMMA N RY INFUSION	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	<p>during the preparation of injectable dosage forms, the level of bacterial endotoxins is not more than 0.9 USP Endotoxin Units per mg of secobarbital sodium tested per <i>Bacterial Endotoxins Test</i> <85>.</p> <p>Change The solution obtained responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i>. to: Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>acid containing 4 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> <621>). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol, chloroform, water, and pyridine</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							(90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained from the Standard

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NORFLURANE	IMPURITIES	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	solution. In <i>Organic Impurities/ Table 2</i> : Change Line No. to: Peak Elution Order AND In <i>Halides/ Figure 1</i> : Add label Flow Meter
CEFDINIR	IMPURITIES	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	In <i>Organic Impurities/ Table 2/ footnote a</i> : Change <i>1 N-[(Z)-2-(2-Aminothiazol-4-yl)-2-(hydroxyimino)acetyl] glycine.</i> to: <i>N-[(Z)-2-(2-Aminothiazol-4-yl)-2-(hydroxyimino)acetyl] glycine.</i>
AMIKACIN SULFATE	ASSAY	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	In <i>Procedure/ Analysis</i> :

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DUTASTERIDE PERFORMANCE AND TESTS TAMSULOSIN HYDROCHLORIDE CAPSULES	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	<p>Change $C_U =$ concentration of amikacin in the <i>Sample solution</i> (mg/mL) to: $C_U =$ concentration of Amikacin Sulfate in the <i>Sample solution</i> (mg/mL) In <i>Dissolution</i> ?711?/<i>Test for dutasteride/Tier 2/Medium:</i> Change 10 g/L of cetyltrimethylammonium bromide and 750,000 USP units of activity/mg of pepsin, purified in 0.1 N hydrochloric acid; 900 mL to: Dissolve 10 g of cetyltrimethylam</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SODIUM SALICYLATE	ADDITIONAL REQUIREMENTS	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	monium bromide and 1.6 g of pepsin, purified in 1000 mL of 0.1 N hydrochloric acid; 900 mL In <i>USP Reference Standards</i> ?11?: Add USP Phenol RS In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound A RS: Change 413.43 to: 413.42 AND In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound B RS: Change C
CEFDINIR FOR ORAL SUSPENSION	ADDITIONAL REQUIREMENTS	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									$^{14}\text{H}_{13}\text{N}_4\text{O}_4\text{S}_2$ 365.41 to: $\text{C}_{14}\text{H}_{14}\text{N}_4\text{O}_4\text{S}_2$ 366.41
COLOR AND ACHROMICITY	METHOD II: INSTRUMENTAL (QUANTITATIVE) ASSESSMENT OF COLOR AND COLOR MATCHES	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	In <i>Table 5</i> : Change Sum 98.809 100.000 107.307 White point 98.811 100.000 107.304 to: Sum 94.809 100.000 107.307 White point 94.811 100.000 107.304
AZITHROMYCIN	IMPURITIES	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	In <i>Organic Impurities/ Table 2</i> : Change 3'-N -D emet hyl-3'-N -[(4-methylphenyl)sulfonyl]azithromycin ^m to:

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>3?-N -{{4-(Acetylamino)phenyl}sulfonyl}-3?-demethyl azithromycin^m AND In <i>Table</i> 2/footnote m: Change (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-L-ribohexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3-[N-(4-methylphenyl)sulfonyl)-N-methylamino]-3,4,6-trideoxy-β-D-xyloribopyranosyl]oxy]-1-oxa-6-az</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OLMESARTAN PERFORMANC MEDOXOMIL E TESTS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	acyclopentadecan-15-one. to: (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-L-ribo-hexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3-[N-(4-acetamidophenylsulfonamido)-N-methylamino]-3,4,6-trideoxy-D-xyl-hexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one. In <i>Dissolution</i> ?711?/Test

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TABLETS									<i>5/Apparatus 2: Change 50 rpm. Use peak vessels. to: 50 rpm. Use apex vessels.</i>
CEFDINIR	ADDITIONAL REQUIREMENTS	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	<i>In USP Reference Standards ?11?/USP Cefdinir Related Compound A RS: Change 413.43 to: 413.42</i>
AMOXICILLIN BOLUSES	IDENTIFICATION	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	<i>Change Application volume, Developing solvent system, Procedure—Proceed as directed for the Identification test under Amoxicillin Tablets. to:</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Application volume</i>—5 µL.</p> <p><i>Developing solvent system</i>—a mixture of methanol, chloroform, water, and pyridine (90:80:30:10).</p> <p><i>Procedure</i>—Proceed as directed in <i>Thin-Layer Chromatographic Identification Test <201></i>. Dry the plate with the aid of a current of warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DUTASTERIDE ADDITIONAL R AND EQUIREMENT TAMSULOSIN S HYDROCHLOR IDE CAPSULES	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	at 110° for 15 minutes. In <i>USP Reference Standards</i> ?11?/USP Dihydrodutasteride RS: Change <i>N</i> -[2,5-Bis(trifluoromethyl)phenyl]-3-oxo-4-aza-5?-androst-1-ene-17?-carboxamide. to: <i>N</i> -[2,5-Bis(trifluoromethyl)phenyl]-3-oxo-4-aza-5?-androstane-17?-carboxamide.
Strychnine Sulfate REAGENTS AND REFERENCE TABLES	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>Reagent Specifications</i> : Change CAS RN®: 60-41-3. to: CAS RN®: 60491-10-3.
MEASUREME APPARATUS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>Figure 2</i> :

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description	
NT OF STRUCTURAL STRENGTH OF SEMISOLIDS BY PENETRO METRY							Change 66±0.25 Ø to: 65±0.25 Ø	
DICLOFENAC SODIUM AND MISOPROSTO L DELAYED- RELEASE TABLETS	PERFORMANC E TESTS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>Dissolution</i> ?711?: Move <i>Test 2</i> after <i>Test 1</i>
PANTOPRAZO LE SODIUM DEE LAYED- RELEASE TABLETS	PERFORMANC E TESTS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>Dissolution</i> ?711?/ <i>Test</i> <i>2/Acid stage</i> : Change Acid stage standard solution: (<i>L</i> /10) mg/mL of USP Pantoprazole Sodium RS from the <i>Standard stock</i> <i>solution</i> in <i>Acid</i> <i>stage medium</i> , where <i>L</i> is the label claim in mg/Tablet to: Acid stage

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>standard solution: (L/10000) mg/mL of USP Pantoprazole Sodium RS from the <i>Standard stock solution in Acid stage medium</i>, where <i>L</i> is the label claim in mg/Tablet AND In <i>Dissolution <711>/Test 2/Buffer stage</i>: Change Buffer stage standard solution: (L/1000) of USP Pantoprazole Sodium RS where <i>L</i> is the label claim in mg/Tablet to: Buffer stage standard</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CEFDINIR CAPSULES	ADDITIONAL REQUIREMENTS	USPNF Online	17-Nov-2023	1-Dec-2023	NA	NA	<p>solution: (L/1000) mg/mL of USP Pantoprazole Sodium RS from the <i>Standard stock solution</i> in <i>Buffer stage medium</i>, where L is the label claim in mg/Tablet</p> <p>In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound A RS: Change 413.43 to: 413.42 AND In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound B RS: Change</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TELMISARTAN PERFORMANCE TESTS	USPNF Online	Online	27-Oct-2023	1-Nov-2023	NA	NA	<p>$C_{14}H_{13}N_4O_4S_2$ 365.41</p> <p>to:</p> <p>$C_{14}H_{14}N_4O_4S_2$ 366.41</p> <p>In <i>Dissolution</i> ?711?/Test 1/Analysis: Change Determine the percentage of telmisartan ($C_{33}H_{30}N_4O_2$) dissolved: Result = $(A_U \times C_S \times V \times 100) / (A_S \times D \times L)$ to: Calculate the percentage of the labeled amount of telmisartan ($C_{33}H_{30}N_4O_2$) dissolved: Result = $(A_U / A_S) \times C_S \times V \times D \times (1/L) \times 100$ AND Change</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							$C_S =$ concentration of the <i>Standard</i> <i>solution</i> (mg/mL) to: $C_S =$ concentration of USP Telmisartan RS in the <i>Standard</i> <i>solution</i> (mg/mL) AND In <i>Dissolution</i> ?711?/Test 2/Analysis: Change $r_U =$ peak response from the <i>Sample</i> <i>solution</i> $r_S =$ peak response from the <i>Standard</i> <i>solution</i> to: $r_U =$ peak response of telmisartan from the <i>Sample</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METHYLBENZ ASSAY ETHONIUM CHLORIDE	USPNF Online	Online	27-Oct-2023	1-Nov-2023	NA	NA	<p><i>solution</i> r_s = peak response of telmisartan from the <i>Standard solution</i> AND In <i>Dissolution</i> ?711?/Test 3/<i>Analysis</i>: Change C_s = concentration of the <i>Standard solution</i> (mg/mL) to: C_s = concentration of USP Telmisartan RS in the <i>Standard solution</i> (mg/mL) In <i>Procedure</i>/<i>Analysis</i>: Change Calculate the percentage of methylbenzethoni</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN FOR INJECTABLE SUSPENSION	Identification	USPNF Online	27-Oct-2023	1-Nov-2023	NA	NA	um chloride (C ₂₈ H ₄₄ ClNO ₂ · H ₂ O) in the portion of Methylbenzethonium Chloride taken: to: Calculate the percentage of methylbenzethonium chloride (C ₂₈ H ₄₄ ClNO ₂) in the portion of Methylbenzethonium Chloride taken: Change Prepare a test solution containing the equivalent of 4 mg of amoxicillin per mL by adding 0.1 N hydrochloric acid to Amoxicillin for Injectable Suspension. Allow the

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>solution to stand for 5 minutes before use: the solution responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i>. to: Prepare a test solution containing the equivalent of 4 mg of amoxicillin per mL by adding 0.1 N hydrochloric acid to Amoxicillin for Injectable Suspension. Allow the solution to stand for 5 minutes before use. Prepare a Standard solution of USP</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Amoxicillin RS in 0.1 N hydrochloric acid containing 4 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> <621>). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol,

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>chloroform, water, and pyridine (90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to</p>

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
----------------------------------------	------------------------------------	-----------------------------	-------------------------------------------------	--------------------------------------	-------------------------------------------------	-----------------------------------------------	-------------

that obtained from the Standard solution.

Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- [Page 1](#)
- [Page 2](#)
- [Page 3](#)
- [Page 4](#)
- [Page 5](#)
- [Page 6](#)
- [Page 7](#)
- [Page 8](#)
- [Page 9](#)
- ...
- [Next page Next ›](#)
- [Last page Last »](#)