

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FOLIC ACID	USP Reference	USP41–NF36	1866	27-Jul-2018	1-Aug-2018	USP43–NF38	Second	Delete

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
INJECTION	<i>standards <11></i>							<i>Supplement to USP41–NF36</i>	USP Endotoxin RS
ZIPRASIDONE IM HYDROCHLOR PUR IDE	ITIES/ <i>Organic Impurities</i>	<i>Second Supplement to USP41–NF36</i>	8992	27-Jul-2018		1-Aug-2018	<i>USP43–NF38</i>	<i>Second Supplement to USP41–NF36</i>	In the second variable definition in <i>Analysis: Change r_U = peak response of chl oroindolinone or ziprasidone related compound F from the Sample solution to: r_U = peak response of chl oroindolinone, ziprasidone related compound F, or any unspecified impurity from the Sample solution</i>
PLASTIC MATERIALS OF CONSTRUCTION	TEST METHODS	<i>USP41–NF36</i>	6403	27-Jul-2018		1-Aug-2018	<i>USP43–NF38</i>	<i>Second Supplement to USP41–NF36</i>	Line 1 of <i>Plastic Additives/Reference solutions/Reference</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>solution I:</i> Change 0.24 mg/mL of USP Plastic Additive 4 RS prepared in the <i>Solvent mixture</i> to: 0.24 mg/mL of USP Plastic Additive 4 RS prepared in methylene chloride AND Line 1 of <i>Reference solution J:</i> Change 0.24 mg/mL of USP Plastic Additive 5 RS prepared in the <i>Solvent mixture</i> to: 0.24 mg/mL of USP Plastic Additive 5 RS prepared in methylene chloride</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DIVALPROEX SODIUM DELA YED-RELEASE CAPSULES	PERFORMANCE TESTS/ <i>Dissolution</i> <711>/Test 2	USP41–NF36	1354	27-Jul-2018		1-Aug-2018	USP43–NF38	Second Supplement to USP41–NF36	AND Line 1 of <i>Poly(ethylene-vinyl acetate)/Polyvinyl chloride, plasticized/Reference solutions U, V, W</i> : Change 0.1-mg/mL solutions to: 10.0-mg/mL solutions Line 1 of <i>Tolerances</i> : Change NMT 20% (Q) of the labeled amount of to: NMT 20% of the labeled amount of
CHORIONIC GONADOTROPIN FOR INJECTION	ADDITIONAL REQUIREMENTS	USP41–NF36	1982	29-Jun-2018		1-Jul-2018	USP42–NF37	Second Supplement to USP41–NF36	Line 2 of <i>USP Reference Standards</i> <11>: Delete USP Endotoxin RS
POLYDEXTRO	ASSAY/	<i>First</i>	8491	29-Jun-2018		1-Jul-2018	USP42–NF37	Second	Line 1 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SE	<i>Procedure</i>	<i>Supplement to USP41–NF36</i>						<i>Supplement to USP41–NF36</i>	<i>Sample solution: Change Polydextrose, calculated on the anhydrous and ash-free basis, in Mobile phase to: Polydextrose in Mobile phase AND Line 1 of Acceptance criteria: Change NLT 90.0% to: NLT 90.0% on the anhydrous and ash-free basis</i>
HYDROGENAT ASSAY/ ED POLYDEXT ROSE	<i>Procedure</i>	<i>USP41–NF36</i>	5495	29-Jun-2018		1-Jul-2018	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	<i>Change Standard solution: 4.0 mg/mL of USP Polydextrose RS, calculated on the anhydrous and ash-free basis,</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY IDENTIFICATION TESTING OF BACTERIAL PRODUCTS	2.	<i>First Supplement to USP41–NF36</i>	8633	29-Jun-2018		1-Jul-2018	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	<p>in <i>Mobile phase Sample solution</i>: 4.0 mg/mL of Hydrogenated Polydextrose, calculated on the anhydrous and ash-free basis, in <i>Mobile phase</i> to:</p> <p><i>Standard solution</i>: 4.0 mg/mL of USP Polydextrose RS in <i>Mobile phase Sample solution</i>: 4.0 mg/mL of Hydrogenated Polydextrose in <i>Mobile phase</i></p> <p>Line 3 of 2.1 <i>Equipment R equ ipment s/Processing Parameters</i>:</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OLYSACCHARIDES USED IN VACCINE MANUFACTURE									Change adsorption to: absorption
CALCIUM CITRATE MALATE	IM	<i>First Supplement to of Fluoride USP41–NF36</i>	8299	29-Jun-2018		1-Jul-2018	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	Line 1 of <i>Standard solution</i> : Change Transfer 1.0 mL of <i>Standard stock solution</i> to: Transfer 2.0 mL of <i>Standard stock solution</i>
DOXEPIN HYDROCHLORIDE	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	<i>USP41–NF36</i>	1404	25-May-2018		1-Jun-2018	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	Line 2 of USP Doxepin Related Compound C RS: Change (<i>E,Z</i>)-3-(Dibenzo[<i>b,e</i>]oxepin-1-ylidene)- <i>N</i> -methylpropylamine. to:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ETHYLENE GLYCOL AND VINYL ALCOHOL GRAFT COPOLYMER	IM PUR ITIES/ <i>Procedure 2: Vinyl Acetate</i>	<i>USP41–NF36</i>	5346	25-May-2018		1-Jun-2018	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	(E,Z)-3-(Dibenzoxepin-1-ylidene)-N-methylpropan-1-amine hydrochloride. Line 6 of <i>Sample solution</i> : Change Pass through a 0.2-mm membrane filter. to: Pass through a 0.2-?m membrane filter.
MICONAZOLE NITRATE TOPICAL POWDER	ADDITIONAL REQUIREMENT S/USP <i>Reference Standards <11></i>	<i>First Supplement to USP41–NF36</i>	8355	25-May-2018		1-Jun-2018	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	Line 2 of USP Miconazole Related Compound C RS: Change 2-[(2,4-Dichlorobenzyl)oxy]-2-(2,4-dichlorophen

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CHOLESTERO L	IM PURITIES/ <i>Limit of Related Sterols and Other Organic Impurities/Analysis</i>	<i>USP41–NF36</i>	5296	25-May-2018		1-Jun-2018	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	yl)ethan-1-amine. $C_{15}H_{13}Cl_4NO$ 365.08 to: 2-[(2,4-Dichloro benzyl)oxy]-2-(2,4-dichlorophenyl)ethan-1-amine hydrochloride. $C_{15}H_{13}Cl_4NO \cdot HCl$ 401.53 In the second variable definition list: Change $C_{S2} =$ concentration of USP Cholesterol RS in the <i>Standard solution</i> (mg/mL) to: $C_{S2} =$ concentration of USP Cholesterol RS in the <i>System suitability solution</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PRODUCTS FOR NEBULIZATION—CHARACTERIZATION OF TESTS	AERODYNAMIC ASSESSMENT OF NEBULIZED AEROSOLS	USP41–NF36	7874	25-May-2018		1-Jun-2018	USP42–NF37	Second Supplement to USP41–NF36	(mg/mL) Line 1 of paragraph 3: Change general information chapter <i>Aerosols, Nasal Sprays, Metered-Dose Inhalers, and Dry Powder Inhalers <601></i> , to: general chapter <i>Inhalation and Nasal Drug Products: Aerosols, Sprays, and Powders—Performance Quality Tests <601></i>),
ESZOPICLONE	ADDITIONAL REQUIREMENT S/USP Reference Standards	Second Supplement to USP41–NF36	Online	25-May-2018		1-Jun-2018	USP42–NF37	Second Supplement to USP41–NF36	Line 2 of USP Eszopiclone Related Compound A RS: [Note—This material may be

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>available in the free base or salt form.]</p> <p>6-(5-Chloropyridin-2-yl)-7-oxo-6,7-dihydro-5H-pyridolo[3,4-b]pyrazin-5-yl 4-methylpiperazine-1-carboxylate 4-oxide.</p> <p>$C_{17}H_{17}ClN_6O_4$ 404.81</p> <p>6-(5-Chloropyridin-2-yl)-7-oxo-6,7-dihydro-5H-pyridolo[3,4-b]pyrazin-5-yl 4-methylpiperazine-1-carboxylate 4-oxide, 3-chlorobenzoic salt (1:1).</p> <p>$C_{17}H_{17}ClN_6O_4 \cdot C_7H_5ClO$ 561.38</p> <p>to: [Note—This</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>material may be available in the free base or salt form.]</p> <p>6-(5-Chloropyridin-2-yl)-7-oxo-6,7-dihydro-5H-pyrazolo[3,4-b]pyrazin-5-yl 4-methylpiperazine-1-carboxylate 4-oxide.</p> <p>$C_{17}H_{17}ClN_6O_4$ 404.81</p> <p>6-(5-Chloropyridin-2-yl)-7-oxo-6,7-dihydro-5H-pyrazolo[3,4-b]pyrazin-5-yl 4-methylpiperazine-1-carboxylate 4-oxide, 3-chlorobenzoate salt (1:1).</p> <p>$C_{17}H_{17}ClN_6O_4 \cdot C_7H_5ClO_2$ 561.38</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLUMAZENIL	IM PURITIES/ <i>Limit of Flumazenil Related Compound C</i>	USP41–NF36	1775	25-May-2018	ascending	1-Jun-2018	USP42–NF37	<i>Second Supplement to USP41–NF36</i>	Line 2 of <i>Standard solution B</i> : Change 0.12 ?g/mL to: 0.12 ?L/mL
SODIUM METABISULFITE	ASSAY/ <i>Procedure/Analysis</i>	USP41–NF36	5573	25-May-2018		1-Jun-2018	USP42–NF37	<i>Second Supplement to USP41–NF36</i>	In the Calculate statement: Change sodium metabisulfite (Na ₂ S ₂ O ₅) to: sulfur dioxide (SO ₂)
MONOSACCHARIDE ANALYSIS	PROCEDURES / <i>Procedure 3: Enzymatic Hydrolysis and Analysis by RP-HPLC of DMB-labeled Sialic Acids</i>	<i>First Supplement to USP41–NF36</i>	Online	25-May-2018		1-Jun-2018	USP42–NF37	<i>Second Supplement to USP41–NF36</i>	Line 6 of <i>Analysis</i> : Change Convert the protein concentration from mg/mL to (1 ?M = 1 nmol/mL). to: Convert the protein concentration from mg/mL to ?M (1 ?M = 1

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CARBIDOPA AND LEVODOPA TABLETS	ASSAY/ Proce dure/ Chromatographi c system	USP41–NF36	693	25-May-2018		1-Jun-2018	USP42–NF37	Second Supplement to USP41–NF36	nmol/mL). Line 1 of Detector. Change Identification B, to: Identification A, Line 2: Change Samples: Standard solution and Sample solution to: Samples: Standard solution A and Sample solution AND In the variable definition list: Change r_S = peak response of erythritol from the <i>Standard solution</i> C_S = concentration of USP Erythritol RS in the <i>Standard</i>
ERYTHRITOL	IM PUR ITIES/ <i>Related Co mpoun ds/Analysis</i>	USP41–NF36	5335	25-May-2018		1-Jun-2018	USP42–NF37	Second Supplement to USP41–NF36	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
EVALUATION OF PLASTIC PACKAGING SYSTEMS AND THEIR MATERIALS OF CONSTRUCTION WITH RESPECT TO THEIR USER SAFETY IMPACT	APPLICABILITY AND APPLICATION OF <661.1>	USP41–NF36	7902	25-May-2018		1-Jun-2018	USP42–NF37	Second Supplement to USP41–NF36	<p><i>solution</i> (mg/mL) to: r_s = peak response of erythritol from <i>Standard solution A</i> C_s = concentration of USP Erythritol RS in <i>Standard solution A</i> (mg/mL)</p> <p>Line 3 of <i>Application/4</i>: Change proscribed to: prescribed AND Line 3 of <i>Description of Polymers Contained in <661.1 ></i> <i>Polyethylenes</i>: Change Low-density polypropylene</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							(LDPE) to: Low-density polyethylene (LDPE) AND Line 6 of <i>Description of Polymers Contained in <661.1 >/</i> <i>Polypropylene:</i> Change 0.3% polypropylene to: 0.3%. Polypropylene AND Line 3 of <i>Description of Polymers Contained in <661.1 >/Polyethylene Terephthalate and Polyethylene Terephthalate</i> G: Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ESZOPICLONE ADDITIONAL REQUIREMENT S/USP Reference Standards	<i>Second Supplement to USP41–NF36</i>	Online	25-May-2018	1-Jun-2018	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	1,4-cyclohexane dimethanol to: 1,4-cyclohexane dimethanol Line 2 of USP Eszopiclone Related Compound A RS: [Note—This material may be available in the free base or salt form.] 6-(5-Chloropyridin-2-yl)-7-oxo-6,7-dihydro-5H-pyridolo[3,4-b]pyrazin-5-yl 4-methylpiperazine-1-carboxylate 4-oxide. C ₁₇ H ₁₇ ClN ₆ O ₄ 404.81 6-(5-Chloropyridin-2-yl)-7-oxo-6,7-dihydro-5H

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>-pyr rolo[3,4 -b]pyrazin-5-yl 4 -methylpiperazi ne-1-carboxylat e 4-oxide, 3-chlorobenzoic salt (1:1). $C_{17}H_{17}ClN_6O_4 \cdot$ C_7H_5ClO 561.38 to: [Note – This material may be available in the free base or salt form.] 6-(5-Chloropyrid in-2-yl)-7-oxo-6, 7-di hydro-5<i>H</i> -pyr rolo[3,4 -b]pyrazin-5-yl 4 -methylpiperazi ne-1-carboxylat e 4-oxide. $C_{17}H_{17}ClN_6O_4$ 404.81 6-(5-Chloropyrid in-2-yl)-7-oxo-6, 7-di</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									hydro-5H -pyr rolo[3,4 -b]pyrazin-5-yl 4 -methylpiperazi ne-1-carboxylat e 4-oxide, 3-chl orobenzoate salt (1:1). $C_{17}H_{17}ClN_6O_4 \cdot$ $C_7H_5ClO_2$ 561.38
LAMIVUDINE ORAL SOLUTION	ASSAY/ Proce dure/ Chromatographi c system	USP41–NF36	2328	25-May-2018		1-Jun-2018	USP42–NF37	Second Supplement to USP41–NF36	Line 1 of <i>Flow rate</i> : Change 1 mL/mL to: 1 mL/min
COMPRESSIBLIM E SUGAR	PURITIES/ <i>Limit of Calcium</i>	USP41–NF36	5631	25-May-2018		1-Jun-2018	USP42–NF37	Second Supplement to USP41–NF36	Line 1: Delete Proceed as directed in <i>Identification Tests—General <191></i> , <i>Calcium</i> .
ZIPRASIDONE HYDROCHLOR IDE	IM PUR ITIES/ <i>Organic Impuri ties/Analysis</i>	Second Supplement to USP41–NF36	8993	25-May-2018		1-Jun-2018	USP42–NF37	Second Supplement to USP41–NF36	In the second Calculate statement: Change chloroindolinon e and

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							ziprasidone related compound F to: chloroindolinone, ziprasidone related compound F, and any individual unspecified impurity AND In the second variable definition list: Change <i>F</i> = relative response factor for chloroindolinone or ziprasidone related compound F from <i>Table 3</i> to: <i>F</i> = relative response factor for chloroindolinone or ziprasidone

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DESLORATADINE TABLETS	USP41–NF36	1178	27-Apr-2018	1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	related compound F or any individual unspecified impurity from <i>Table 3 Organic Impurities</i> : Add Protect all solutions containing desloratadine from light.
ISOSORBIDE DINITRATE SUBLINGUAL TABLETS	<i>Identification</i> USP41–NF36	2272	27-Apr-2018	1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	Line 1: Change Tablets respond to the <i>Identification</i> test under <i>Isosorbide Dinitrate Tablets</i> . to: Transfer a suitable quantity of finely powdered Tablets to a glass-stoppered centrifuge tube. Add 10 mL of sodium

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							hydroxide solution (1 in 250), shake to wet the powder, then add 15 mL of solvent hexane, and again shake. Centrifuge the mixture, and transfer the upper phase to a beaker. Evaporate the solvent, and dry the residue in vacuum over anhydrous calcium chloride at room temperature for 16 hours: the IR absorption spectrum of a suitable solution in chloroform of the residue so obtained exhibits maxima only at the same

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROGENATED VEGETABLE OIL DEFINITION	USP41–NF36	5649	27-Apr-2018	1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	wavelengths as that of a similar preparation from the residue obtained from USP Diluted Isosorbide Dinitrate RS. Line 2: Change The melting range, heavy metals limit, iodine value, and saponification value differ, to: The melting range, iodine value, and saponification value differ,
PEMETREXED ASSAY/ FOR INJECTION	First Supplement to USP41–NF36 <i>Procedure/Analysis</i>	Online	27-Apr-2018	1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	Line 8 of the variable definition list: Change M_{r2} = molecular weight of pemetrexed disodium (anhydrous),

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									473.37 to: M_r = molecular weight of pemetrexed disodium (anhydrous), 471.38
DRUG RELEASE	GENERAL DRUG RELEASE STANDARDS	USP41–NF36	6471	27-Apr-2018		1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	Figure 5: Change O to: ∅
ISOSORBIDE DINITRATE CHEWABLE TABLETS	Identification	USP41–NF36	2270	27-Apr-2018		1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	Line 1: Change Chewable Tablets respond to the <i>Identification</i> test under <i>Isosorbide Dinitrate Tablets</i> . to: Transfer a suitable quantity of finely powdered Tablets to a glass-stoppered centrifuge tube. Add 10 mL of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>sodium hydroxide solution (1 in 250), shake to wet the powder, then add 15 mL of solvent hexane, and again shake. Centrifuge the mixture, and transfer the upper phase to a beaker. Evaporate the solvent, and dry the residue in vacuum over anhydrous calcium chloride at room temperature for 16 hours: the IR absorption spectrum of a suitable solution in chloroform of the residue so obtained exhibits maxima only at the</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ETHYL ACETATE	IM PURITIES/ <i>Chromatographic Purity</i>	USP41–NF36	5336	27-Apr-2018		1-May-2018	USP42–NF37	<i>Second Supplement to USP41–NF36</i>	same wavelengths as that of a similar preparation from the residue obtained from USP Diluted Isosorbide Dinitrate RS. Line 3 of <i>Acceptance criteria</i> : Change Ethyl isobutyl ether: to: 1-Ethoxy-2-methylpropane:
STATISTICAL TOOLS FOR PROCEDURE VALIDATION	3. ACCURACY AND PRECISION	USP41–NF36	7622	27-Apr-2018		1-May-2018	USP42–NF37	<i>Second Supplement to USP41–NF36</i>	Line 4 of paragraph 3 of <i>3.2 Combined Validation of Accuracy and Precision</i> : Change validate evaluate to: validate AND Variable definition in

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ARGATROBAN ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP41–NF36	346	27-Apr-2018	1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	<p>paragraph 6 of 3.2 Combined Validation of Accuracy and Precision: Change $Z^2(1 + P)/2 =$ standard normal to: $Z^2(1 + P)/2 =$ the square of the standard normal</p> <p>Line 2 of USP Argatroban Related Compound B RS: Change Ethyl (2<i>R</i>,4<i>R</i>)-1-[<i>N</i>⁸-nitro-L-arginyl]-4-methylpiperidine-2-carboxylate hydrochloride. C₁₅H₂₈N₆O₅ ? HCl 408.88 to: Ethyl (4<i>R</i>)-1-[<i>N</i>⁸-nitro-L-arginyl]-4-methylpiperidine-2-</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DIDANOSINE FOR ORAL SOLUTION	ASSAY/ <i>Proce dure/ Chromatographi c system</i>	USP41–NF36	1275	27-Apr-2018		1-May-2018	USP42–NF37	<i>Second Supplement to USP41–NF36</i>	carboxylate dihydrochloride. $C_{15}H_{28}N_6O_5$? 2HCl 445.34 Line 1 of <i>Guard column</i> : Change 20-cm; to: 20-mm; Change <i>Buffer solution, Mobile phase, Internal standard solution, Standard preparation, and Chromatographi c system</i> —Prepare as directed in the Assay under <i>Diluted Isosorbide Dinitrate</i> . to: <i>Buffer solution</i> —Dissolve 15.4
ISOSORBIDE DINITRATE SUBLINGUAL TABLETS	Assay	USP41–NF36	2272	27-Apr-2018		1-May-2018	USP42–NF37	<i>Second Supplement to USP41–NF36</i>	

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>g of ammonium acetate in water, add 11.5 mL of glacial acetic acid, dilute with water to 1000 mL, and mix to obtain a solution having a pH of about 4.7.</p> <p><i>Mobile phase</i>—Mix 350 mL of water, 100 mL of <i>Buffer solution</i>, and 550 mL of methanol. Cool to room temperature, dilute with water to 1000 mL, mix, degas, and filter. Make adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> <621>).</p> <p><i>Internal</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>standard solution</i></p> <p>—Transfer a quantity of diluted nitroglycerin to a suitable volumetric flask, add about 60% of the flask volume of methanol, sonicate for 5 minutes, and shake for 30 minutes. Dilute with methanol to volume to obtain a solution having a concentration of about 3 mg of nitroglycerin per mL, and mix. Allow any undissolved material to settle, filter, and store the filtrate in an airtight container.</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Standard prep aration</i></p> <p>—Transfer about 125 mg of recently mixed USP Diluted Isosorbide Dinitrate RS, accurately weighed, to a 50-mL volumetric flask, add about 30 mL of <i>Mobile phase</i>, shake for 30 minutes, dilute with <i>Mobile phase</i> to volume, and mix. Pipet 10 mL of the resulting solution into a 25-mL volumetric flask, and add 4.0 mL of <i>Internal standard solution</i> and 4 mL of dilute</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Buffer solution</i> (1 in 10). Cool to room temperature, dilute with <i>Mobile phase</i> to volume, and mix to obtain a solution having a known concentration of about 0.25 mg of isosorbide dinitrate per mL, based on the quantity of USP Diluted Isosorbide Dinitrate RS weighed and the labeled content of isosorbide dinitrate. Pass a portion of this solution through a 0.45-μm filter. AND Add <i>Chromatographic system</i> (see</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Chromatograph y <621>—The liquid chromatograph is equipped with a 220-nm detector and a 4-mm x 25-cm column that contains packing L1. The flow rate is about 1 mL per minute.</i></p> <p><i>Chromatograph the Standard preparation, and record the peak responses as directed for Procedure: the resolution, <i>R</i>, between isosorbide dinitrate and nitroglycerin is not less than 2.0; and the relative standard deviation for</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>replicate injections determined from the peak response ratios is not more than 2%. [Note—The relative retention times are about 0.75 for isosorbide dinitrate and 1.0 for nitroglycerin. The relative retention times for isosorbide mononitrates, if present, are about 0.38.]</p> <p>AND</p> <p>Line 1 of <i>Procedure</i>: Change Proceed as directed for <i>Procedure</i> in the <i>Assay</i> under <i>Diluted Isosorbide Dinitrate</i>. to:</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
REAGENTS	SOLUTIONS/VOLUMETRIC SOLUTIONS	USP41–NF36	5769	27-Apr-2018		1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	<p>Separately inject equal volumes (about 20 µL) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph, record the chromatograms, and measure the responses for the major peaks.</p> <p>Line 1 of <i>0.1 N Potassium Hydroxide VS: Change</i> Transfer 100 mL of potassium hydroxide to a 1000-mL volumetric flask. to: Transfer 100 mL of <i>1 N Potassium Hydroxide VS</i> to</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
REPOSITORY ADDITIONAL R CORTICOTRO EQUIREMENT PIN INJECTIONS	USP41–NF36	1097	27-Apr-2018	1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	a 1000-mL volumetric flask. In USP Reference Standards <11>: Add USP Ascorbic Acid RS Change Buffer solution, Mobile phase, Internal standard solution, Standard preparation, and Chromatographic system—Prepare as directed in the Assay under Diluted Isosorbide Dinitrate. to: Buffer solution —Dissolve 15.4 g of ammonium acetate in
ISOSORBIDE Assay DINITRATE CHEWABLE TABLETS	USP41–NF36	2270	27-Apr-2018	1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>water, add 11.5 mL of glacial acetic acid, dilute with water to 1000 mL, and mix to obtain a solution having a pH of about 4.7.</p> <p><i>Mobile phase</i>—Mix 350 mL of water, 100 mL of <i>Buffer solution</i>, and 550 mL of methanol. Cool to room temperature, dilute with water to 1000 mL, mix, degas, and filter. Make adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> <621>.)</p> <p><i>Internal standard solution</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>—Transfer a quantity of diluted nitroglycerin to a suitable volumetric flask, add about 60% of the flask volume of methanol, sonicate for 5 minutes, and shake for 30 minutes. Dilute with methanol to volume to obtain a solution having a concentration of about 3 mg of nitroglycerin per mL, and mix. Allow any undissolved material to settle, filter, and store the filtrate in an airtight container.</p> <p><i>Standard prep</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>aration</i> —Transfer about 125 mg of recently mixed USP Diluted Isosorbide Dinitrate RS, accurately weighed, to a 50-mL volumetric flask, add about 30 mL of <i>Mobile phase</i>, shake for 30 minutes, dilute with <i>Mobile phase</i> to volume, and mix. Pipet 10 mL of the resulting solution into a 25-mL volumetric flask, and add 4.0 mL of <i>Internal standard solution</i> and 4 mL of dilute <i>Buffer solution</i> (1 in 10). Cool</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>to room temperature, dilute with <i>Mobile phase</i> to volume, and mix to obtain a solution having a known concentration of about 0.25 mg of isosorbide dinitrate per mL, based on the quantity of USP Diluted Isosorbide Dinitrate RS weighed and the labeled content of isosorbide dinitrate. Pass a portion of this solution through a 0.45-μm filter. AND Add <i>Chromatographic system</i> (see <i>Chromatography</i> <621>)—The</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>liquid chromatograph is equipped with a 220-nm detector and a 4-mm x 25-cm column that contains packing L1. The flow rate is about 1 mL per minute.</p> <p>Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>: the resolution, <i>R</i>, between isosorbide dinitrate and nitroglycerin is not less than 2.0; and the relative standard deviation for replicate injections</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>determined from the peak response ratios is not more than 2%. [Note—The relative retention times are about 0.75 for isosorbide dinitrate and 1.0 for nitroglycerin. The relative retention times for isosorbide mononitrates, if present, are about 0.38.]</p> <p>AND</p> <p>Line 1 of <i>Procedure</i>: Change Proceed as directed for <i>Procedure</i> in the <i>Assay</i> under <i>Diluted Isosorbide Dinitrate</i>. to: Separately inject equal</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									volumes (about 20 µL) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph, record the chromatograms, and measure the responses for the major peaks.
REAGENTS	REAGENT SPECIFICATIONS	USP41–NF36	5680	27-Apr-2018		1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	Line 1 of Carbon Disulfide, CS: Change Carbon Disulfide, CS to: Carbon Disulfide, CS ₂
COLCHICINE	IM PURITIES/Limit of Ethyl Acetate/System suitability/Suitability requirements	First Supplement to USP41–NF36	8314	27-Apr-2018		1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	Delete Tailing factor: NMT 2.0 for the menthol peak
ARGATROBAN	IM	USP41–NF36	346	27-Apr-2018		1-May-2018	USP42–NF37	Second	Footnote b of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	PUR ITIES/ <i>Organic Impurities</i>							<i>Supplement to USP41–NF36</i>	<i>Table 2: Change Ethyl (2R,4R)-1-[N⁸-nitro-L-arginyl]-4-methylpiperidine-2-carboxylate hydrochloride. to: Ethyl (4R)-1-[N⁸-nitro-L-arginyl]-4-methylpiperidine-2-carboxylate.</i>
ISOSORBIDE DINITRATE TABLETS	Assay	<i>USP41–NF36</i>	2270	27-Apr-2018		1-May-2018	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	<i>Change Buffer solution, Mobile phase, Internal standard solution, Standard preparation, and Chromatographic system—Prepare as directed in the Assay under Diluted Isosorbide Dinitrate.</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>to:</p> <p><i>Buffer solution</i></p> <p>—Dissolve 15.4 g of ammonium acetate in water, add 11.5 mL of glacial acetic acid, dilute with water to 1000 mL, and mix to obtain a solution having a pH of about 4.7.</p> <p><i>Mobile phase</i>—Mix 350 mL of water, 100 mL of <i>Buffer solution</i>, and 550 mL of methanol. Cool to room temperature, dilute with water to 1000 mL, mix, degas, and filter. Make adjustments if necessary (see <i>System</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Suitability under Chromatography <621>).</i> <i>Internal standard solution</i> —Transfer a quantity of diluted nitroglycerin to a suitable volumetric flask, add about 60% of the flask volume of methanol, sonicate for 5 minutes, and shake for 30 minutes. Dilute with methanol to volume to obtain a solution having a concentration of about 3 mg of nitroglycerin per mL, and mix. Allow any undissolved material to</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>settle, filter, and store the filtrate in an airtight container.</p> <p><i>Standard preparation</i></p> <p>—Transfer about 125 mg of recently mixed USP Diluted Isosorbide Dinitrate RS, accurately weighed, to a 50-mL volumetric flask, add about 30 mL of <i>Mobile phase</i>, shake for 30 minutes, dilute with <i>Mobile phase</i> to volume, and mix. Pipet 10 mL of the resulting solution into a 25-mL volumetric flask, and add 4.0 mL</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>of <i>Internal standard solution</i> and 4 mL of dilute <i>Buffer solution</i> (1 in 10). Cool to room temperature, dilute with <i>Mobile phase</i> to volume, and mix to obtain a solution having a known concentration of about 0.25 mg of isosorbide dinitrate per mL, based on the quantity of USP Diluted Isosorbide Dinitrate RS weighed and the labeled content of isosorbide dinitrate. Pass a portion of this solution through a 0.45-μm filter.</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>AND</p> <p>Add</p> <p><i>Chromatographic system</i> (see <i>Chromatography</i> <621>)—The liquid chromatograph is equipped with a 220-nm detector and a 4-mm x 25-cm column that contains packing L1. The flow rate is about 1 mL per minute.</p> <p>Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>: the resolution, <i>R</i>, between isosorbide dinitrate and nitroglycerin is not less than</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>2.0; and the relative standard deviation for replicate injections determined from the peak response ratios is not more than 2%. [Note—The relative retention times are about 0.75 for isosorbide dinitrate and 1.0 for nitroglycerin. The relative retention times for isosorbide mononitrates, if present, are about 0.38.]</p> <p>AND</p> <p>Line 1 of <i>Procedure</i>: Change Proceed as directed for <i>Procedure</i> in the <i>Assay</i> under</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ZONISAMIDE CAPSULES	PERFORMANCE TESTS/ <i>Dissolution</i> <711>	USP41–NF36	4410	27-Apr-2018		1-May-2018	USP42–NF37	<i>Second Supplement to USP41–NF36</i>	<p><i>Diluted Isosorbide Dinitrate.</i></p> <p>to:</p> <p>Separately inject equal volumes (about 20 µL) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph, record the chromatograms, and measure the responses for the major peaks.</p> <p>Line 1 of <i>Apparatus 2: Change</i> 75 rpm, with sinkers (see <i>Dissolution</i> <711>, <i>Figure 2a</i>)</p> <p>to:</p> <p>75 rpm. Use suitable sinkers,</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
REAGENTS/INDICATORS AND SOLUTIONS	SOLUTIONS	USP41–NF36	5772	27-Apr-2018		1-May-2018	USP42–NF37	Second Supplement to USP41–NF36	if necessary. In the equation in <i>Standardization</i> : Change N = mg $K_2Cr_2O_7/49.04 \times mL Na_2S_2O_3$ to: M = mg $K_2Cr_2O_7/49.04 \times mL Na_2S_2O_3$
PLASTIC MATERIALS OF CONSTRUCTION	TEST METHODS/ <i>Tin in Non-Tin-Stabilized Materials</i>	USP41–NF36	6403	30-Mar-2018		1-Apr-2018	USP42–NF37	USP42–NF37	Line 3 of <i>Sample solution</i> : Change If the solution is not colorless, add the sodium sulfate to: If the solution is not colorless, add the sodium sulfite
PERINDOPRIL ERBUMINE	IMPURITIES/ <i>Limit of Perindopril Related Compound //System</i>	USP40–NF35	5644	30-Mar-2018		1-Apr-2018	USP42–NF37	USP42–NF37	Line 3: Add [Note—The relative retention times for perindopril and perindopril

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									related compound I are 1.0 and 1.6, respectively.]
SALMETEROL INHALATION POWDER	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP40–NF35	6096	30-Mar-2018		1-Apr-2018	USP42–NF37	USP42–NF37	Line 2 of USP Salmeterol Related Compound H RS: Change 1-Hydroxy-4-[2-hydroxy-5-(1-hydroxy-2-[[6-(4-p henylbutoxy)he xyl]amino}ethyl) benzyl]-2-napht hoic acid. C ₃₆ H ₄₃ NO ₆ 585.73 to: 1-Hydroxy-4-[2-hydroxy-5-(1-hydroxy-2-[[6-(4-p henylbutoxy)he xyl]amino}ethyl) benzyl]-2-napht hoic acid, monohydrate. C ₃₆ H ₄₃ NO ₆ · H ₂ O 603.76
FLUTICASONE PROPIONATE	ADDITIONAL REQUIREMENT	USP40–NF35	4309	30-Mar-2018		1-Apr-2018	USP42–NF37	USP42–NF37	Line 2 of USP Salmeterol

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AND SALMETEROL INHALATION POWDER		<i>S/USP Reference Standards <11></i>							Related Compound H RS: Change 1-Hydroxy-4-[2-hydroxy-5-(1-hydroxy-2-[[6-(4-p henylbutoxy)he xyl]amino}ethyl) benzyl]-2-napht hoic acid. $C_{36}H_{43}NO_6$ 585.73 to: 1-Hydroxy-4-[2-hydroxy-5-(1-hydroxy-2-[[6-(4-p henylbutoxy)he xyl]amino}ethyl) benzyl]-2-napht hoic acid, monohydrate. $C_{36}H_{43}NO_6 \cdot H_2O$ 603.76
PAROXETINE HYDROCHLORIDE	ADDITIONAL REQUIREMENT	<i>First Supplement to S/USP Reference Standards <11></i>	Online	23-Feb-2018		1-Mar-2018	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	Line 1 of USP Paroxetine Related Compound F RS: Change <i>trans</i> (?)-1-Methyl-3-[1,3-benzodioxol

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							-5-yloxy)methyl] -4-(fluorophenyl))piperidine. to: (3 <i>S</i> ,4 <i>R</i>))-3-[(Benzodiox ol-5-yloxy)meth yl]-4-(4-fluoroph enyl)-1-methylpi peridine.

Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- ...
- [Page 7](#)
- [Page 8](#)
- [Page 9](#)
- [Page 10](#)
- [Page 11](#)
- [Page 12](#)
- [Page 13](#)
- [Page 14](#)
- [Page 15](#)
- ...
- [Next page Next ›](#)
- [Last page Last »](#)