

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicic Acid Tablets will result in anything that contains “Aminosalicic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicic Acid Tablets” will result in anything that specifically contains “Aminosalicic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NALOXONE HYIM	<i>Revision</i>	Online	18-Dec-2020	1-Jan-2021	NA	NA	In <i>Analysis</i> :

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DROCHLORID E INJECTION	PURITIES/ <i>Limit Bulletin (Official of 2,2?-Bisnalox one</i>	<i>September 01, 2020)</i>							Change [Note—The relative retention times for naloxone and 2,2?-bisnaloxone (4,5?:4?, 5?-diepoxy-3,3?, 14,14?-tetrahydroxy-17,17?-bis(prop-2-enyl)-2,2?-bimorphinanyl-6,6?-dione) are 1.0 and 2.8, respectively.] to: [Note—The relative retention times for naloxone and 2,2?-bisnaloxone (4,5?:4?, 5??-diepoxy-3,3?, 14,14?-tetrahydroxy-17,17?-bis(prop-2-enyl)-2,2?-bimorphinanyl-6,6?-dione) are 1.0 and 2.8, respectively.] In <i>Procedure</i> :
FENTANYL	<i>Assay</i>	<i>USP43–NF38</i>	1849	18-Dec-2020		1-Jan-2021	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CITRATE INJECTION									Change $CD(r_U/r_S)$ in which 336.48 and 528.59 are the molecular weights to:
TRYPsin	CHEMICAL INFORMATION	<i>Second Supplement to USP43–NF38</i>	Online	20-Nov-2020		1-Dec-2020	NA	NA	$CD(r_U/r_S)$ in which 336.48 and 528.60 are the molecular weights Change $C_{1012}H_{1555}N_{279}O_{324}S_{14}$ 23,293 (for bovine ?-Trypsin) to: $C_{1012}H_{1585}N_{279}O_{324}S_{14}$ 23,293 (for bovine ?-Trypsin)
TIAGABINE HY ASSAY/		<i>USP43–NF38</i>	4365	20-Nov-2020		1-Dec-2020	NA	NA	In the <i>Standard</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DROCHLORID Procedure E							<p><i>solution:</i> Change Transfer suitable volumes of the <i>Standard stock solution</i> and <i>Internal standard solution</i> into a suitable volumetric flask and dilute with <i>Diluent</i> to volume. to: 0.1 mg/mL of USP Tiagabine Hydrochloride RS and 0.04 mg/mL of butylparaben in <i>Diluent</i> prepared as follows. Transfer suitable volumes of the <i>Standard stock solution</i> and <i>Internal</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>standard solution</i> into a suitable volumetric flask and dilute with <i>Diluent</i> to volume.</p> <p>AND</p> <p>In the <i>Sample solution</i>: Change Transfer suitable volumes of the <i>Sample stock solution</i> and <i>Internal standard solution</i> into a suitable volumetric flask and dilute with <i>Diluent</i> to volume.</p> <p>to: 0.1 mg/mL of Tiagabine Hydrochloride and 0.04 mg/mL of butylparaben in <i>Diluent</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMIODARONE ADDITIONAL R HYDROCHLORIDE	USP43–NF38 S/USP Reference Standards <11>	Online	20-Nov-2020	1-Dec-2020	NA	NA	<p>prepared as follows. Transfer suitable volumes of the <i>Sample stock solution</i> and <i>Internal standard solution</i> into a suitable volumetric flask and dilute with <i>Diluent</i> to volume. In USP Amiodarone Related Compound H RS: Change 2-Chloro-<i>N,N</i>-diethylethanamine. $C_6H_{14}ClN$ 135.64 to: 2-Chloro-<i>N,N</i>-diethylethanamine</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
THE DISSOLUTION PROCEDURE: DEVELOPMENT AND VALIDATION	1.	<i>Second Supplement to USP43–NF38</i>	Online	20-Nov-2020	1-Dec-2020	NA	NA	hydrochloride. C ₆ H ₁₄ ClN · HCl 172.09 In paragraph 4 of <i>1.4 Choosing an apparatus</i> : Change peak vessels to: apex vessels
PLASTIC MATERIALS OF CONSTRUCTION	POLYAMIDE 6	<i>First Supplement to USP43–NF38</i>	Online	20-Nov-2020	1-Dec-2020	NA	NA	In <i>Related Substances/Chromatographic system/Column</i> : Change 0.25-mm x 0.25-µm; phase G25 to: 30-m x 0.25-mm; 0.25-µm phase G25
ORBIFLOXACIN	<i>Related compounds</i>	<i>USP43–NF38</i>	3275	20-Nov-2020	1-Dec-2020	NA	NA	In <i>Procedure</i> : Change 20,000(C _S)(r/r _S)(1/F) in which C _S is the

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>concentration, in mg per mL, of orbifloxacin in the <i>Standard solution</i>; r_i is the peak area response for each impurity obtained from the <i>Test solution</i>; r_S is the peak area response for the orbifloxacin peak obtained from the <i>Standard solution</i>; and F is the relative response factor for each impurity, as presented in <i>Table 1</i>.</p> <p>to:</p> $20,000(C_S)(r_i/r_S)(1/F)(1/W)$ <p>in which C_S is the concentration, in mg per mL, of</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
GOSERELIN ACETATE	IM PUR ITIES/Organic Impurities:	<i>Interim Revision Announcement (Official May 01,</i>	Online	20-Nov-2020	1-Dec-2020	NA	NA	orbifloxacin in the <i>Standard solution</i> ; r_i is the peak area response for each impurity obtained from the <i>Test solution</i> ; r_S is the peak area response for the orbifloxacin peak obtained from the <i>Standard solution</i> ; F is the relative response factor for each impurity, as presented in <i>Table 1</i> ; and W is the sample weight taken to prepare the <i>Test solution</i> (mg). In <i>Table 1</i> : Change Goserelinare to:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	<i>Related Compounds</i>	2020)							Goserelin
AMLODIPINE AND ATORVASTATIN TABLETS	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP43–NF38	265	20-Nov-2020		1-Dec-2020	NA	NA	In USP Atorvastatin Related Compound H RS: Change 540.62 to: 540.64
RESIDUAL SOLVENTS	Appendix 3	<i>Interim Revision Announcement (Official December 01, 2020)</i>	Online	20-Nov-2020		1-Dec-2020	NA	NA	In the denominator in the equation in the final paragraph: Change at $mK^{?1}$ to: $atm K^{?1}$
RESIDUAL SOLVENTS—VERIFICATION OF COMPENDIAL PROCEDURES AND VALIDATION OF ALTERNATIVE PROCEDURES		USP43–NF38	8404	20-Nov-2020		1-Dec-2020	NA	NA	In <i>Limit Procedures: Procedure A and Procedure B/Verification when solvents likely to be present (LTBP) are not known/Specificity:</i> Change or acetonitrile

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MIRTAZAPINE TABLETS	ADDITIONAL REQUIREMENTS	USP43–NF38	2978	20-Nov-2020		1-Dec-2020	NA	NA	and <i>cis</i> -dichloroethene to: or methylisobutylketone and <i>cis</i> -dichloroethene In <i>USP Reference Standards</i> <11>/USP Mirtazapine Resolution Mixture RS: Change This resolution mixture contains approximately 0.1% w/w each of the following: Impurity A: 1,2,3,4,10,14b-Hexahydro-2-methylpyridino[2,1-a]pyridine[2,3-c]benzazepine 2-oxide.

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
EFAVIRENZ TABLETS	IM PURITIES/ <i>Organic Impurities</i>	USP43–NF38	1591	20-Nov-2020		1-Dec-2020	NA	NA	<p>to: Mirtazapine. Impurity A: 1,2,3,4,10,14b-Hexahydro-2-methylpyridazino[2,1-a]pyridine[2,3-c][2]benzazepine 2-oxide.</p> <p>In the footnotes in <i>Table 2</i>: Change ^d(S,E)-6-Chloro-4-(pent-3-en-1-ynyl)-4-(trifluoromethyl)-2H-3,1-benzoxazin-2-one. ^e(S,Z)-6-Chloro-4-(pent-3-en-1-ynyl)-4-(trifluoromethyl)-2H-3,1-benzoxazin-2-one.</p> <p>to: ^d(S,Z</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ATORVASTATIN CALCIUM ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP43–NF38	414	20-Nov-2020	1-Dec-2020	NA	NA)-6-Chloro-4-(pent-3-en-1-ynyl)-4-(trifluoromethyl)-2H-3,1-benzoxazin-2-one. ^e (S,E)-6-Chloro-4-(pent-3-en-1-ynyl)-4-(trifluoromethyl)-2H-3,1-benzoxazin-2-one. In USP Atorvastatin Related Compound C RS: Change Difluoro impurity, or (3R,5R)-7-[3-(phenylcarbamoyl)-4,5-bis(4-fluorophenyl)-2-iso-propyl-1H-pyrrol-1-yl]-3,5-dihydroxyheptanoic acid, calcium salt.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>to: Calcium (3<i>R</i>,5<i>R</i>)-7-[2,3-Bis(4-fluorophenyl)-5-isopropyl-4-(phenylcarbamoyl)-1<i>H</i>-pyrrol-1-yl]-3,5-dihydroxyheptanoate (1:2); Also known as Difluoro impurity, or (3<i>R</i>,5<i>R</i>)-7-[3-(phenylcarbamoyl)-4,5-bis(4-fluorophenyl)-2-iso-propyl-1<i>H</i>-pyrrol-1-yl]-3,5-dihydroxyheptanoic acid, calcium salt. AND In USP Atorvastatin Related Compound D</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>RS: Change Epoxide impurity, or 3-(4-fluorobenzoyl)-2-isobutyryl-3-phenyl-oxirane-2-carboxylic acid phenylamide.</p> <p>to:</p> <p>3-(4-Fluorobenzoyl)-2-isobutyryl-N,3-diphenyloxirane-2-carboxamide; Also known as Epoxide impurity, or 3-(4-fluorobenzoyl)-2-isobutyryl-3-phenyl-oxirane-2-carboxylic acid phenylamide.</p> <p>AND</p> <p>In USP Atorvastatin Related Compound E</p> <p>RS: Change 3S,5S Enantiomer, or (3S,5S</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>)-7-[3-(phenylcarbamoyl)-5-(4-fluorophenyl)-2-isopropyl-4-phenyl]-1<i>H</i>-pyrrol-1-yl]-3,5-dihydroxyheptanoic acid, calcium salt. $C_{66}H_{68}CaF_2N_4O_{10}$ 1155.34 to: Calcium (3<i>S</i>,5<i>S</i>)-7-[2-(4-Fluorophenyl)-5-isopropyl-3-phenyl-4-(phenylcarbamoyl)-1<i>H</i>-pyrrol-1-yl]-3,5-dihydroxyheptanoate (1:2); Also known as 3<i>S</i>,5<i>S</i> Enantiomer, or (3<i>S</i>,5<i>S</i>)-7-[3-(phenylcarbamoyl)-5-(4-fluorophenyl)-2-isopropyl-4-phenyl]-1<i>H</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PLASTIC PACKAGING SYSTEMS FOR PHARMACEUTICAL USE	SCOPE/	Table 1	First	Online	20-Nov-2020	1-Dec-2020	NA	NA	-pyrrol-1-yl]-3,5-dihydroxyheptanoic acid, calcium salt. $C_{66}H_{68}CaF_2N_4O_{10}$ 1155.38 AND In USP Atorvastatin Related Compound H RS: Change 540.62 to: 540.64 AND In Atorvastatin Related Compound I RS: Change 654.81 to: 654.82 Change If light protection is necessary ^c to: If light protection is necessary

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FENOPROFEN CHEMICAL CALCIUM INFORMATION	<i>USP43–NF38</i>	1843	20-Nov-2020	1-Dec-2020	NA	NA	AND Change Row 11 Chemical Suitability for Use Assessment Risk-based testing Risk- based testing to: Chemical Suitability for Use Assessment Risk-based testing Risk- based testing Functionality Change [53746-45-5]; to: [71720-56-4];
MEBENDAZOL <i>Identification</i> E ORAL SUSPENSION	<i>USP43–NF38</i>	2744	20-Nov-2020	1-Dec-2020	NA	NA	Change Mix a quantity of Oral Suspension, equivalent to about 200 mg of mebendazole, with 20 mL of a mixture of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>chloroform and 96 percent formic acid (19:1). Proceed as directed for <i>Identification</i> under <i>Mebendazole Tablets</i>, beginning with “Warm the suspension on a water bath for a few minutes.” The specified result is obtained.</p> <p>to:</p> <p>Mix a quantity of Oral Suspension, equivalent to about 200 mg of mebendazole, with 20 mL of a mixture of chloroform and 96 percent formic acid (19:1). Warm the suspension</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>on a water bath for a few minutes, cool, and filter through a medium-porosity, sintered-glass filter. Apply 10 mL of this solution and 10 mL of a <i>Standard solution</i> of USP Mebendazole RS in a mixture of chloroform and 96 percent formic acid (19:1) containing 10 mg per mL to a suitable thin-layer chromatographic plate (see <i>Chromatography</i> <621>) coated with a 0.25-mm layer of chromatographic silica gel mixture.</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Allow the spots to dry, and develop the chromatogram in a solvent system consisting of a mixture of chloroform, methanol, and 96 percent formic acid (90:5:5) until the solvent front has moved about three-fourths of the length of the plate. Remove the plate from the developing chamber, mark the solvent front, allow the solvent to evaporate, and examine the plate under short-wavelength UV light: the R_F value of the</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
THE DISSOLUTION PROCEDURE: DEVELOPMENT AND VALIDATION	6.	<i>Second Supplement to USP43–NF38</i>	Online	20-Nov-2020		1-Dec-2020	NA	NA	principal spot obtained from the <i>Test solution</i> corresponds to that obtained from the <i>Standard solution</i> . In Row 1 of <i>Table 5</i> and <i>Table 6</i> : Align Times with Acceptance Criteria
ATORVASTATIN CALCIUM TABLETS	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	<i>USP43–NF38</i>	418	20-Nov-2020		1-Dec-2020	NA	NA	In USP Atorvastatin Related Compound H RS: Change 540.62 to: 540.64
PLASTIC MATERIALS OF CONSTRUCTION	INTRODUCTION	<i>First Supplement to USP43–NF38</i>	Online	20-Nov-2020		1-Dec-2020	NA	NA	Delete An example of an extractable elements testing strategy is provided in <i>Evaluation of</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<i>Plastic Packaging Systems and Their Materials of Construction with Respect to Their User Safety Impact ?1661?.</i>
TIAMULIN	IM PURITIES/ <i>Organic Impurities</i>	USP43–NF38	4368	20-Nov-2020		1-Dec-2020	NA	NA	In the equation in <i>Analysis</i> : Change Result = $(r_U/r_T) \times 100$ to: Result = $(r_U/r_T) \times D \times 100$ AND Add <i>D</i> = dilution factor for the <i>Sample solution</i> , 0.01
MIRTAZAPINE	ADDITIONAL REQUIREMENTS	USP43–NF38	2976	20-Nov-2020		1-Dec-2020	NA	NA	In <i>USP Reference Standards <11>/USP Mirtazapine Resolution Mixture RS</i> : Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
GUIDELINES ON THE ENDOTOXINS	METHOD SUITABILITY	USP43–NF38	7665	20-Nov-2020		1-Dec-2020	NA	NA	<p>This resolution mixture contains approximately 0.1% w/w each of the following: Impurity A: 1,2,3,4,10,14b-Hexahydro-2-methylpyridino[2,1-a]pyridine[2,3-c][2]benzazepine 2-oxide.</p> <p>to: Mirtazapine. Impurity A: 1,2,3,4,10,14b-Hexahydro-2-methylpyridino[2,1-a]pyridine[2,3-c][2]benzazepine 2-oxide.</p> <p>In Row 2 of Column 3 of <i>Table 3</i>:</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TEST									Change hydrochloride to: hydrochloric acid AND In paragraph 2 of <i>Method Suitability Testing/ Common Test Interferences:</i> Change hydrochloride to: hydrochloric acid
THE APPLICATION OF MOISTURE VAPOR TRANSFER RATES FOR SOLID ORAL DOSAGE FORMS IN PLASTIC PACKAGING SYSTEMS	EQUIVALENCY AND APPLICATION OF MVTR DETERMINATION METHOD	<i>Second Supplement to USP43–NF38</i>	Online	20-Nov-2020		1-Dec-2020	NA	NA	In <i>Application</i> /paragraph 3: Change ?0.8/day/tablet to: ?0.8 mg/day/tablet
THE DISSOLUTION	2. METHOD DEVELOPMENT	<i>Second Supplement to</i>	Online	20-Nov-2020		1-Dec-2020	NA	NA	In paragraph 2 of <i>2.4 Study</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PROCEDURE: DEVELOPMENT AND VALIDATION		USP43–NF38							<i>Design/2.4.1 Time Points: Change Assessment of Drug Product Performance—Bioavailability, Bioequivalence, and Dissolution ?1090?.</i> to: <i>Assessment of Solid Oral Drug Product Performance and Interchangeability, Bioavailability, Bioequivalence, and Dissolution ?1090?.</i>
HYDROXYPROPYL BETADEX INFORMATION		USP43–NF38	5818	30-Oct-2020		1-Nov-2020	NA	NA	Change [94035-02-6]. to: [128446-35-5].
APREPITANT CAPSULES	PERFORMANCE TESTS/ <i>Dissolution</i> <711>	USP43–NF38	362	30-Oct-2020		1-Nov-2020	NA	NA	In <i>Test 3/Apparatus 2</i> : Change peak vessels. to: apex vessels.

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PLASTIC PACKAGING SYSTEMS AND THEIR MATERIALS OF CONSTRUCTION	POLYETHYLENE TEREPHTHALATE BOTTLES AND POLYETHYLENE TEREPHTHALATE CONTAINERS	<i>First Supplement to USP43–NF38</i>	Online	30-Oct-2020		1-Nov-2020	NA	NA	In Heavy Metals, Total Terephthaloyl Moieties, and Ethylene Glycol/ Extracting media: Change 50 percent alcohol: Dilute 125 mL of alcohol with water to 238 mL, and mix. 25 percent alcohol: Dilute 125 mL of 50 percent alcohol with water to 250 mL, and mix. General procedure: [Note— Use an Extracting medium of 50 percent alcohol for PET bottles and 25 percent alcohol for PETG bottles.]

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>to: <i>Purified Water</i>. See monograph. <i>50 percent alcohol</i>: Dilute 125 mL of alcohol with water to 238 mL, and mix. <i>25 percent alcohol</i>: Dilute 125 mL of 50 percent alcohol with water to 250 mL, and mix.</p> <p><i>n-Heptane</i> <i>General procedure</i>: [Note— Use an <i>Extracting medium</i> of 50 percent alcohol for PET bottles and 25 percent alcohol for PETG bottles.] AND In four instances in</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Heavy Metals, Total Terephthaloyl Moieties, and Ethylene Glycol/Heavy Metals: Change Extracting media to: Purified Water Extracting medium AND In Heavy Metals, Total Terephthaloyl Moieties, and Ethylene Glycol/Ethylene Glycol/Test solution: Change Extracting media to: Purified Water Extracting medium AND In Heavy</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Metals, Total Terephthaloyl Moieties, and Ethylene Glycol/Ethylene Glycol/Proce</i></p> <p><i>dure/paragraph 1: Change Extracting media extract Extracting medium to: Purified Water Extracting medium AND In Heavy Metals, Total Terephthaloyl Moieties, and Ethylene Glycol/Ethylene Glycol/Proce</i></p> <p><i>dure/paragraph 2: Change using as the blank the solution from</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CLOMIPHENE CITRATE TABLETS	ADDITIONAL R EQUIREMENT S/USP	<i>First Supplement to USP43–NF38 Reference Standards <11></i>	Online	30-Oct-2020		1-Nov-2020	NA	NA	the <i>Extracting media</i> : the absorbance of the solution to: using <i>Purified Water</i> <i>Extracting medium</i> as the blank: the absorbance of the solution In USP Clomiphene Related Compound A RS: Change (<i>E,Z</i>)-2-[4-(1,2-Diphenylethyl)phenoxy]- <i>N,N</i> -diethylethanamine hydrochloride. to: (<i>E,Z</i>)-2-[4-(1,2-Diphenylethenyl)phenoxy]- <i>N,N</i> -diethylethanamine

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
GELATIN	SPECIFIC TESTS/ <i>Sulfur Dioxide</i>	<i>Harmonization (Official May 01, 2020)</i>	5783	30-Oct-2020		1-Nov-2020	NA	NA	hydrochloride. In three instances in <i>Analysis</i> : Change 0.1 M sodium hydroxide to: <i>Titrant</i> AND In the equation: Change <i>M</i> to: <i>N</i> AND In the variable definition list: Change <i>M</i> = actual molarity of the <i>Titrant</i> (mol/L) to: <i>N</i> = actual normality of the <i>Titrant</i>
NATEGLINIDE	CHEMICAL INFORMATION	<i>USP43–NF38</i>	Online	30-Oct-2020		1-Nov-2020	NA	NA	This erratum applies to the USP-NF ONLINE platform only.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL-SOLUBLE VITAMINS WITH MINERALS TABLETS	CONTAMINANTS USP43–NF38	5378	30-Oct-2020	1-Nov-2020	NA	NA	See http://uspnf.com/nateglinide-err-img-20201030 for correction Change <i>Absence of Specified Microorganisms <2022>, Test Procedures, Test for Absence of Salmonella Species and Absence of Specified Microorganisms <2022>, Test Procedures, Test for Absence of Salmonella Species:</i> to: <i>Absence of Specified Microorganisms <2022>, Test Procedures, Test for</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LOSS ON IGNITION	INTRODUCTIO N	USP43–NF38	Online	30-Oct-2020		1-Nov-2020	NA	NA	<p><i>Absence of Salmonella Species and Test for Absence of Escherichia coli:</i></p> <p>In paragraph 3: Change Upon completion of each ignition, cover the crucible, and allow it to cool in a desiccator to room temperature before weighing.</p> <p>to: Upon completion of each ignition, cover the crucible, and allow it to cool in a desiccator to room temperature before weighing accurately.</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OXYGEN	IMPURITIES	USP43–NF38	3347	30-Oct-2020		1-Nov-2020	NA	NA	Change <i>Impurities Testing in Medical Gases Assay ?413?</i> to: <i>Impurities Testing in Medical Gases ?413?</i>
LOSARTAN POTASSIUM AND HYDROCHLOROTHIAZIDE TABLETS	ASSAY/ <i>Procedure</i>	<i>First Supplement to USP43–NF38</i>	Online	30-Oct-2020		1-Nov-2020	NA	NA	In <i>Buffer A</i> : Change monobasic potassium phosphate to: monobasic sodium phosphate
PRAZQUANTEL TABLETS	PERFORMANCE TESTS/ <i>Dissolution <711></i>	USP43–NF38	3650	30-Oct-2020		1-Nov-2020	NA	NA	In <i>For products for veterinary use/Apparatus 2</i> : Change peak vessels to: apex vessels
CELL-BASED ADVANCED THERAPIES AND TISSUE-BASED	ANALYTICAL METHODS	USP43–NF38	7400	30-Oct-2020		1-Nov-2020	NA	NA	In <i>In-Process Control s/paragraph 2</i> : Change Refer to <i>Risk</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PRODUCTS							<p><i>Assessment for discussion on critical process parameters (CPP).</i></p> <p>to:</p> <p>Refer to <i>Quality Systems</i> for discussion on critical process parameters (CPP).</p> <p>AND</p> <p>In <i>Final Product Release Specifications/Dose-Defining Assays</i> /paragraph 3: Change relay to: rely</p>
VOLUMETRIC STANDARDS APPARATUS OF ACCURACY	<i>First Supplement to USP43–NF38</i>	Online	30-Oct-2020	1-Nov-2020	NA	NA	<p>In paragraph 3: Change and then touched against the wall of the receiving vessel to drain the tips.</p> <p>to:</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OXYGEN 93 PERCENT	IMPURITIES	USP43–NF38	3347	30-Oct-2020		1-Nov-2020	NA	NA	and then touched against the wall of the receiving vessel to drain the pipet tip. Change <i>Impurities Testing in Medical Gases Assay ?413?</i> to: <i>Impurities Testing in Medical Gases ?413?</i>
GALANTAMINE EXTENDED-RELEASE CAPSULES	ADDITIONAL REQUIREMENT S/USP Reference	<i>First Supplement to USP43–NF38</i>	Online	30-Oct-2020		1-Nov-2020	NA	NA	In USP Galantamine Hydrobromide Related Compounds Mixture RS: Change Anhydrogalantamine; (4aS,8aS)-3-Methoxy-11-methyl-9,10,11,12-tetrahydro-4aH-benzo[2,3]benz

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
GALANTAMINE PERFORMANC TABLETS	E TESTS/ <i>Dissolution</i> <711>	USP43–NF38	2081	30-Oct-2020		1-Nov-2020	NA	NA	ofuro[4,3- <i>cd</i>]azepine. C ₁₇ H ₁₉ NO ₂ to: Anhydrogalanta mine; (4 <i>aS</i> ,8 <i>aS</i>)-3-Methoxy-11- methyl-9,10,11, 12-tetrahydro-4 <i>aH</i> -benzo[2,3]benz ofuro[4,3- <i>cd</i>]azepine. C ₁₇ H ₁₉ NO ₂ 269.34 In <i>Test</i> 3/ <i>Apparatus 2</i> : Change peak vessels to: apex vessels
OIL-SOLUBLE VITAMINS WITH MINERALS TABLETS	ADDITIONAL R EQUIREMENT <i>S/Labeling</i>	USP43–NF38	5378	30-Oct-2020		1-Nov-2020	NA	NA	In footnote 1: Change 1 mg of - α tocopheryl acetate to: 1 mg of <i>all-rac</i> - α tocopheryl

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ANISE OIL	IDENTIFICATION	<i>First N/A. Chromatographic Identity Supplement to USP43–NF38</i>	Online	30-Oct-2020		1-Nov-2020	NA	NA	acetate In <i>Acceptance criteria/Chromatographic similarity</i> : Change [Note—The chromatogram of the <i>Standard</i> is similar to the reference chromatogram provided with the lot of being used.] to: [Note—The chromatogram of the <i>Standard</i> is similar to the reference chromatogram provided with the lot of USP Anise Oil RS being used.]
VERAPAMIL HYDROCHLORIDE	IMPURITIES	<i>Organic Impurities</i>	USP43–NF38 4604	30-Oct-2020		1-Nov-2020	NA	NA	Change <i>Buffer, Mobile phase, and Chromatographic system</i> :

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METHYLENE BLUE	CHEMICAL INFORMATION	<i>First Supplement to USP43–NF38</i>	Online	30-Oct-2020		1-Nov-2020	NA	NA	<p>Proceed as directed in the Assay.</p> <p>to:</p> <p><i>Buffer and Mobile phase:</i> Prepare as directed in the Assay.</p> <p>Change Phenothiazin-5-ium, 3,7-bis(dimethylamino)-, chloride; 3,7-Bis(dimethylamino)phenothiazin-5-ium chloride; to: Phenothiazin-5-ium, 3,7-bis(dimethylamino)-, chloride, hydrate (1:1:x); 3,7-Bis(dimethylamino)phenothiazin-5-ium chloride hydrate; [122965-43-9]. AND</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CELL-BASED ADVANCED THERAPIES AND TISSUE-BASED PRODUCTS	REGULATIONS AND STANDARDS	USP43–NF38	7400	30-Oct-2020		1-Nov-2020	NA	NA	Change Monohydrate [122965-43-9]. to: Monohydrate [67183?68?0]. In Table 5/Row 8 of Column 2: Change 221 CFR 1271 to: 21 CFR 1271
EVALUATION OF PLASTIC PACKAGING SYSTEMS AND THEIR MATERIALS OF CONSTRUCTION WITH RESPECT TO THEIR USER SAFETY IMPACT	6. APPLICABILITY AND APPLICATION <661.1>	<i>First Supplement to USP43–NF38</i>	Online	30-Oct-2020		1-Nov-2020	NA	NA	In 6.2 <i>Application/6.2.5 Unaddressed Materials:</i> Change physiochemical to: physicochemical
MEDICAL AIR	IMPURITIES	USP43–NF38	100	30-Oct-2020		1-Nov-2020	NA	NA	Change <i>Impurities Testing in Medical Gases Assay ?413?</i> to: <i>Impurities</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CEFTIOFUR H IM YDROCHLORI PURITIES/ <i>High</i> DE <i>Molecular Weight Impurities</i>	USP43–NF38	875	25-Sep-2020	1-Oct-2020	NA	NA	<i>Testing in Medical Gases ?413?</i> In <i>Mobile phase</i> : Change 10 g/L of electrophoresis grade sodium dodecyl sulfate in <i>Solution A.</i> to: 10 g/L of electrophoresis grade sodium dodecyl sulfate in <i>Solution B.</i>

Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- ...
- [Page 7](#)
- [Page 8](#)
- [Page 9](#)
- [Page 10](#)
- [Page 11](#)
- [Page 12](#)
- [Page 13](#)
- [Page 14](#)
- [Page 15](#)

-
- ...
 - [Next page Next ›](#)
 - [Last page Last »](#)