

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
		Publication		Date	Date	Print Publication	Fix Publication	
OIL-SOLUBLE	STRENGTH	USP40–NF35	7258	28-Jul-2017	1-Aug-2017	USP42–NF37	First	Line 1 of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
VITAMINS TABLETS						<i>Supplement to USP41–NF36</i>	<p><i>Vitamin A, Method 1/Sample solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 16 of <i>Sample solution:</i> Change Dilute a 10-mL volume of this solution to: <i>Sample solution:</i> Dilute a 10-mL volume of the <i>Sample stock solution</i> AND Line 2 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution:</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 1 of <i>Vitamin E, Method 1/Sample solution</i>: Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione, Method 1/Sample solution</i>: Change</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL- AND WAT STRENGTH ER-SOLUBLE VITAMINS WITH MINERALS CAPSULES	USP40–NF35	7336	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	retained as specified in the directions for <i>Sample solution</i> to: retained as specified in the directions for <i>Sample stock solution</i> Line 1 of <i>Vitamin A, Method 1/Sample solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 23 of <i>Vitamin A, Method 1/Sample solution:</i> Change Dilute a volume of this solution to: <i>Sample</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>solution: Dilute a volume of the Sample stock solution</i></p> <p>AND</p> <p>Line 2 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution:Change prepared as directed for the Sample solution</i></p> <p>to:</p> <p>prepared as directed for the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 2 of <i>Vitamin E, Method 1/Sample solution:Change prepared as directed for the Sample solution</i></p> <p>to:</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACETAMINOPHEN AND CODEINE PHOSPHATE CAPSULES	PERFORMANCE TESTS <i>First Supplement to USP40–NF35</i>	8201	28-Jul-2017	1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	<p>prepared as directed for the <i>Sample stock solution</i> AND Line 2 of <i>P hyt onadio ne</i>:Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> Line 1 of <i>Dissolution <711>/ Analysis</i>:Change Determine the labeled amount of acetaminophen to: Determine the percentage of the labeled</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
POTASSIUM CITRATE EXTENDED- RELEASE TABLETS	OTHER COMP NTS/Content of Potassium	<i>Revision Bulletin (Official of April 01, 2017)</i>	Online	28-Jul-2017		1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	amount of acetaminophen AND In the Calculate statement of <i>Uniformity of Dosage Units</i> <905>/ <i>Procedure for content uniformity/Analysis:</i> Change Calculate the quantity, in mg, of the labeled amount of codeine phosphate to: Calculate the quantity, in mg, of codeine phosphate Line 1 of <i>Sample solution:</i> Change Transfer 3.0 mL of the clear filtrate, reserved

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ONDANSETRO USP Reference N INJECTION standards <11>	USP40–NF35	5443	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	<p>from the Assay, to a 100-mL volumetric flask. to:</p> <p><i>Sample stock solution:</i> Dilute the clear filtrate, reserved from the Assay, with water to obtain a solution containing about 160 µg/mL of potassium citrate monohydrate.</p> <p><i>Sample solution:</i> Transfer 3.0 mL of the <i>Sample stock solution</i> to a 100-mL volumetric flask. Line 2 of USP Ondansetron Related Compound A RS: Change 3[(Dimethylamino)methyl]-1,2,3,</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ROCURONIUM IM BROMIDE	PURITIES/ <i>Limit of 2-Pr opanol/Analysis</i>	USP40–NF35 6066	28-Jul-2017	1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	9-tetrahydro-9-methyl-4 <i>H</i> -carbazol-4-one . to: 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4 <i>H</i> -carbazol-4-one hydrochloride. Line 1 of the variable definition list: Change r_U = peak response of any impurity from the <i>Sample solution</i> r_S = peak response of rocuronium bromide from the <i>Dilute standard solution</i> to: r

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL- AND WAT STRENGTH ER-SOLUBLE VITAMINS CAPSULES	USP40–NF35	7290	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	<p>U = peak response of 2-propanol from the <i>Sample solution</i></p> <p>r_S = peak response of 2-propanol from the <i>Dilute standard solution</i></p> <p>Line 1 of <i>Vitamin A, Method 1/Sample solution</i>: Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 23 of <i>Sample solution</i>: Change Dilute a volume of this solution to: <i>Sample solution</i>: Dilute</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>a volume of the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 1 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution</i>:Change Proceed as directed for the <i>Sample solution</i> to:</p> <p>Proceed as directed for the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 1 of <i>Vitamin E, Method 1/Sample solution</i>: Change Proceed as directed for the <i>Sample solution</i> to:</p> <p>Proceed as</p>

Monograph Title/Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione/S ample solution</i> : Change in the directions for the <i>Sample solution</i> to: in the directions for the <i>Sample stock solution</i>
MONOSACCHARIDE ANALYSIS PROCEDURES	<i>First Supplement to USP40–NF35 Enzymatic Hydrolysis and Analysis by RP-HPLC of DMB-labeled Sialic Acids</i>	8059	28-Jul-2017	1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	Line 6 of <i>Analysis</i> : Change (1 M = 1nmol/mL). to: (1 µM = 1nmol/mL).
LEVOTHYROXINE SODIUM TABLETS	<i>First Supplement to USP40–NF35 of Liothyronine Sodium</i>	8328	28-Jul-2017	1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	Line 4 of <i>Analysis</i> : Change Calculate the percentage of levothyroxine sodium

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DOXAZOSIN MESYLATE	ASSAY/ <i>Procedure/System suitability/Suitability requirements</i>	USP40–NF35	3874	28-Jul-2017		1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	(C ₁₅ H ₁₁ I ₃ NNaO ₄) to: Calculate the percentage of liothyronine sodium (C ₁₅ H ₁₁ I ₃ NNaO ₄) Line 1 of <i>Resolution:</i> Change NLT 4 to: NLT 2
PERPHENAZIN IM E	PUR ITIES/ <i>Organic Impurities/Chromatographic system</i>	USP40–NF35	5649	28-Jul-2017		1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	Line 1 of <i>Column:</i> Change 4.6-mm to: 4.0-mm
OIL-SOLUBLE VITAMINS WITH MINERALS CAPSULES	STRENGTH	USP40–NF35	7265	28-Jul-2017		1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	Line 1 of <i>Vitamin A/Sample solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>AND Line 21 of <i>Sample solution:</i> Change Further dilute this solution to: <i>Sample solution:</i> Dilute the <i>Sample stock solution</i></p> <p>AND Line 2 of <i>Vitamin D/Sample solution:</i> Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i></p> <p>AND Line 2 of <i>Vitamin E/Sample solution:</i> Change</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>prepared as directed for the <i>Sample solution</i> to:</p> <p>prepared as directed for the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 2 of <i>Phytonadione (Vitamin K₁)</i>:Change as directed for the <i>Sample solution</i> to:</p> <p>as directed for the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 2 of <i>Beta Carotene/Sample solution</i>: Change as directed for the <i>Sample solution</i> to:</p> <p>as directed for</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL- AND WAT STRENGTH ER-SOLUBLE VITAMINS WITH MINERALS TABLETS	USP40–NF35	7375	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	the <i>Sample stock solution</i> Line 1 of <i>Vitamin A, Method 1/Sample solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 16 of <i>Sample solution:</i> Change Dilute a 10-mL volume of this solution to: <i>Sample solution:</i> Dilute a 10-mL volume of the <i>Sample stock solution</i> AND Line 2 of <i>Cholecalciferol or Ergocalciferol (Vitamin D),</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Method 1/Sample solution:</i> Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Vitamin E, Method 1/Sample solution:</i> Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione, Method</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACETAMINOPHEN AND CODEINE PHOSPHATE TABLETS	PERFORMANCE TESTS	<i>First Supplement to USP40–NF35</i>	8202	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	<p>1/Sample solution: Change prepared as directed for the Sample solution to: prepared as directed for the Sample stock solution</p> <p>Line 1 of Dissolution <711>/Analysis: Change Determine the labeled amount of acetaminophen to: Determine the percentage of the labeled amount of acetaminophen AND In the second Calculate statement in Uniformity of</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TIMOLOL MALEATE	MULTIPLE SECTIONS	<i>Second Supplement to USP40–NF35</i>	Online	28-Jul-2017		1-Aug-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	<p><i>Dosage Units <905>/ Procedure for content uniformity/Analysis: Change Calculate the quantity, in mg/mL, of the labeled amount of codeine phosphate to: Calculate the quantity, in mg, of codeine phosphate</i></p> <p>The version of the Timolol Maleate monograph which appeared in the <i>Second Supplement to USP 40–NF 35</i> did not include the revisions approved in the version appearing in the</p>

<u>Monograph Title</u> <u>Section</u>	<u>Source</u> <u>Publication</u>	<u>Page Number</u>	<u>Errata Post</u> <u>Date</u> <u>Sort</u> <u>ascending</u>	<u>Errata Official</u> <u>Date</u>	<u>Target Errata</u> <u>Print Publication</u>	<u>Target Online</u> <u>Fix Publication</u>	Description
ONDANSETRO USP Reference N ORAL standards <11> SOLUTION	USP40–NF35	5444	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	<p><i>First Supplement to USP 40–NF 35. The version appearing in the First Supplement should be used. The file as it should have appeared in the Second Supplement is attached to the compendial notice found at http://www.uspnf.com/notices/cond-supplement-usp-40-nf-35-online-timolol-maleate.</i></p> <p>Line 2 of USP Ondansetron Related Compound A RS: Change 3[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL-SOLUBLE STRENGTH VITAMINS CAPSULES	USP40–NF35	7248	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	<p>4H -carbazol-4-one . to: 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H -carbazol-4-one hydrochloride.</p> <p>Line 1 of Vitamin A, Method 1/Sample solution: Change Sample solution to: Sample stock solution AND Line 23 of Sample solution: Change Dilute a volume of this solution to: Sample solution: Dilute</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>a volume of the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 1 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution</i>:Change Proceed as directed for the <i>Sample solution</i> to:</p> <p>Proceed as directed for the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 1 of <i>Vitamin E, Method 1/Sample solution</i>: Change Proceed as directed for the <i>Sample solution</i> to:</p> <p>Proceed as</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>directed for the <i>Sample stock solution</i> AND Line 1 of <i>Phytonadione/S ample solution</i>: Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> Line 1 of <i>Vitamin A, Method 1/Sample solution</i>: Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 16 of <i>Sample solution</i>: Change</p>
OIL- AND WAT STRENGTH ER-SOLUBLE VITAMINS TABLETS	USP40–NF35	7318	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Dilute a 10-mL volume of this solution to:</p> <p><i>Sample solution:</i> Dilute a 10-mL volume of the <i>Sample stock solution</i> AND</p> <p>Line 1 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution:</i> Change Proceed as directed for the <i>Sample solution</i> to:</p> <p>Proceed as directed for the <i>Sample stock solution</i> AND</p> <p>Line 1 of <i>Vitamin E, Method 1/Sample</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<i>solution:</i> Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione, Method 1/Sample solution:</i> Change retained as specified in the directions for the <i>Sample solution</i> to: retained as specified in the directions for the <i>Sample stock solution</i> Add
G49	CHROMATOGRAPHIC CO	<i>First Supplement to USP40–NF35</i>	8127	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	G49—Dimethylp olysioxane with

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	LUMN S/Packings								chiral building block containing D- or L-valine as chiral agent (for amino acids).
NEOTAME	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	<i>First Supplement to USP40–NF35</i>	8485	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	Line 2 of USP Neotame Related Compound A RS: Change N -[3,3-Dimethylbutyl)-L-?-aspartyl]-L-phenylalanine. to: N-[N-(3,3-Dimethylbutyl)-L-?-aspartyl]-L-phenylalanine.
ONDANSETRON HYDROCHLORIDE	<i>USP Reference standards <11></i>	<i>USP40–NF35</i>	5441	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	Line 2 of USP Ondansetron Related Compound A RS: Change 3[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									4H -carbazol-4-one . to: 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H -carbazol-4-one hydrochloride. Line 1 of <i>Run time</i> : Change NMT to: NLT
PROPANTHELINE BROMIDE	IMPURITIES/ <i>Organic Impurities/Chromatographic system</i>	USP40–NF35	5882	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	
OIL-SOLUBLE VITAMINS WITH MINERALS TABLETS	STRENGTH	USP40–NF35	7280	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of <i>Vitamin A/Sample solution</i> : Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 15 of <i>Sample solution</i> :

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Change Further dilute this solution to: <i>Sample solution</i>: Dilute the <i>Sample stock solution</i> AND Line 2 of <i>Vitamin D/Sample solution</i>: Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Vitamin E/Sample solution</i>: Change prepared as directed for the <i>Sample solution</i> to:</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>prepared as directed for the <i>Sample stock solution</i> AND Line 2 of <i>P hyt onadi one (Vitamin K₁):</i>Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Beta Carotene/Sample solution:</i> Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SHELLAC	IM PURITIES/ <i>Limit of Chloride</i>	<i>USP40–NF35</i>	7869	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	Line 1 of <i>Control solution</i> : Change 0.1 M hydrochloric acid VS, to: 0.01 M hydrochloric acid VS,
PIOGLITAZONE AND METFORMIN HYDROCHLORIDE TABLETS	PERFORMANCE TESTS/ <i>Dissolution <711>/Test 2</i>	<i>USP40–NF35</i>	5720	26-May-2017		1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	Line 3 of <i>Standard solution</i> : Change USP Metformin Hydrochloride RS in <i>Diluent A</i> to: USP Metformin Hydrochloride RS from the <i>Metformin standard stock solution</i> in <i>Diluent A</i>
METHIONINE	IM PURITIES/ <i>Related Compounds</i>	<i>First Supplement to USP40–NF35</i>	8337	26-May-2017		1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	Row 5 of Column 3 of <i>Table 2</i> : Change 0.1 to:

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NUCLEIC ACID-BASED TECHNIQUES—GENERAL <i>Appendix 1: Regulations and Standards</i>	USP40–NF35	1471	26-May-2017	1-Jun-2017	USP41–NF36	USP41–NF36	1.0 Line 1 of bullet 1: Change "Review Criteria for Nucleic Acid Amplification-Based In Vitro Diagnostic Devices for Direct Detection of Infectious Microorganisms" (1993) to: "Nucleic Acid Based In Vitro Diagnostic Devices for Detection of Microbial Pathogens" (2005)
MYCOPHENOLATE MOFETIL FOR ORAL SUSPENSION <i>Procedure</i>	USP40–NF35	5251	26-May-2017	1-Jun-2017	USP41–NF36	USP41–NF36	Line 3 of <i>Sample solution</i> : Change 45-µm pore size. to: 0.45-µm pore size.

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
EVENING PRIMROSE CAPSULES	ST OILREN GTH/ <i>Analysis</i>	<i>USP40–NF35</i>	6952	26-May-2017		1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	In the first variable definition list: Change m_S = weight of USP Methyl Ester RS in the <i>Standard solution</i> (mg) to: m_S = weight of the relevant USP Methyl Ester RS in the <i>Standard solution</i> (mg)
TIMOLOL MALEATE	IM PURITIES/ <i>Enantiomeric Purity</i>	<i>First Supplement to USP40–NF35</i>	8416	26-May-2017		1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	Line 6 of <i>Chromatographic system</i> : Delete <i>Autosampler temperature: 4°</i>
OLIGOSACCHARIDE ANALYSIS	SEPARATION AND IDENTIFICATION OF OLIGOSACCHARIDES	<i>USP40–NF35</i>	273	26-May-2017		1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	Line 1 of <i>Normal Phase Chromatography/HILIC/Ammonium formate buffer</i> : Change Add 1.4 M ammonia

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description	
GLUCONOLAC ASSAY/ TONE	<i>USP40–NF35</i>	4412	26-May-2017	1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	<p><i>solution to 1.4 M formic acid solution.</i></p> <p>to:</p> <p>Add 1.4 M ammonia solution to 1.4 M formic acid solution until a pH of 4.4 is obtained.</p> <p>Line 5 of Analysis: Change Each mL of Back-titrant to: Each milliliter of Titrant</p>	
POLYETHYLENE GLYCOL 3350	SPECIFIC TESTS/ <i>Apparent Weight-Average Molecular Weight and Polydispersity</i>	<i>USP40–NF35</i>	5745	26-May-2017	1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	<p>Line 1 of Standard solution: Change Standard solution: 1.0 mg/mL each of five polyethylene glycol standards with molecular weights of</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>1000,2000, 3000, 4000, and 6000 g/mol (Da) in <i>Mobilephase</i>. Pass a portion of the solution to:</p> <p><i>Standard solutions:</i> Prepare 1.0 mg/mL each of five polyethylene glycol standards with molecular weights of 1000,2000, 3000, 4000, and 6000 g/mol (Da) in <i>Mobilephase</i> separately in five individual flasks. Pass a portion of each solution</p> <p>AND</p> <p>Line 1 of <i>Analysi s/Samples:</i> Change <i>Standard</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>solution and Sample solution to: Standard solutions and Sample solution AND Line 3 of Analysis: Change Separately inject equal volumes of the Standard solution to: Separately inject equal volumes of the Standard solutions</i>
METHYLDOPA ASSAY/ Procedure/ Chromatographic system	First Supplement to USP40–NF35	8339	26-May-2017	1-Jun-2017	USP41–NF36	USP41–NF36	Line 1 of Injection volume: Change 1 mL to: 20 µL
ACETYLCYSTEINE SOLUTION Procedure	USP40–NF35	2586	26-May-2017	1-Jun-2017	USP41–NF36	USP41–NF36	Line 3 of Sample solution:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PHENYTOIN ORAL SUSPENSION	IM PUR ITIES/ <i>Organic Impurities</i>	USP40–NF35	5690	26-May-2017		1-Jun-2017	USP41–NF36	USP41–NF36	<p>Change <i>Standard stock solution</i> to: <i>Sample stock solution</i></p> <p>Line 1 of <i>Sample solution</i>: Change 1 mg/mL of Oral Suspension in <i>Diluent</i> to: Nominally 1 mg/mL of phenytoin prepared as follows. Weigh and transfer a suitable volume of Oral Suspension to an appropriate volumetric flask. Add methanol to about 20% of the final flask volume and dissolve. Dilute with <i>Diluent</i> to</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SUCROSE	SPECIFIC TESTS/ <i>Color Value/Analysis</i>	<i>USP40–NF35</i>	7938	26-May-2017		1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	<p>volume. Dissolve with the aid of sonication, if necessary.</p> <p>Line 6 of the variable definition list: Change The absolute difference between two results is NMT 3. to: <i>Suitability requirements</i> <i>Repeatability:</i> The absolute difference between two results is NMT 3.</p>
DOCETAXEL	IM PURITIES/ <i>Organic Impurities, Procedure 1</i>	<i>Revision Bulletin (Official August 01, 2016)</i>	Online	26-May-2017		1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	<p>Footnote c of <i>Table 2:</i> Change (2aR,4R,4aS,9S,11S,12S,12aR,12bS)-1,2a,3,4,4a,6,9,10,11,12,12a,</p>

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>12b-Dodecahydro-4, 9,11,12,12b-pentahydroxy-4a,8,13,13-tetramethyl-7,11-methano-5H-cyclodeca[3,4]benz[1,2-b]oxet-5,6-dione 12b-acetate, 12-benzoate, 9-ester with (2R,3S)-N-formyl-3-phenylisoserine.</p> <p>to: (2aR,4S,4aS,6R,9S,11S,12S,12aR,12bS))?12b?Acetoxy? 9?((2R,3S))?3?formamido? 2?hydroxy?3?phenylpropanoyl)oxy)?4,6,11?trihydroxy?4a,8,13,13?tetramethyl?5?oxo?2a,3,4,4a,5,6,9,10,11,12,1</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							2a,12b?dodecahydro?1H ?7,11?methanocyclodeca[3,4]benzo[1,2?b]oxet-12?ylbenzoate. AND Footnote d of <i>Table 2</i> : Change (2aR,4R,4aS,6R,9S,11S,12S,12aR,12bS)-6-[(2,2-Dichloroethoxy)carbonyl]oxy-1,2a,3,4,4a,6,9,10,11,12,12a,12b-dodecahydro-4,9,11,12,12b-pentahydroxy-4a,8,13,13-tetramethyl-7,11-methano-5H-cyclodeca[3,4]benz[1,2-b]oxet-5-one 12b-acetate,

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>12-benzoate, 9-ester with (2<i>R</i>,3<i>S</i>)-<i>N</i>-tert-b utoxycarbonyl-e -phenylisoserin e. to: (2<i>aR</i>,4<i>S</i>,4<i>aS</i> ,6<i>R</i>,9<i>S</i>,11<i>S</i> ,12<i>S</i>,12<i>aR</i> ,12<i>bS</i>)?6?{[(2,2?Dichl oroethoxy)carbo nyl]oxy}?1,2<i>a</i>,3, 4,4<i>a</i>,6,9,10,11,1 2,12<i>a</i>,12<i>b</i>?dode cahydro?4,9,11, 12,12<i>b</i>?pentahy droxy?4<i>a</i>,8,13,1 3?tetramethyl?7 , 1 1? meth ano?5<i>H</i> ?cyclodeca[3,4] benz[1,2?<i>b</i>]oxet?5?one 12<i>b</i>?acetate, 12?benzoate,</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TOPICAL AEROSOLS	DELIVERED-DOSE UNIFORMITY	USP40–NF35	499	26-May-2017		1-Jun-2017	USP41–NF36	USP41–NF36	<p>9?ester with (2R,3S)?N?tert-butoxycarbonyl?3?phenylisoserine.</p> <p>Line 2: Change proceed as directed in the test for <i>Delivered Dose Uniformity in Metered-Dose Inhalers and Dry Powder Inhalers</i>, as described in <601>, to: proceed as directed in <i>Inhalation and Nasal Drug Products: Aerosols, Sprays, and Powders—Performance Quality Tests <601>, A. Delivered-Dose Uniformity/A.2 Inhalation</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<i>Aerosols and Inhalation Sprays and A.4 Inhalation Powders, AND</i> Line 4: Delete Unless otherwise stated in the individual monograph, apply the acceptance criteria for <i>Metered-Dose Inhalers and Dry Powder Inhalers</i> as described in <601>.
IOHEXOL	IM PURITIES/ <i>Limit of Free Iodide/Analysis</i>	<i>USP40–NF35</i>	4649	26-May-2017		1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	Line 3 of variable definition list: Change 0.1269 mg/mEq to: 126.9 mg/mEq
SCAFFOLD BOVINE DERMIS	SPECIFIC TESTS	<i>USP40–NF35</i>	6113	26-May-2017		1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	Line 5 of <i>Carbohydrate Content</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TIMOLOL MALEATE	IDENTIFICATION	<i>First Supplement to USP40–NF35</i>	8416	26-May-2017		1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	<p><i>Acceptance criteria: Change Moisture Content to: Loss on Drying AND Line 3 of Suture Retention Force/Analysis: Change 40 to: 4-0</i></p> <p>Line 1: Change major peak of the <i>Sample solution</i> corresponds to that of the <i>Standard solution</i>, to: timolol peak of the <i>Sample solution</i> corresponds to that of the <i>System suitability solution</i>,</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLOW CYTOMETRIC ENUMERATION OF CD34+ CELLS	SAMPLE PREPARATION/ <i>Table 1. Dot Plot Descriptions and Gating Instructions</i>	USP40–NF35	216	26-May-2017		1-Jun-2017	USP41–NF36	USP41–NF36	Column 4 for Step 6: Add • For counting bead enumeration, proceed to either Step 7 or Step 8 according to the recommendations of the bead manufacturer.
CONSTRUCT HUMAN FIBROBLASTS IN BILAYER SYNTHETIC SCAFFOLD	SPECIFIC TESTS/ <i>Metabolic Activity Assessment</i>	USP40–NF35	3561	26-May-2017		1-Jun-2017	USP41–NF36	USP41–NF36	Line 2 of <i>L-Glutamine solution</i> : Change 29.2 g to: 2.92 g
MYCOPHENOLATE MOFETIL RELATED	ADDITIONAL REQUIREMENTS/ <i>USP Reference Standards <11></i>	USP39–NF34	4957	31-Mar-2017		1-Apr-2017	USP41–NF36	USP41–NF36	Line 5 of USP Mycophenolate Mofetil Related Compound A RS: Change $C_{23}H_{31}NO_7$ to: $C_{22}H_{29}NO_7$
VINOURELBINE INJECTION	ADDITIONAL REQUIREMENTS/ <i>USP Reference</i>	USP39–NF34	6371	31-Mar-2017		1-Apr-2017	USP41–NF36	USP41–NF36	Line 2 of USP Vinorelbine Related Compound A

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
<i>Standards <11></i>									
MINOCYCLINE IM HYDROCHLOR PUR IDE EXTENDE ITIES/ <i>Organic</i> D-RELEASE <i>Impurities</i> TABLETS		<i>First Supplement to USP39–NF34</i>	8101	31-Mar-2017		1-Apr-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	RS: Change 4-O -Deacetylvinorel bine. to: 4-O -Deacetylvinorel bine tartrate. Change <i>Buffer, Mobile phase, Diluent, and Sample solution:</i> Prepare as directed in the Assay. to: <i>Buffer, Mobile phase, and Diluent.</i> Prepare as directed in the Assay. AND Add <i>Sample solution:</i> Use the <i>Sample stock solution</i> as directed in the Assay.
SPACERS	1. INTRODUCT	<i>USP40–NF35</i>	1988	31-Mar-2017		1-Apr-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	Bottom right

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AND VALVED ION/1.5 HOLDING <i>Definitions of</i> CHAMBERS <i>Key Terms</i> USED WITH <i>Relating to This</i> INHALATION A <i>Chapter</i> EROSOLS—CH ARACTERIZATI ON TESTS							corner of <i>Figure 1</i> : Change VHC mouthpiece to: Spacer mouthpiece
GRANISETRO <i>USP Reference First</i> N HYDROCHL <i>standards <11> Supplement to</i> ORIDE <i>USP40–NF35</i> TABLETS		Online	31-Mar-2017	1-Apr-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	Line 3 of USP Granisetron Related Compound C RS: Change carboxamide. to: carboxamide hydrochloride.
DOBUTAMINE IDENTIFICATIO INJECTION N/A.	<i>USP39–NF34</i>	3561	31-Mar-2017	1-Apr-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	Line 1 of <i>Sample solution</i> : Change 10 mg/mL of dobutamine hydrochloride in methanol, clarified by centrifugation to: Use the neat Injection.

Pagination

- [_ First page « First](#)
- [_ Previous page ‹ Previous](#)
- ...
- [_ Page 10](#)
- [_ Page 11](#)
- [_ Page 12](#)
- [_ Page 13](#)
- [_ Page 14](#)
- [_ Page 15](#)
- [_ Page 16](#)
- [_ Page 17](#)
- [_ Page 18](#)
- ...
- [_ Next page Next ›](#)
- [_ Last page Last »](#)