

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
		Publication		Date	Date	Print Publication	Fix Publication	
PROPOFOL	ADDITIONAL R	USP39–NF34	5573	30-Sep-2016	1-Oct-2016	USP41–NF36	First	Line 2 of USP

<u>Monograph Title</u>	<u>Section</u>	<u>Source Publication</u>	<u>Page Number</u>	<u>Errata Post Date</u>	<u>Sort ascending</u>	<u>Errata Official Date</u>	<u>Target Errata Print Publication</u>	<u>Target Online Fix Publication</u>	Description
		EQUIREMENT S/USP Reference Standards <11>						Supplement to USP40–NF35	Propofol Related Compound B RS: Change 2,6-Diisopropylb enzoquinone. to: 2,6-Diisopropyl -1,4-benzoquino ne.
HAZARDOUS REFERENCES DRUGS—HAND LING IN HEALTHCARE SETTINGS		First Supplement to USP39–NF34	7721	30-Sep-2016		1-Oct-2016	USP41–NF36	First Supplement to USP40–NF35	Line 2 of first reference: Delete http://www.aceom.org/Reproductive_Developmental_Hazard_Management.aspx . AND Line 2 of second reference: Delete http://www.asco.org/advocacy/worker-safety-when-handling-hazardous-drugs-focus-statement-ontology-

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PERINDOPRIL CHEMICAL ERBUMINE INFORMATION	<i>First Supplement to USP39–NF34</i>	8127	30-Sep-2016	1-Oct-2016	<i>USP41–NF36</i>	<i>First Supplement to USP40–NF35</i>	societies. Line 9: Delete (2S,3aS,7aS)-1-((S)-2-((R)-1-Ethoxy-1-oxopentan-2-ylamino]propanoyl}octahydro-1H-indole-2-carboxylic acid
TRIHXYPHEN Assay IDYL HYDROCHLORIDE EXTENDED-RELEASE CAPSULES	<i>USP39–NF34</i>	6265	29-Jul-2016	1-Aug-2016	<i>USP41–NF36</i>	<i>First Supplement to USP40–NF35</i>	Line 1 of <i>Mobile phase</i> and <i>Chromatographic system</i> : Change Prepare as directed in the Assay under <i>Trihexyphenidyl Hydrochloride</i> . to: <i>Mobile phase</i> —Prepare a mixture of acetonitrile, water, and triethylamine (920:80:0.2), adjust with phosphoric acid

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>to a pH of 4.0, mix, filter, and degas. Make adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> <621>).</p> <p><i>Chromatographic system</i> (see <i>Chromatography</i> <621>)—The liquid chromatograph is equipped with a 210-nm detector and a 4.6-mm x 8-cm column that contains 3-μm packing L1. The flow rate is about 2 mL per minute.</p> <p>Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Procedure:</i> the column efficiency determined from the analyte peak is not less than 1300 theoretical plates, the tailing factor for the analyte peak is not more than 3.0, and the relative standard deviation for replicate injections is not more than 1.0%.</p> <p>AND</p> <p>Line 1 of <i>Procedure:</i> Change Proceed as directed for <i>Procedure</i> in the Assay under <i>Trihexyphenidyl Hydrochloride</i>. to:</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Separately inject equal volumes (about 10 µL) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph, record the chromatograms, and measure the responses for the major peaks.</p> <p>AND</p> <p>Line 6 of <i>Procedure</i>: Change and the other terms are as defined therein. to: C is the concentration, in mg per mL, of USP Trihexyphenidyl Hydrochloride RS in the</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BISOCTRIZOL E	ADDITIONAL R EQUIREMENT S/USP Reference Standards <11>	<i>First Supplement to USP39–NF34</i>	8008	29-Jul-2016		1-Aug-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	<p><i>Standard preparation, r_U and r_S are the trihexyphenidyl peak responses obtained from the Assay preparation and the Standard preparation, respectively.</i></p> <p>Line 2 of USP Bisotrizole Resolution Mixture RS: Change A mixture of approximately 1.5% of bisotrizole isomer [phenol, 2,2-methylenebis[6-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)]] in a matrix of bisotrizole. to: A mixture of approximately</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ORALLY INHALED AND NASAL DRUG PRODUCTS	REFERENCES	USP39–NF34	1862	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	1.5% of bisoctrizole isomer [phenol, 2,2?-methylene bis[6-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)]] in a matrix of bisoctrizole. Delete reference 3.
GRANISETRO N HYDROCHLORIDE INJECTION	USP Reference standards <11>	USP39–NF34	4153	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 2 of USP Granisetron Related Compound B RS: Change (N-[(1R,3r,5)-9-Methyl-9-azabicyclo[3.3.1]non-3-yl]-1H-indazole-3-carboxamide). to: N-[(1R,3r,5S)-9-Methyl-9-azabicyclo[3.3.1]non-3-yl]-1H-indazole-3-carboxamide).

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LOVASTATIN	USP Reference standards <11>	USP39–NF34	4631	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	l]-1H -indazole-3-carb oxamide. Line 2 of USP Lovastatin Related Compound A RS: Change [Dihydro-lovasta tin][butanoic acid, 2-methyl-, 1,2,3,4,4a,7,8,8 a-octahydro-3,7 -dimethyl-8-[2(t etrahydro-4-hyd rox y-6-ox o-2H -pyran-2-yl)-eth yl]-1-naphthalen yl ester, [1S-[1?(R *), 3?,7? ,8?(2S*,4S *),-8??]]-. to: (1S,3S,4aR,7 S,8S,8aS)-8-{2- (2R,4R

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
)-4-hydroxy-6-oxotetrahydro-2H-pyran-2-yl]ethyl}-3,7-dimethyl-1,2,3,4,4a,7,8,8a-octahydronaphthalen-1-yl (S)-2-methylbutanoate.
SIMVASTATIN TABLETS	IM PURITIES/Organic Impurities/Analysis	USP39–NF34	5848	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 5: Change Result = $(r_U/r_S) \times (C_S/C_U) \times (M_{r1}/M_{r2}) \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times 100$ AND Delete the variable definitions for M_{r1} and M_{r2} .
FUMARIC ACIDS	SPECIFIC TESTS/Water Determination, Method I <921>	USP39–NF34	7309	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 1: Change 0.5% to: NMT 0.5%
NAPROXEN SODIUM	IM PUR	Second Supplement to	Online	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to	Line 6 of Analysis:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TABLETS	ITIES/ <i>Organic Impurities</i>	USP39–NF34						USP40–NF35	Change Result = $(r_U/r_S) \times (C_U/C_S) \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times 100$
EXTRACTABLES ASSOCIATED WITH PHARMACEUTICAL PACKAGING SYSTEMS	REFERENCES	USP39–NF34	1835	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Delete references 5, 7, 9, and 12.
FLUORESCENCE SODIUM	PUR ITIES/ <i>Organic Impurities</i>	USP39–NF34	3960	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Row 7 of column 1 of Table 2: Change Total impurities to: Total unspecified impurities
HALOPERIDOL DECANOATE	PUR ITIES/ <i>Organic Impurities/ Table 2</i>	USP39–NF34	4184	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Footnote k: Change 4-(4-Chlorobiphenyl-4-yl)-1-[4-(4-fluorophenyl)-4-oxobutyl]piperidin-4-yl decanoate. to:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RIZATRIPTAN BENZOATE TABLETS	PERFORMANC E TESTS/ <i>Dissolution</i> <711> <i>Chromatographi c procedure</i>	USP39–NF34	5750	29-Jul-2016		1-Aug-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	4-(3?-Chlorobiphenyl-4-yl)-1-[4-(4-fluorophenyl)-4-oxobutyl]piperidin-4-yl decanoate. AND Footnote I: Change 4-(3?-Chlorobiphenyl-4-yl)-1-[4-(4-fluorophenyl)-4-oxobutyl]piperidin-4-yl decanoate. to: 4-(4?-Chlorobiphenyl-4-yl)-1-[4-(4-fluorophenyl)-4-oxobutyl]piperidin-4-yl decanoate. Add <i>Buffer</i> . 1.36 g/L of monobasic potassium phosphate. Adjust the pH of the solution with phosphoric acid to 2.5.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TRIHXYPHEN Assay IDYL HYDROC HLORIDE ORAL SOLUTION	USP39–NF34	6266	29-Jul-2016	1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 1 of <i>Mobile phase</i> and <i>Chromatographic system</i> : Change Prepare as directed in the Assay under <i>Trihexyphenidyl Hydrochloride</i> . to: <i>Mobile phase</i> —Prepare a mixture of acetonitrile, water, and triethylamine (920:80:0.2), adjust with phosphoric acid to a pH of 4.0, mix, filter, and degas. Make adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> <621>). <i>Chromatographic system</i> (see

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Chromatograph y <621>—The liquid chromatograph is equipped with a 210-nm detector and a 4.6-mm × 8-cm column that contains 3-μm packing L1. The flow rate is about 2 mL per minute.</i></p> <p><i>Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>: the column efficiency determined from the analyte peak is not less than 1300 theoretical plates, the tailing factor for the analyte</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>peak is not more than 3.0, and the relative standard deviation for replicate injections is not more than 1.0%. AND Line 1 of <i>Procedure</i>: Change Proceed as directed for <i>Procedure</i> in the Assay under <i>Trihexyphenidyl Hydrochloride</i>. to: Separately inject equal volumes (about 10 µL) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph, record the</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>chromatograms, and measure the responses for the major peaks.</p> <p>AND</p> <p>Line 7 of <i>Procedure</i>: Change and the other terms are as defined therein.</p> <p>to:</p> <p>C is the concentration, in mg per mL, of USP Trihexyphenidyl Hydrochloride RS in the <i>Standard preparation</i>, r_U and r_S are the trihexyphenidyl peak responses obtained from the <i>Assay preparation</i> and the <i>Standard preparation</i>, respectively.</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SULINDAC TABLETS	IM PURITIES/Organic Impurities	<i>First Supplement to USP39–NF34</i>	8160	29-Jul-2016		1-Aug-2016	<i>USP41–NF36</i>	<i>First Supplement to USP40–NF35</i>	Line 1 of System suitability/Relative standard deviation: Change NMT 2.0% for any peak to: NMT 2.0% for sulindac, sulindac related compound B, and sulindac related compound C AND Line 3 of Analysis: Change Calculate the percentage of the labeled amount of sulindac related compound A, sulindac related compound B, or sulindac related compound C in

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>the portion of Tablets taken: to: Calculate the percentage of sulindac related compound B or sulindac related compound C in the portion of Tablets taken: AND Line 8 of <i>Analysis</i>: Change $r_U = \text{peak response of sulindac related compound A, sulindac related compound B, or sulindac related compound C from the Sample solution}$ to: $r_U = \text{peak response of sulindac related compound B or sulindac related$</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<p>compound C from the <i>Sample solution</i> AND</p> <p>Line 12 of <i>Analysis:</i> Change $r_S =$ peak response of sulindac related compound A, sulindac related compound B, or sulindac related compound C from the <i>Standard solution</i> to:</p> <p>$r_S =$ peak response of sulindac related compound B or sulindac related compound C from the <i>Standard solution</i></p>
FELBAMATE ORAL SUSPENSION	PERFORMANC E TESTS/	USP39–NF34	3855	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 4 of <i>System suitability.</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Change [Note—The relative retention times for methylparaben and felbamate are about 0.5 and 1.0, respectively.] to: [Note—The relative retention times for felbamate and methylparaben are about 1.0 and 1.5, respectively.]
GRANISETRO N HYDROCHL ORIDE TABLETS	<i>USP Reference standards <11></i>	<i>USP39–NF34</i> 4155	29-Jul-2016	1-Aug-2016	<i>USP41–NF36</i>	<i>First Supplement to USP40–NF35</i>	Line 2 of USP Granisetron Related Compound B RS: Change (<i>N</i> -[(1 <i>R</i> ,3 <i>r</i> ,5)-9-Methyl-9- <i>a</i> zabicyclo[3.3.1]non-3-yl]-1 <i>H</i> -indazole-3-carb

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									oxamide). to: <i>N</i> -[(1 <i>R</i> ,3 <i>r</i> ,5 <i>S</i>)-9-Methyl-9-azabicyclo[3.3.1]non-3-yl]-1 <i>H</i> -indazole-3-carboxamide.
NAPROXEN TABLETS	ASSAY/ <i>Procedure/System suitability/Suitability requirements</i>	USP39–NF34	4993	29-Jul-2016		1-Aug-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	Line 1 of <i>Tailing factor</i> . Change NLT 2.0 to: NMT 2.0
SODIUM NITR OPRUSSIDE	<i>Identification</i>	USP39–NF34	5880	29-Jul-2016		1-Aug-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	Line 1 of <i>Identification C</i> : Change A solution (1 in 4) responds to the flame test for <i>Sodium</i> <191>. to: A solution (1 in 4) imparts an intense yellow color to a nonluminous flame.
BISOCTRIZOL	IM	<i>First</i>	8008	29-Jul-2016		1-Aug-2016	USP41–NF36	<i>First</i>	Footnote b of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
E	PUR	<i>Supplement to</i>						<i>Supplement to</i>	<i>Table 2:</i>
	ITIES/ <i>Organic</i>	<i>USP39–NF34</i>						<i>USP40–NF35</i>	Change
	<i>Impurities</i>								Phenol, 2,2-met
									h
									yle
									nebis[
									6-(2 <i>H</i>
									-benzotriazol-2-
									yl)-4-(1,1,3,3-tet
									ramethylbutyl)].
									to:
									Phenol, 2,2?-m
									<i>H</i>
									-benzotriazol-2-
									yl)-4-(1,1,3,3-tet
									ramethylbutyl)].
ASSESSMENT REFERENCES		<i>USP39–NF34</i>	1850	29-Jul-2016		1-Aug-2016	<i>USP41–NF36</i>	<i>First</i>	Delete
OF DRUG								<i>Supplement to</i>	reference 8.
PRODUCT								<i>USP40–NF35</i>	
LEACHABLES									
ASSOCIATED									
WITH PHARMA									
CEUTICAL PA									
CKAGING/DELI									
VERY									
SYSTEMS									
GRANISETRO	<i>USP Reference</i>	<i>USP39–NF34</i>	4151	29-Jul-2016		1-Aug-2016	<i>USP41–NF36</i>	<i>First</i>	Line 2 of USP
N HYDROCHL	<i>standards <11></i>							<i>Supplement to</i>	Granisetron

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ORIDE						USP40–NF35	<p>Related Compound B RS: Change (<i>N</i>[(1<i>R</i>,3<i>r</i>,5)-9-Methyl-9-azabicyclo[3.3.1]non-3-yl]-1<i>H</i>-indazole-3-carboxamide).</p> <p>to: (<i>N</i>[(1<i>R</i>,3<i>r</i>,5<i>S</i>)-9-Methyl-9-azabicyclo[3.3.1]non-3-yl]-1<i>H</i>-indazole-3-carboxamide).</p> <p>AND</p> <p>Line 2 of USP Granisetron Related Compound E RS: Change (1<i>R</i>,3<i>r</i>,5<i>S</i>)-9-Methyl-9-azabicyclo[3.3.1]nonan-3-amine, acetate salt).</p> <p>to: (1<i>R</i>,3<i>r</i>,5<i>S</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
KETOROLAC T ADDITIONAL R ROMETHAMIN EQUIREMENT E INJECTION S/USP Reference Standards <11>	USP39–NF34	4468	29-Jul-2016	1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35)-9-Methyl-9-az abicyclo[3.3.1]n onan-3-amine, acetate salt). Line 4 of USP Ketorolac Related Compound A RS: Change 358.15 to: 358.39 AND Line 3 of USP Ketorolac Related Compound B RS: Change 227.09 to: 227.26 AND Line 3 of USP Ketorolac Related Compound C RS: Change 225.09 to: 225.24 AND

Monograph Title/Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SIMETHICONE ASSAY/ <i>Procedure/Analysis</i>	USP39–NF34	5843	29-Jul-2016	1-Aug-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	Line 3 of USP Ketorolac Related Compound D: Change 211.1 to: 211.3 Line 1 of <i>Samples: Change Standard stock solution, Standard solution, Sample stock solution, and Sample solution</i> to: <i>Standard solution and Sample solution</i>
BANABA LEAF IDENTIFICATION DRY EXTRACT N	USP39–NF34	6494	29-Jul-2016	1-Aug-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	Delete <i>Identification A. AND</i> Line 1 of <i>Identification B: Change B.</i> to: A.

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OMEGA-3-ACID ETHYL ESTERS CAPSULES	ASSAY/Content of EPAee, DHAee, and Total Omega-3-Acid Ethyl Esters/Analysis	Second Supplement to USP39–NF34	8755	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	AND Line 1 of Identification C: Change C. to: B. Line 16 of the third equation: Change L = label claim of total omega-3-acids ethyl esters (g/Capsule) to: L = label claim of total omega-3-acids ethyl esters (mg/Capsule)
FEXOFENADINE HYDROCHLORIDE	CHEMICAL INFORMATION	USP39–NF34	3895	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 7: Change [138452-21-8]. to: [153439-40-8].
HALCINONIDE CREAM	IMPURITIES/Organic Impurities/Chromatography	USP39–NF34	4176	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 1 of Column: Change 1.8- μ m packing L1 to:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	<i>c system</i>								1.7-µm packing L1
NAPROXEN TABLETS	IM PURITIES/ <i>Organic Impurities</i>	USP39–NF34	4993	29-Jul-2016		1-Aug-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	Line 6 of <i>Analysis:</i> Change Result = $(r_U/r_S) \times (C_U/C_S) \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times 100$
SAMARIUM 153 LEXIDRONAM INJECTION	Sm <i>Other requirements</i>	USP39–NF34	5791	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 1: Change <i>Injections and Implanted Drug Products <1></i> ; not subject to <i>Container Content.</i> to: Meets the requirements of <i>Injections and Implanted Drug Products <1></i> ; not subject to <i>Container content.</i>
CHONDROITIN SULFATE SODIUM, SHARK	COMPOSITION / <i>Disaccharide Composition</i>	USP39–NF34	6570	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 2 of <i>Chondroitinase ABC solution:</i> Change 10.0 mL of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SEMISOLID IN VITRO PER DRUG PRODU FORMANCE CTS—PERFOR TESTS MANCE TESTS	USP39–NF34	1869	27-May-2016	1-Jun-2016	USP40–NF35	USP40–NF35	<p><i>Buffer solution to: 1.0 mL of Buffer solution AND Line 4 of Analysis: Change and 1.0 mL to: and 0.1 mL</i></p> <p>Line 7 of <i>Application of Drug Release: Change The individual amounts of drug released from R is plotted versus time, to: The individual amounts of drug released from R are plotted versus the square root of time,</i></p>
SODIUM CETO IM STEARYL PURITIES/ <i>Limit of Sodium</i> SULFATE	USP39–NF34	7518	27-May-2016	1-Jun-2016	USP40–NF35	USP40–NF35	Line 1 of <i>Endpoint detection:</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									Change Potentiometric to: Visual
DICLOFENAC SODIUM EXTENDED-RELEASE TABLETS	IM PURITIES/Organic Impurities	USP39–NF34	3460	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 1 of <i>Standard solution</i> : Change 0.001 mg/mL of USP Diclofenac Sodium RS in <i>Diluent</i> to: 0.001 mg/mL each of USP Diclofenac Sodium RS and USP Diclofenac Related Compound A RS in <i>Diluent</i>
LORAZEPAM TABLETS	ADDITIONAL REQUIREMENT S/USP Reference Standards RS <11>	USP39–NF34	4622	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 3 of USP Lorazepam Related Compound B RS: Change C ₁₃ H ₉ ClNO to: C

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									$^{13}\text{H}_9\text{Cl}_2\text{NO}$

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OXANDROLON E TABLETS	<i>Dissolution</i> <711>/Test 3	USP39–NF34 5193	27-May-2016	1-Jun-2016	USP40–NF35	USP40–NF35	Line 3 of <i>Chromatographic system:</i> Change 30-cm column to: 3-cm column
RANITIDINE TABLETS	<i>USP Reference standards</i> <11>	USP39–NF34 5672	27-May-2016	1-Jun-2016	USP40–NF35	USP40–NF35	Line 2 of USP Ranitidine Related Compound C RS: Change <i>N</i> -[2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]sulfinyl]methyl]- <i>N</i> -methyl-2-nitro-1,1-ethenediamine. to: <i>N</i> -[2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]sulfinyl]methyl]- <i>N</i> -methyl-2-nitro-1,1-ethenediamine.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CHONDROITIN IM SULFATE SODIUM, SHARK	PURITIES/ <i>Limit of Protein</i>	USP39–NF34 6570	27-May-2016	1-Jun-2016	USP40–NF35	USP40–NF35	<p><i>N</i> ?-methyl-2-nitro-1,1-ethenediamine.</p> <p>Line 2 of <i>Instrumental conditions</i>: Change (See <i>Spectrophotometry and Light-Scattering <851></i>.) to: (See <i>Ultraviolet-Visible Spectroscopy <857></i>.)</p>
MYRISTYL ALCOHOL	ASSAY/ <i>Procedure</i>	USP39–NF34 7413	27-May-2016	1-Jun-2016	USP40–NF35	USP40–NF35	<p>Line 1 of <i>Standard solution</i>: Change Prepare 1.0 mg/mL of USP Myristyl Alcohol RS in <i>Internal standard solution</i>, and heat the solution in a sealed</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>container in a 50° water bath until myristyl alcohol is dissolved. Allow the solution to cool to room temperature, and mix well.</p> <p>to:</p> <p>1.0 mg/mL of USP Myristyl Alcohol RS in <i>Internal standard solution</i></p> <p>AND</p> <p>Line 1 of <i>Sample solution</i>: Change Prepare 1.0 mg/mL of Myristyl Alcohol in <i>Internal standard solution</i>, and heat the solution in a sealed container in a</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									50° water bath until myristyl alcohol is dissolved. Allow the solution to cool to room temperature, and mix well. to: 1.0 mg/mL of Myristyl Alcohol in <i>Internal standard solution</i>
BACITRACIN ZINC	IMPURITIES	USP39–NF34	2674	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Delete the <i>Residue on Ignition <281></i> test.
LORAZEPAM INJECTION	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP39–NF34	4620	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 3 of Lorazepam Related Compound B RS: Change C ₁₃ H ₉ CINO to: C ₁₃ H ₉ Cl ₂ NO
NALTREXONE HYDROCHLORIDE	Related compounds	USP39–NF34	4985	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 5: Change 10F(C/W)(r _U / r _s) to: 1000F(C/W)(r

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
---	------------------------------------	-----------------------------	---	--------------------------------------	---	---	-------------

U/s)

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RANITIDINE INJECTION	<i>USP Reference standards <11></i>	<i>USP39–NF34</i>	5670	27-May-2016		1-Jun-2016	<i>USP40–NF35</i>	<i>USP40–NF35</i>	Line 2 of USP Ranitidine Related Compound C RS: Change <i>N</i> -[2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]sulfinyl]methyl]- <i>N</i> -methyl-2-nitro-1,1-ethenediamine. to: <i>N</i> -[2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]-2-nitro-1,1-ethenediamine.
TETRACYCLIN ASSAY/ E HYDROCHLORIDE	<i>Procedure</i>	<i>USP39–NF34</i>	6082	27-May-2016		1-Jun-2016	<i>USP40–NF35</i>	<i>USP40–NF35</i>	Line 6 of <i>Sample solution:</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CAPSULES									Change dilute with <i>Diluent</i> to volume. to: dilute with <i>Solution A</i> to volume.
VINPOCETINE	IM PUR ITIES/ <i>Organic Impurities</i>	USP39–NF34	6880	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Footnote a of <i>Table 1</i> : Change Ethyl (12RS,13a SR,13bSR)-13a-ethyl-12-hydroxy-2,3,5,6,12,13,13a,13b-octa hydro-1 <i>H</i> -in dolo[3,2,1-de]pyrido[3,2,1- <i>ij</i>][1,5]naphthyridine-12-carboxylate (ethyl vincamate). to: Ethyl

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							(12S,13aS,13bS)-13a-ethyl-12-hydroxy-2,3,5,6,12,13,13a,1
							<i>H</i> -in dolo[3,2,1- <i>de</i>]py rido[3 ,2,1- <i>ij</i>][1,5]naphthyridine-12-carboxylate (ethyl vincamine). AND Footnote of <i>Table 1:</i> Change Methyl (13aS,13bS)-13a-ethyl-9-methoxy-2,3,5,6,13a,13b-hexahydro-1 <i>H</i> -in

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>dolo[3,2,1-<i>de</i>]pyrido[3,2,1-<i>ij</i>][1,5]naphthyridine-12-carboxylate (apovincamine). to: Methyl (13a<i>S</i>,13b<i>S</i>)-13a-ethyl-2,3,5,6,13a,13b-hexahydro-1<i>H</i>-in dolo[3,2,1-<i>de</i>]pyrido[3,2,1-<i>ij</i>][1,5]naphthyridine-12-carboxylate (apovincamine). AND Footnote d of <i>Table 1</i>: Change Ethyl (12<i>RS</i>,13a</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>RS,13bRS</i>)-13a-ethyl-2,3,5,6,12,13,13a,13b-octa hydro-1<i>H</i> -in dolo[3,2,1-<i>de</i>]pyrido[3,2,1-<i>ij</i>][1,5]naphthyridine-12-carboxylate (dihydrovinpocetine). to: Ethyl (12<i>R</i>,13a<i>S</i>,13b<i>S</i>)-13a-ethyl-2,3,5,6,12,13,13a,13b-octa hydro-1<i>H</i> -in dolo[3,2,1-<i>de</i>]pyrido[3,2,1-<i>ij</i>][1,5]naphthyridine-12-carboxylate</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
REAGENTS, INDICATORS AND SOLUTIONS	REAGENTS/6. <i>General Tests for Reagents/6.2 Amino Nitrogen Test in Reagents</i>	USP39–NF34	2080	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	te (dihydrovinpocetine). In the numerator of the equation: Change 2.8 to: 14 AND Add $\times f$ AND Line 10: Change where %LOD is the percentage of loss on drying. to: where f is the correction factor obtained in the standardization of 0.2 N sodium hydroxide and %LOD is the percentage of loss on drying.
HAZARDOUS DRUGS—HAND AND	5. FACILITIES <i>First Supplement to</i>		7721	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	First bullet in second

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LING IN HEALTHCARE SETTINGS	ENGINEERING CONTROLS/5.3 <i>Compounding</i>	USP39–NF34							paragraph: Change • Be externally vented through high-efficiency particulate air (HEPA) filtration to: • Be externally vented
IMIQUIMOD CREAM	IM PURITIES/ <i>Organic Impurities</i>	USP39–NF34	4289	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Row 2 of Column 3 of <i>Table 2</i> : Change 1.5 to: 1.15 AND Row 3 of Column 3 of <i>Table 2</i> : Change 1.15 to: 1.5

Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- ...

-
- [Page 13](#)
 - [Page 14](#)
 - [Page 15](#)
 - [Page 16](#)
 - [Page 17](#)
 - [Page 18](#)
 - [Page 19](#)
 - [Page 20](#)
 - [Page 21](#)
 - ...
 - [Next page Next ›](#)
 - [Last page Last »](#)