

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicylic Acid Tablets will result in anything that contains “Aminosalicylic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicylic Acid Tablets” will result in anything that specifically contains “Aminosalicylic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
		Publication		Date	Date	Print Publication	Fix Publication	
AMOXICILLIN	ASSAY/	USP38–NF33	2225	31-Jul-2015	1-Aug-2015	USP40–NF35	First	Line 6 of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TABLETS FOR <i>Procedure</i> ORAL SUSPENSION						<i>Supplement to USP39–NF34</i>	<i>Analysis:</i> Change Result = (r_U/r_S) $\times (C_S/C_U) \times P \times (1/F) \times 100$ to: Result = (r_U/r_S) $\times (C_S/C_U) \times P \times F \times 100$
TETRACAINE <i>Identification</i> HYDROCHLOR IDE INJECTION	<i>USP38–NF33</i>	5507	31-Jul-2015	1-Aug-2015	<i>USP40–NF35</i>	<i>First Supplement to USP39–NF34</i>	Line 1 of A: Change It responds to <i>Identification</i> test <i>B</i> under <i>Tetracaine Hydrochloride</i> . to: Dissolve 100 mg in 10 mL of water, and add 1 mL of potassium thiocyanate solution (1 in 4): a crystalline precipitate is formed. Recrystallize the precipitate from water, and dry at 80° for 2

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER	<i>USP38–NF33 Procedure</i>	6753	31-Jul-2015	1-Aug-2015	<i>USP40–NF35</i>	<i>First Supplement to USP39–NF34</i>	hours: it melts between 130° and 132°. Line 1 of <i>Acceptance criteria</i> : Delete on the dried basis
DOXAZOSIN MESYLATE	IM PUR ITIES/ <i>Organic Impurities/Analysis</i>	<i>First</i> 7387	31-Jul-2015	1-Aug-2015	<i>USP40–NF35</i>	<i>First Supplement to USP39–NF34</i>	Line 3 of the variable definition list: Change r_S = peak response of each impurity from the <i>Standard solution</i> to: r_S = peak response of each impurity or doxazosin mesylate (for calculating unspecified impurities) from the <i>Standard solution</i> AND Line 5 of the

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METOLAZONE ASSAY/ TABLETS <i>Procedure</i>	USP38–NF33	4368	31-Jul-2015	1-Aug-2015	USP40–NF35	<i>First Supplement to USP39–NF34</i>	variable definition list: Change $C_S =$ concentration of USP Doxazosin Mesylate RS in the <i>Standard solution</i> (mg/mL) to: $C_S =$ concentration of the corresponding USP Doxazosin Related Compound RS or USP Doxazosin Mesylate RS (for calculating unspecified impurities) in the <i>Standard solution</i> (mg/mL) Change the subsection <i>Standard solution</i> : 5

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>µg/mL of USP Metolazone RS in methanol to:</p> <p><i>Standard stock solution: 0.25 mg/mL of USP Metolazone RS in methanol</i></p> <p><i>Standard solution: 5 µg/mL of USP Metolazone RS in Mobile phase from Standard stock solution</i></p> <p>AND</p> <p>Line 2 of <i>Sample solution:</i></p> <p>Change of metolazone from the <i>Sample stock solution</i> in methanol to:</p> <p>of metolazone in <i>Mobile phase</i> from the <i>Sample stock</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TETRACAINE IDENTIFICATION HYDROCHLORIDE IN DEXTROSE INJECTION	USP38–NF33	5509	31-Jul-2015	1-Aug-2015	USP40–NF35	First Supplement to USP39–NF34	<i>solution</i> Line 1 of B: Change It responds to <i>Identification</i> test C under <i>Tetracaine Hydrochloride</i> . to: A solution of 100 mg in 5 mL of water meets the requirements of the tests for <i>Chloride <191></i> .
PURIFIED STEARIC ACID ASSAY/ <i>Procedure/System suitability/Suitability requirements</i>	USP38–NF33	6919	31-Jul-2015	1-Aug-2015	USP40–NF35	First Supplement to USP39–NF34	Line 2 of <i>Relative standard deviation</i> : Change six replicate injections of <i>Sample solution</i> ; to: six replicate injections;
ESTRADIOL AND NORETHINDRONE IM PURITIES/ <i>Organic</i>	USP38–NF33	3385	31-Jul-2015	1-Aug-2015	USP40–NF35	First Supplement to USP39–NF34	Line 2 of the <i>Note</i> : Change 1.0, 1.4, and

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACETATE TABLETS	<i>Impurities/ Procedure/System suitability</i>								3.0, to: 1.0, 1.1, and 1.7,
TETRACAINE HYDROCHLORIDE FOR INJECTION	<i>Identification</i>	USP38–NF33	5508	31-Jul-2015		1-Aug-2015	USP40–NF35	<i>First Supplement to USP39–NF34</i>	Line 1 of <i>B</i> : Change It responds to <i>Identification</i> test <i>B</i> under <i>Tetracaine Hydrochloride</i> . to: Dissolve 100 mg in 10 mL of water, and add 1 mL of potassium thiocyanate solution (1 in 4): a crystalline precipitate is formed. Recrystallize the precipitate from water, and dry at 80° for 2 hours: it melts between 130° and 132°.
METHACRYLIC DEFINITION		USP38–NF33	6755	31-Jul-2015		1-Aug-2015	USP40–NF35	<i>First</i>	Methacrylic acid

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACID AND METHYL METHACRYLATE COPOLYMER						<i>Supplement to USP39–NF34</i>	units in Methacrylic Acid and Methyl Methacrylate Copolymer are NLT 27.6% and NMT 50.6%, calculated on the dried basis. to: Methacrylic acid units in Methacrylic Acid and Methyl Methacrylate Copolymer, previously dried, are NLT 27.6% and NMT 50.6%.
STEARIC ACID ASSAY/ <i>Procedure/System suitability/Suitability requirements</i>	<i>Harmonization Online (Official May 01, 2015)</i>		31-Jul-2015	1-Aug-2015	<i>USP40–NF35</i>	<i>First Supplement to USP39–NF34</i>	Line 3 of <i>Relative standard deviation:</i> Change peaks (from six replicate injections of <i>Sample solution</i>); to:

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BANABA LEAF DEFINITION POWDER	<i>USP38–NF33</i>	5903	29-May-2015	1-Jun-2015	<i>USP39–NF34</i>	<i>USP39–NF34</i>	peaks, from six replicate injections; Line 1: Change dried leaves of <i>Lagerstroemia speciosa</i> (L.) Pers. (Fam. Lythraceae) by extraction with hydroalcoholic mixtures. to: dried leaves of <i>Lagerstroemia speciosa</i> (L.) Pers. (Fam. Lythraceae) reduced to powder or very fine powder.
TELMISARTAN ASSAY/ TABLETS <i>Procedure</i>	<i>Revision Bulletin (Official December 01, 2014)</i>	Online	29-May-2015	1-Jun-2015	<i>USP39–NF34</i>	<i>USP39–NF34</i>	Line 2 of <i>Standard solution</i> : Change of USP Telmisartan Related Compound A RS in <i>Mobile phase</i> .

<u>Monograph Title</u>	<u>Section</u>	<u>Source Publication</u>	<u>Page Number</u>	<u>Errata Post Date</u>	<u>Sort ascending</u>	<u>Errata Official Date</u>	<u>Target Errata Print Publication</u>	<u>Target Online Fix Publication</u>	Description
GENE THERAPY PRODUCTS	APPENDIX	USP38–NF33	883	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	to: of USP Telmisartan Related Compound A RS in <i>Mobile phase</i> from the <i>Standard stock solution</i> . Line 8 of <i>National and International Regulatory Documents</i> : Delete (http://www4.od.nih.gov/oba/guidelines.html)
ISONIAZID	IM PUR ITIES/ <i>Organic Impurities</i>	<i>First Supplement to USP38–NF33</i>	7413	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Row 2 of Column 1 of <i>Table 1</i> : Change Isoniacin to Isoniacin ^a AND Row 5 of Column 1 of <i>Table 1</i> : Change Picolinohydrazi

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZATHIOPRIN ASSAY/ E Procedure	USP38–NF33	2334	29-May-2015	1-Jun-2015	USP39–NF34	USP39–NF34	<p>de to Picolinohydrazi de^b AND Row 6 of Column 1 of <i>Table 1</i>: Change Isonicotinonitrile to: Isonicotinonitril e^c AND Add footnotes to <i>Table 1</i>: ^a Isonicotinic acid. ^b 2-Isoniazid. ^c 4-Cyanopyridi ne.</p> <p>Line 1 of <i>Standard stock solution</i>: Change 0.1 mg/mL of USP Azathioprine RS prepared as follows. to:</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CISATRACURUM BESYLATE	SPECIFIC TESTS/ <i>Water Determination, Method Ia</i> <921>	USP38–NF33	2828	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	0.5 mg/mL of USP Azathioprine RS prepared as follows. Line 1: Change <i>Method Ia</i> to: <i>Method Ic</i>
LEVODOPA CAPSULES	IMPURITIES/ <i>Organic Impurities</i>	USP38–NF33	4078	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 2 of <i>Spray reagent</i> : Change (10 mg/mL) to: (100 mg/mL)
QUININE SULFATE	CHEMICAL INFORMATION	USP38–NF33	5122	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 4: Change dihydrate [6119-70-6]. to: dihydrate [207671-44-1].
VERAPAMIL HYDROCHLORIDE EXTENDED-RELEASE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> <711>/Test 7	<i>First Supplement to</i> USP38–NF33	7478	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 6 of <i>Analysis</i> : Change $37 \pm 0.5^\circ$ at each time point. to: $37 \pm 0.5^\circ$. AND Line of 40 of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CROMOLYN SODIUM OPTHALMIC SOLUTION	<i>Related compounds</i>	USP38–NF33 2962	29-May-2015	1-Jun-2015	USP39–NF34	USP39–NF34	<p><i>Analysis:</i>Delete the equation $\text{Result}_5 = \{C_5 \times [V? (4 \times V_s)]\} + [(C_4 + C_3 + C_2 + C_1) \times V_s] \times (1/L) \times 100$ AND Row 5 of Column 2 of <i>Table 11:</i> Change 4 to: 5</p> <p>Line 1: Change It meets the requirements of the test for <i>Related compounds</i> under <i>Cromolyn Sodium Inhalation Solution</i>, “Ophthalmic Solution” being read in place of “Inhalation Solution.” to:</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Apply 10-µL portions of Ophthalmic Solution and Standard solutions of USP Cromolyn Sodium RS in a mixture of water, stabilizer-free tetrahydrofuran, and acetone (6:4:1) containing 10 mg per mL (<i>Standard solution A</i>) and 0.1 mg per mL (<i>Standard solution B</i>) to a suitable thin-layer chromatographic plate (see <i>Chromatography <621></i>) coated with a 0.25-mm layer of chromatographic silica gel mixture.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Allow the spots to dry, and develop the chromatogram in a solvent system consisting of a mixture of chloroform, methanol, and glacial acetic acid (9:9:2) until the solvent front has moved about three-fourths of the length of the plate. Remove the plate from the developing chamber, mark the solvent front, and allow the solvent to evaporate. Locate the spots on the plate by viewing under short-wavelength UV light: the <i>R</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<p style="text-align: right;"><i>F</i></p> <p>value of the principal spot obtained from the Ophthalmic Solution corresponds to that obtained from <i>Standard solution A</i>. Any spot in the chromatogram obtained from the Ophthalmic Solution moving ahead of the principal spot is not more intense than the spot in the chromatogram obtained from <i>Standard solution B</i> (1.0%).</p>
REAGENTS	REAGENT SPE	USP38–NF33	1841	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 1: Change [10028-22-5] to: [15244-10-7]
CEFIXIME	<i>Ferric Sulfate</i> CHEMICAL	USP38–NF33	2665	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 9: Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
INFORMATION									
IDARUBICIN H YDROCHLORIDE INJECTION	SPECIFIC TESTS/ <i>Constituted Solution</i>	USP38–NF33	3834	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	[79350-37-1]. to: [125110-14-7]. Anhydrous [79350-37-1]. Delete the <i>Constituted Solution</i> test.
METHYLPHENIDATE CHLORIDE EXTENDED-RELEASE TABLETS	ADDITIONAL REQUIREMENT S/USP <i>Reference Standards <11></i>	USP38–NF33	4348	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 3 of USP Methylphenidate Related Compound A RS: Change 255.75 to: 255.74
SODIUM CETYL STEARYL SULFATE	PURITIES/ <i>Limit of Free Cetostearyl Alcohol</i>	USP38–NF33	6868	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 5 of <i>Analysis</i> : Change Result = $100(r_A + r_B) \times W_{IS} \times (S_{A(corr)} \times W)$ to: Result = $100(r_A + r_B) \times W_{IS} / (S_{A(corr)} \times W)$ AND Line 12 of <i>Analysis</i> :

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TELMISARTAN IDENTIFICATIO TABLETS		<i>Revision N/A. Ultraviolet Absorption <197U></i>	Online	29-May-2015		1-Jun-2015	<i>USP39–NF34</i>	<i>USP39–NF34</i>	Change $S_{A(corr)}$ to: $S_{A(corr)}$ Line 3: Change as obtained in the test for <i>Dissolution</i> . to: as obtained in the test for <i>Dissolution, Test 1</i> .
GOOD DISTRIBUTION PRACTICES FOR BULK PHARMACEUTICAL EXCIPIENTS	SECTION 2: QUALITY, ORGANIZATION, AND DOCUMENTATION/2.8	<i>Contract Activities</i>	USP38–NF33 1396	29-May-2015		1-Jun-2015	<i>USP39–NF34</i>	<i>USP39–NF34</i>	Footnote 2: Change http://whqlibdoc.who.int/trs/WHO TRS 917 annex2.pdf (Accessed June 30, 2011) to: http://who.int/medicines/areas/quality_safety/quality_assurance/GoodtradeDistributionPracticesTRS917Annex2.pdf?ua=1

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BENZOYL PEROXIDE GEL	IM PURITIES/ <i>Organic Impurities</i>	USP38–NF33	2399	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	(Accessed March 2, 2015) Line 18 of <i>Standard solution D</i> : Change hydrous benzoyl peroxide (C ₁₄ H ₁₀ O ₄) to: anhydrous benzoyl peroxide (C ₁₄ H ₁₀ O ₄).
CUPRIC SULFATE	ASSAY/ <i>Procedure/Titrimetric system</i>	USP38–NF33	2965	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 1 of <i>Endpoint detection</i> : Change Potentiometric to: Visual
METHYLPHENIDATE HYDROCHLORIDE	ADDITIONAL REQUIREMENT S/ <i>USP Reference Standards <11></i>	USP38–NF33	4345	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 3 of USP Methylphenidate Related Compound A RS: Change 255.75 to: 255.74
ORAL REHYDRATION	ASSAY/	USP38–NF33	5145	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 10 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ATION SALTS	Dextrose								<p><i>Analysis:</i> Change $A = 100 \text{ mm}$ divided by the length of the polarimeter tube (mm) to: $A = 100$ divided by the length of the polarimeter tube (dm) AND Line 21 of <i>Analysis:</i> Change $A = 100 \text{ mm}$ divided by the length of the polarimeter tube (mm) to: $A = 100$ divided by the length of the polarimeter tube (dm)</p>
SODIUM CHLORIDE	IM	Harmonization Online PurITIES/ <i>Limit of Phosphates</i> (Official December 01, 2015)		29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 2 of <i>Analysis:</i> Change add 4 mL of sulfomolybdic

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
GENE THERAPY PRODUCTS	REGULATIONS AND STANDARDS	USP38–NF33	883	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	acid TS, to: add 4 mL of <i>Sulfomolybdic acid solution</i> , Line 8: Delete and, in particular, www.fda.gov/cber/publications.htm
CROMOLYN SODIUM OPTHALMIC SOLUTION	Assay	USP38–NF33	2962	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 1 of <i>Procedure</i> : Change Proceed as directed for <i>Procedure</i> in the Assay under <i>Cromolyn Sodium Inhalation Solution</i> . to: Concomitantly determine the absorbances of the <i>Standard preparation</i> and the Assay <i>preparation</i> in 1-cm cells at

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>the wavelength of maximum absorbance at about 326 nm, with a suitable spectrophotometer, using a 1 in 100 aqueous solution of <i>pH 7.4 Sodium phosphate buffer</i> as the blank. Calculate the quantity, in mg, of $C_{23}H_{14}Na_2O_{11}$ in each mL of the Ophthalmic Solution taken by the formula:</p> $(C/V)(A_U/A_S)$ <p>in which C is the concentration, in μg per mL, of USP Cromolyn Sodium RS in the <i>Standard preparation</i>; V is the volume, in mL, of</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ALUMINUM CH CHEMICAL LOROHYDRAT INFORMATION E	USP38–NF33	2130	29-May-2015	1-Jun-2015	USP39–NF34	USP39–NF34	Ophthalmic Solution taken; and A_U and A_S are the absorbances of the solutions obtained from the Assay preparation and the Standard preparation, respectively. Line 8: Change Dihydrate [12042-91-0].Anhydrous [1327-41-9]. to: Dihydrate [12359-72-7].Anhydrous [12042-91-0].
CEFOTAXIME FOR INJECTION ASSAY/ Procedure	USP38–NF33	2678	29-May-2015	1-Jun-2015	USP39–NF34	USP39–NF34	Line 10 of the Calculate statement in the Analysis: Change C_U = nominal concentration of cefotaxime sodium in Sample solution

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LEVETIRACETAM IM PUR ITIES/ <i>Organic Impurities</i>	USP38–NF33	4060	29-May-2015	1-Jun-2015	USP39–NF34	USP39–NF34	<p>1, 2, 3, or 4 (mg/mL) to: C_U = nominal concentration of cefotaxime in <i>Sample solution</i> 1, 2, 3, or 4 (mg/mL)</p> <p>Line 2 of <i>Procedure 2: Change Buffer, Solution A, Solution B, Mobile phase, System suitability solution, and Chromatographic system:</i> to: <i>Buffer, Solution A, Solution B, Mobile phase, System suitability solution, Chromatographic system, and System suitability.</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PROTAMINE SULFATE	SPECIFIC TESTS/pH <791>	USP38–NF33	5069	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Delete the test for pH
NIACIN	IM PURITIES/Related Compounds	First Supplement to USP38–NF33	7447	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Row 14 of Column 1 of Table 2: Change Total impurities to: Total specified impurities
ELEMENTAL IMPURITIES--LIMITS	DRUG SUBSTANCE AND EXCIPIENTS/ Table 2	Second Supplement to USP38–NF33	7594	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 1 of Row 1 of Column 2: Change (g/g) to: (µg/g) AND Line 1 of Row 1 of Column 3: Change (g/g) to: (µg/g) AND Line 1 of Row 1 of Column 4: Change (g/g) to: (µg/g)

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
GOOD DISTRIBUTION PRACTICES FOR BULK PHARMACEUTICAL EXCIPIENTS	SECTION 4: GOODS, DISPATCH, TRANSPORT, IMPORTATION, ADULTERATION, AND TRACEABILITY/4.7 <i>Importation</i>	USP38–NF33	1396	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Footnote 11: Delete http://www.fda.gov/ForIndustry/ImportProgram/AdmissibilityDeterminationsforShipmentsForeign-originOASIS/ucm077691.htm (Accessed June 6, 2011).
CEFAZOLIN FOR INJECTION	ASSAY/ <i>Procedure</i>	USP38–NF33	2652	29-May-2015		1-Jun-2015	USP39–NF34	USP39–NF34	Line 7 of <i>Analysis</i> : Change Result = $(R_U/R_S) \times (C_S/C_U) \times P \times F \times 100$ to: Result = $(R_U/R_S) \times (C_S/C_U) \times P \times 100$ AND Line 17 of <i>Analysis</i> : Change <i>P</i> = potency of cefadroxil in USP Cefadroxil

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FEXOFENADIN PERFORMANC E HYDROCHL E ORIDE TESTS/ TABLETS <i>Dissolution</i> <711>/Test 1	USP38–NF33	3487	29-May-2015	1-Jun-2015	USP39–NF34	USP39–NF34	RS (µg/mg) to: <i>P</i> = potency of cefazolin in USP Cefazolin RS (mg/mg) AND Line 19 of <i>Analysis</i> : Delete <i>F</i> = conversion factor, 0.001 mg/µg Line 4 of <i>System</i> <i>suitability</i> <i>solution</i> : Change [Note—A small amount of acetic acid, to: [Note—A small amount of glacial acetic acid, Line 3 of <i>Apparatus 7</i> : Change coil sample holder (<i>Figure</i> <i>4d</i>).
METHYLPHENI PERFORMANC DATE HYDRO E CHLORIDE EX TESTS/ TENDED- <i>Dissolution</i> RELEASE <711>/Test 2 TABLETS	USP38–NF33	4348	29-May-2015	1-Jun-2015	USP39–NF34	USP39–NF34	Line 3 of <i>Apparatus 7</i> : Change coil sample holder (<i>Figure</i> <i>4d</i>).

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FERRIC AMMONIUM CITRATE	Mercury	Second Supplement to USP37–NF32	Online	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	to: spring sample holder (<i>Figure 5d</i>). Line 1 of <i>Procedure</i> : Change Add 5 mL of stannous chloride solution (1 in 10) to each solution to: Add 5 mL of <i>Stannous Chloride Solution</i> to each solution
COSYNTROPIN	IDENTIFICATION	USP38–NF33	2958	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	Line 8 of <i>Sample hydrolysate preparation</i> : Change hydrochloride to: hydrochloric acid
WITCH HAZEL	Limit of tannins	USP37–NF32	5177	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	Line 3 of <i>Chromatographic system</i> : Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BUTORPHANOL TARTRATE PUR NASAL SOLUTION	<i>First Supplement to USP37–NF32 Impurities</i>	6596	27-Mar-2015	1-Apr-2015	<i>USP39–NF34</i>	<i>USP39–NF34</i>	5.0-mm x 15-cm to: 4.6-mm x 15-cm Row 3 of Column 1 of <i>Table 1</i> : Change 6-Butorphanol to: ?6-Butorphanol
CISATRACURIUM BESYLATE INJECTION	<i>USP38–NF33 Procedure</i>	2830	27-Mar-2015	1-Apr-2015	<i>USP39–NF34</i>	<i>USP39–NF34</i>	Line 11 of <i>Analysis</i> : Change $C_S =$ concentration of USP Cisatracurium Besylate RS in the <i>Standard solution</i> to: $C_S =$ concentration of USP Cisatracurium Besylate RS in the <i>Standard solution</i> (mg/mL)

Pagination

- [_ First page « First](#)
- [_ Previous page ‹ Previous](#)
- ...
- [_ Page 16](#)
- [_ Page 17](#)
- [_ Page 18](#)
- [_ Page 19](#)
- [_ Page 20](#)
- [_ Page 21](#)
- [_ Page 22](#)
- [_ Page 23](#)
- [_ Page 24](#)
- ...
- [_ Next page Next ›](#)
- [_ Last page Last »](#)