

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicic Acid Tablets will result in anything that contains “Aminosalicic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicic Acid Tablets” will result in anything that specifically contains “Aminosalicic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|---|-----------------------------|---|---|--|--|-----------------------|
| OIL- AND WAT STRENGTH | USPNF Online | Online | 27-Oct-2023 | 1-Nov-2023 | NA | NA | In <i>Vitamin A</i> , |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|-------------------------|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| ER-SOLUBLE VITAMINS WITH MINERALS CAPSULES | | | | | | | | | <i>Method 3/Analysis:</i> Change C_S = concentration of retinyl acetate ($C_{23}H_{32}O_2$) from USP Vitamin A RS in the <i>Standard solution</i> (?g/mL) to: C_S = concentration of retinyl acetate ($C_{22}H_{32}O_2$) from USP Vitamin A RS in the <i>Standard solution</i> (?g/mL) |
| UREA | SPECIFIC TESTS | USPNF Online | Online | 27-Oct-2023 | | 1-Nov-2023 | NA | NA | In <i>Alcohol-Insoluble Matter/Sample solution</i> : Change 100 mg/mL of Urea dissolved in warm alcohol to: Dissolve 5.0 g of Urea in 50 |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | <p>mL of warm alcohol. AND In <i>Alcohol-Insoluble Matter/Analysis:</i> Change If any insoluble residue remains, pass the <i>Sample solution</i> through a tared filter, wash the residue and the filter with 20 mL of warm alcohol per 50 mL of <i>Sample solution</i>, and dry at 105° for 1 h. to: If any insoluble residue remains, pass the <i>Sample solution</i> through a tared filter, wash the residue and the</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| TELMISARTAN ASSAY TABLETS | USPNF Online | Online | 27-Oct-2023 | 1-Nov-2023 | NA | NA | <p>filter with 20 mL of warm alcohol, and dry at 105° for 1 h.</p> <p>In <i>Procedure/System suitability/Suitability requirements:</i></p> <p>Change Resolution: NLT 3 between telmisartan and telmisartan related compound A</p> <p>Tailing factor: NMT 2.0 for the telmisartan peak</p> <p>Capacity factor: NLT 1.5</p> <p>Relative standard deviation: NMT 2.0%</p> <p>to:</p> <p>Resolution: NLT 3 between</p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|-------------------------|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| PARTICLE SIZE ANALYSIS BY DYNAMIC LIGHT SCATTERING | GLOSSARY | USPNF Online | Online | 27-Oct-2023 | | 1-May-2024 | NA | NA | telmisartan and telmisartan related compound A Tailing factor: NMT 2.0 for telmisartan Relative standard deviation: NMT 2.0% for telmisartan In <i>Average particle diameter</i> . Change expressed in nanometers. to: expressed in meters. AND In <i>Viscosity</i> . Change in millipascal-seconds (mPa?s). to: in pascal-seconds (Pa?s). |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| OIL-SOLUBLE STRENGTH VITAMINS CAPSULES | USPNF Online | Online | 27-Oct-2023 | 1-Nov-2023 | NA | NA | In <i>Vitamin A, Method 3/Analysis:</i> Change $C_S =$ concentration of retinyl acetate ($C_{23}H_{32}O_2$) from USP Vitamin A RS in the <i>Standard solution (?g/mL)</i> to: $C_S =$ concentration of retinyl acetate ($C_{22}H_{32}O_2$) from USP Vitamin A RS in the <i>Standard solution (?g/mL)</i> |
| PANTOPRAZOLE SODIUM DE LAYED-RELEASE TABLETS | USPNF Online | Online | 27-Oct-2023 | 1-Nov-2023 | NA | NA | In <i>Procedure/System suitability/Tailing factor.</i> Change NMT 2.0, <i>System suitability solution</i> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| TAMSULOSIN IMPURITIES HYDROCHLORIDE CAPSULES | USPNF Online | Online | 29-Sep-2023 | 1-Oct-2023 | NA | NA | <p>to: NMT 2.0 for pantoprazole, <i>System suitability solution</i> In <i>Organic Impurities/System suitability</i>: Change Sample: <i>Standard solution</i> [Note—The relative retention times for methoxy tamsulosin, tamsulosin, ethoxyphenoxy ethyl bromide, and desethoxy tamsulosin are 0.73, 1.00, 1.80, and 2.80, respectively.] Suitability requirements Tailing factor:</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | <p>NMT 2.0</p> <p>Relative standard deviation: NMT 5.0%</p> <p>Signal-to-noise ratio: NLT 10 to:</p> <p>Samples: <i>Standard solution and Sensitivity solution</i> [Note—The relative retention times for methoxy tamsulosin, tamsulosin, ethoxyphenoxy ethyl bromide, and desethoxy tamsulosin are 0.73, 1.00, 1.80, and 2.80, respectively.]</p> <p>Suitability requirements</p> <p>Tailing factor: NMT 2.0,</p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|-------------------------|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|--|
| DIGOXIN TABLETS | ASSAY | USPNF Online | Online | 29-Sep-2023 | | 1-Oct-2023 | NA | NA | <p><i>Standard solution</i></p> <p>Relative standard deviation: NMT 5.0%, <i>Standard solution</i></p> <p>Signal-to-noise ratio: NLT 10, <i>Sensitivity solution</i></p> <p>In <i>Procedure/Analysis:</i> Change C_U = nominal concentration of in the <i>Sample solution</i> ($\mu\text{g/mL}$) to: C_U = nominal concentration of digoxin in the <i>Sample solution</i> ($\mu\text{g/mL}$)</p> |
| DIVALPROEX SODIUM EXTENDED-RELEASE TABLETS | PERFORMANCE TESTS | USPNF Online | Online | 29-Sep-2023 | | 1-Oct-2023 | NA | NA | <p>In <i>Dissolution</i> ?711?/<i>Test 8/Tolerances:</i> Change The percentage</p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|-------------------------|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| | | | | | | | | | <p>of the labeled amount of valproic acid (C₈H₁₆O₂) dissolved at the times specified conform to <i>Dissolution</i> <711>, <i>Acceptance Table 1</i>.</p> <p>to:</p> <p>The percentage of the labeled amount of valproic acid (C₈H₁₆O₂) dissolved at the times specified conform to <i>Dissolution</i> <711>, <i>Acceptance Table 2</i>.</p> <p>In <i>Isotopic Purity/Chromatographic system</i>: Change Flow rate: Flow rate</p> |
| UREA C 13 | IMPURITIES | USPNF Online | Online | 25-Aug-2023 | | 1-Sep-2023 | NA | NA | |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| BLACK CUMIN SPECIFIC SEED THYMO TESTS QUINONE OIL | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | to: Flow rate: 1 mL/min In <i>Fats and Fixed Oils</i> ?401?, <i>Procedures, Fatty Acid Co mposition/Table 2:</i> Change Linoleic to: Linoleic acid |
| CRANBERRY FRUIT DRY JUICE | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | In <i>USP Reference Standards</i> ?11?: Change USP Procyanidin A ₂ RS to: USP Procyanidin A ₂ RS |
| ZIPRASIDONE CAPSULES | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | In <i>Organic Impurities/Solution B:</i> Change potassium hydroxide |

| Monograph TitleSection | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| VALGANCICLO IMPURITIES VIR HYDROCHLORIDE | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | <p>to: potassium hydroxide solution AND In <i>Organic Impurities/Analysis</i>: Change 449.40</p> <p>to: 449.39 In <i>Organic Impurities/ Table 3/footnote c</i>: Change 2-[(2-Amino-6-oxo-1,6-dihydro-9H-purin-9-yl)methoxy]-2-hydroxypropyl methyl-L-valinate hydrochloride.</p> <p>to: 3-[(2-Amino-6-oxo-1,6-dihydro-purin-9-yl)methoxy]-2-hydroxypropyl L-valinate hydrochloride.</p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|-------------------------|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| ARIPIRAZOLE TABLETS | PERFORMANCE TESTS | USPNF Online | Online | 25-Aug-2023 | | 1-Sep-2023 | NA | NA | In Dissolution <711>/Test 1/ Procedure/ Chromatographic procedure/ Analysis: Change Result = $(R_U/R_S) \times C_S \times V \times (1/L) \times 100$ to: Result = $(R_U/R_S) \times C_S \times V \times D \times (1/L) \times 100$ AND Add D = dilution factor of the Sample solution, 2 |
| CRANBERRY FRUIT DRY JUICE | IDENTIFICATION | USPNF Online | Online | 25-Aug-2023 | | 1-Sep-2023 | NA | NA | In A./Standard solution B: Change USP Procyanidin A ₂ RS to: |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | <p>USP Procyanidin A2 RS AND In A./System suitabil ity/Suitability re quire ments/ Derivatization reagent B/White light. Change Standard solution B exhibits two brown bands in the upper-half section corresponding to procyanidin A₂ and epicatechin. Standard solution C exhibits two brown bands in the upper-half section corresponding in R</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | <p>Fand color to procyanidin A₂ and epicatechin in <i>Standard solution B</i>. <i>Standard solution C</i> also exhibits a series of faint or indistinct brown bands of differing intensities below procyanidin A₂ in the lower-half section.</p> <p>to:</p> <p><i>Standard solution B</i> exhibits two brown bands in the upper-half section corresponding to procyanidin A₂ and epicatechin. <i>Standard solution C</i></p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | <p>exhibits two brown bands in the upper-half section corresponding in R_F and color to procyanidin A2 and epicatechin in <i>Standard solution B</i>. <i>Standard solution C</i> also exhibits a series of faint or indistinct brown bands of differing intensities below procyanidin A2 in the lower-half section.</p> <p>AND In A./ <i>Acceptance criteria/</i> <i>Derivatization reagent B/White light</i>. Change The Sample</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | <p><i>solution</i> exhibits two faint brown bands corresponding in R_F to procyanidin A_2 and epicatechin in <i>Standard solution B</i>. The <i>Sample solution</i> also exhibits a series of faint or indistinct brown bands of differing intensities in the lower-half section, corresponding to the same bands in <i>Standard solution C</i>. No bands corresponding in R_F to epigallocatechin-3-O-gallate, procyanidin B_2, or procyanidin</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | <p>B₁ appear below procyanidin A₂. to:</p> <p>The <i>Sample solution</i> exhibits two faint brown bands corresponding in R_F to procyanidin A₂ and epicatechin in <i>Standard solution B</i>. The <i>Sample solution</i> also exhibits a series of faint or indistinct brown bands of differing intensities in the lower-half section, corresponding to the same bands in <i>Standard solution C</i>. No bands corresponding in R</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | <p>to epigallo atechi n-3-O-gallate, procyanidin B2, or procyanidin B1 appear below procyanidin A2. AND In C./ <i>Acceptance criteria/Profile at 520 nm:</i> Change cyani din-3-O -arabinose, to: cyani din-3-O -arabinoside, AND In C./ <i>Acceptance criteria/Profile at 520 nm:</i> Change peon idin-3-O -arabinose to:</p> |

| Monograph TitleSection | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| ZIPRASIDONE ASSAY CAPSULES | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | peonidin-3-O-arabinoside In <i>Procedure/Analysis:</i> Change 449.40 to: 449.39 |
| AZITHROMYCI N | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | In <i>Organic Impurities/ Table 2:</i> Change: 3'-N -[4-(Acetylamino)phenyl]sulfonyl}-3'-demethyl azithromycin ^m to: 3'-N -D emet hyl-3'-N -[(4-methylphenyl)sulfonyl]azithromycin ^m AND In <i>Organic Impurities/ Table 2/footnote m:</i> Change |

| Monograph TitleSection | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-L-ribohexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3-[N-(4-acetamidophenylsulfonyl)-N-methylamino]-3,4,6-trideoxy-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one. to: (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-13-[(2,6-Dideo |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| DEXTROMETH Assay ORPHAN HYD ROBROMIDE ORAL SOLUTION | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | xy-3-C -meth yl-3-O-methyl-?- L-ribo -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3-[N -(4-methylpheny lsulfon yl)-N -methylamino]-3 ,4,6-trideoxy-β- D-xylo -hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. In <i>Chromatographi c system and Procedure:</i> Change C is the concentration, in mg per mL, of USP Dextromet horphan Hydrobromide |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|-------------------------|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|--|
| SODIUM ALGINATE | ASSAY | USPNF Online | Online | 25-Aug-2023 | | 1-Sep-2023 | NA | NA | RS, on the anhydrous basis, in the <i>Standard preparation</i> ; to: C is the concentration, in mg per mL, of USP Dextromet horphan Hydrobromide RS in the <i>Standard preparation</i> ; In <i>Procedure/Analysis</i> : Change Result = $(V_2 \times N \times W_E)/(W \times D)$ to: Result = $(V_2 \times N \times W_E \times 10)/(W \times D)$ |
| FOSAMPRENA PERFORMANC VIR CALCIUM E TESTS TABLETS | | USPNF Online | Online | 25-Aug-2023 | | 1-Sep-2023 | NA | NA | In <i>Dissolution</i> ?711?/ <i>Medium</i> : Change 26.7 g/L of sodium acetate trihydrate in |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| ZIPRASIDONE IMPURITIES HYDROCHLORIDE | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | <p>water. Add 133 mL of glacial acetic acid to this solution, and then dilute with water to 10 L; 900 mL.</p> <p>to: 0.02 M sodium acetate buffer, pH 3.5, prepared as follows. Dissolve 2.67 g of sodium acetate in 100 mL of water. Add 13.3 mL of glacial acetic acid and then dilute with water to 1000 mL; 900 mL.</p> <p>In <i>Organic Impurities/Solution B</i>: Change Acetonitrile, methanol, and <i>Buffer</i> (55:5:40). Adjust with</p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|---|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| REAGENTS AND REFERENCE TABLES | <i>Solutions/Test Solutions and Indicator Solutions/Starch TS</i> | USPNF Online | Online | 25-Aug-2023 | | 1-Sep-2023 | NA | NA | potassium hydroxide TS to a pH of 6.0. to: Acetonitrile, methanol, and Buffer (55:5:40). Adjust with potassium hydroxide solution to a pH of 6.0. AND In both equations in <i>Organic Impurities/Analysis</i> : Change 449.40 to: 449.39 Change Prepare this solution by one of the following procedures: to: Prepare this solution by one of the following |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | <p>procedures. Apply the <i>Test for sensitivity</i> to confirm suitability for freshly or previously prepared solutions or commercially bought solutions. AND In <i>Storage</i>: Delete Use the <i>Test for sensitivity</i> to confirm suitability for use. AND In <i>Procedure with No Preservative</i>: Delete Apply the <i>Test for sensitivity</i> to confirm suitability for freshly or previously</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| BLACK CUMIN DEFINITION SEED THYMO QUINONE OIL | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | <p>prepared solutions. AND In <i>Test for sensitivity</i>: Delete Use the <i>Test for sensitivity</i> to confirm suitability for use. AND In <i>Procedure with Salicylic Acid as Preservative</i>: Change Mix 1 g of soluble starch with 50 mL of cold water to: Mix 1 g of soluble starch with 5 mL of cold water Change carvacol to: carvacrol</p> |
| CRANBERRY COMPOSITION | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | In <i>Content of Pr</i> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| FRUIT DRY JUICE | | | | | | | <p><i>/Standard stock solution:</i> Change USP Procyanidin A₂ RS to: USP Procyanidin A₂ RS AND In <i>Content of Pr</i></p> <p><i>/Analysis:</i> Change Use the absorbance recorded for <i>Standard solutions 1–5</i> to obtain a calibration curve (absorbance vs. concentration, in µg/mL, of</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | <p>procyanidin A₂) and perform a linear regression analysis. Determine the concentration (C), in µg/mL, of total proanthocyanidins as procyanidin A₂ in the <i>Sample solution</i>.</p> <p>to:</p> <p>Use the absorbance recorded for <i>Standard solutions 1–5</i> to obtain a calibration curve (absorbance vs. concentration, in µg/mL, of procyanidin A₂) and perform a linear regression analysis. Determine the</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | <p>concentration (C), in µg/mL, of total proanthocyanidins as procyanidin A2 in the <i>Sample solution</i>. AND In <i>Content of Pr</i></p> <p><i>/Analysis:</i> Change C = concentration of the <i>Sample solution</i> as procyanidin A₂ from the regression line (µg/mL) to: C = concentration of the <i>Sample solution</i> as procyanidin A2 from the regression line (µg/mL)</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | AND In <i>Content of Pr</i> |
| | | | | | | | <i>/Acceptance criteria: Change procyanidin A₂ to: procyanidin A₂ In Dissolution ?711?/Test 1/Tier 1/Phosphate buffer, pH 7.5: Change sodium hydroxide to: sodium hydroxide solution AND In Dissolution ?711?/Test 1/Tier 1/Analysis: Change 449.40 to: 449.39</i> |
| ZIPRASIDONE CAPSULES | PERFORMANCE TESTS | USP NF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | <p>AND In <i>Dissolution</i> ?711?/Test 1/Tier 2/Solution A and Solution B: Change sodium hydroxide to: sodium hydroxide solution AND In <i>Dissolution</i> ?711?/Test 2/Tier 2/Analysis: Change 449.40 to: 449.39 AND In <i>Dissolution</i> ?711?/Test 3/Tier 2/Analysis: Change 449.40 to: 449.39</p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|---------------------------------|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|--|
| AZITHROMYCI N | ADDITIONAL R EQUIREMENT S | USPNF Online | Online | 25-Aug-2023 | | 1-Sep-2023 | NA | NA | In USP Reference Standards ?11?/USP Azithromycin A RS: Change 734.96 to: 734.97 AND In USP Azithromycin Related Compound F RS: Change 762.97 to: 762.98 AND In USP Desominylazithromycin in RS: Change 590.79 to: 590.80 |
| AMANTADINE HYDROCHLOR IDE | IDENTIFICATIO N | USPNF Online | Online | 25-Aug-2023 | | 1-Sep-2023 | NA | NA | In A.: Change Spectroscopic Identification Tests ?197?, Infrared Spectroscopy. |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | 197A, 197K, and 197S to: <i>Spectroscopic Identification Tests ?197?, Infrared Spectroscopy: 197A, 197K, or 197S</i> Procedure for 197S |
| CRANBERRY FRUIT DRY JUICE DEFINITION | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | Change procyanidin A ₂ to: procyanidin A ₂ In A./ |
| OCTOCRYLEN IDENTIFICATION | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | <i>Acceptance criteria:</i> Change NMT 3.0%, calculated on the as-is basis to: Absorptivities, calculated on the as-is basis, do not differ by more than 3.0%. |
| AZITHROMYCIN CHEMICAL INFORMATION | USPNF Online | Online | 25-Aug-2023 | 1-Sep-2023 | NA | NA | Change 748.98 |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| TOPICAL AND SPECIFIC TRANSDERMA TESTS FOR L DRUG PROD TDS UCTS—PRODU CT QUALITY TESTS | USPNF Online | Online | 28-Jul-2023 | 1-Dec-2023 | NA | NA | <p>to: 749.00 AND Change 767.00</p> <p>to: 767.01 AND Change 785.02</p> <p>to: 785.03 In Release <i>Liner Peel Test</i>. Change The product fails the test if the mean peel force is outside the acceptable range determined during product development.</p> <p>to: The product fails the test if the overall mean peel force is outside the acceptable</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| PIPERACILLIN SPECIFIC TESTS | USPNF Online | Online | 28-Jul-2023 | 1-Aug-2023 | NA | NA | <p>range determined during product development. In <i>Sterility Tests</i> ?71?: Change Where the label states that Piperacillin is sterile or that it must be subjected to further processing during the preparation of injectable dosage forms, it meets the requirements when tested as directed in <i>Test for Sterility of the Product to Be Examined, Membrane Filtration</i>. to: Where the label states that Piperacillin is</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| AZITHROMYCIN FOR INJECTION | ADDITIONAL REQUIREMENTS | USPNF Online | 28-Jul-2023 | 1-Aug-2023 | NA | USPNF 2024 Issue 2 | sterile, it meets the requirements when tested as directed in <i>Test for Sterility of the Product to Be Examined, Membrane Filtration</i> . In USP Reference Standards ?11?/USP Azithromycin A RS: Change 734.96 to: 734.97 AND In USP Azithromycin N-oxide RS: Change 764.98 to: 765.00 AND In USP N-Demethylazithromycin RS: |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|--|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|--|
| | | | | | | | | | Change 734.96 to: 734.97 AND In USP Desosa minylazithromyc in RS: Change 590.79 to: 590.80 |
| TRIAZOLAM TABLETS | PERFORMANC E TESTS/ <i>Dissolution</i> ?711? | USPNF Online | Online | 28-Jul-2023 | | 1-Aug-2023 | NA | NA | In <i>Standard solution</i> : Change Tablet/mg to: mg/Tablet |
| TRIMETHOBE NZAMIDE HYD ROCHLORIDE | CHEMICAL INFORMATION | USPNF Online | Online | 28-Jul-2023 | | 1-Aug-2023 | NA | NA | Change <i>N</i> -[<i>p</i> -[2-(Dimethylam ino)ethoxy]benz yl]-3,4,5-trimeth oxy benzamide monohydrochlor ide to: <i>N</i> -[4-[2-(Dimethyl amino)ethoxy]b enzyl]-3,4,5-trim ethoxybenzami |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|---------------------------------------|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| PURIFIED SILICEOUS EARTH | IMPURITIES | USPNF Online | Online | 28-Jul-2023 | 1-Aug-2023 | NA | NA | de monohydrochloride In <i>Leachable Arsenic/ Analysis: Change A 3.0-mL portion of the Sample solution</i> meets the requirements in <i>Arsenic ?211?, Procedures, Procedure.</i> to: A 3.0-mL portion of the <i>Sample solution</i> meets the requirements in <i>Arsenic ?211?, Procedures, Procedure 1.</i> |
| CLOMIPHENE CITRATE TABLETS | IMPURITIES/ <i>Organic Impurities</i> | USPNF Online | Online | 28-Jul-2023 | 1-Aug-2023 | NA | NA | In <i>Table 2: Change Clomiphene related compound A 0.87 – 2.0</i> to: Clomiphene |

| Monograph TitleSection | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| CHLORTETRA CHEMICAL CYCLINE HYD INFORMATION ROCHLORIDE | <i>USPNF Online</i> Online | | 28-Jul-2023 | 1-Aug-2023 | NA | NA | related compound A 0.87 1.0 2.0 Change 7-Chloro-4-(dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,6,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphthacene-carboxamide monohydrochloride to: (4S,4aS,5aS,6S,12aS)-7-Chloro-4-(dimethylamino)-3,6,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-1,4,4a,5,5a,6,11,12a-octahydro-tetracene-2-carboxamide monohydrochloride |
| AZITHROMYCI IMPURITIES N FOR INJECTION | <i>USPNF Online</i> Online | | 28-Jul-2023 | 1-Aug-2023 | NA | <i>USPNF 2024 Issue 2</i> | In footnote m in <i>Table 2</i> : Change (2R,3S,4R,5R |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | ,8 <i>R</i> ,10 <i>R</i> ,11 <i>R</i> ,12 <i>S</i> ,13 <i>S</i> ,14 <i>R</i>)-13-[(2,6-Dideoxy-3- <i>C</i> -meth yl-3- <i>O</i> -methyl-?- <i>L</i> -ribo -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3- <i>N</i> -(4-acetamidop h en ylsulf onyl)- <i>N</i> -methylamino]-3 ,4,6-trideoxy-?- <i>D</i> -xylo -hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. to: (2 <i>R</i> ,3 <i>S</i> ,4 <i>R</i> ,5 <i>R</i> ,8 <i>R</i> ,10 <i>R</i> ,11 <i>R</i> ,12 <i>S</i> ,13 <i>S</i> ,14 <i>R</i>)-13-[(2,6-Dideoxy-3- <i>C</i> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|---|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|--|
| | | | | | | | | | -meth yl-3- <i>O</i> -methyl-?- <i>L-ribo</i> -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3-[<i>N</i> -(4-methylpheny lsulfon yl)- <i>N</i> -methylamino]-3 ,4,6-trideoxy-β- <i>D-xylo</i> -hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. Change 127-65-1 to: 7080-50-4 |
| REAGENTS AND REFERENCE TABLES | <i>Reagent S pec ificatio ns/ Tosylchloramid e Sodium</i> | <i>USPNF Online</i> | Online | 28-Jul-2023 | | 1-Aug-2023 | NA | NA | |
| POLYVINYL ALCOHOL | IMPURITIES | <i>USPNF Online</i> | Online | 28-Jul-2023 | | 1-Aug-2023 | NA | NA | <i>In Limit of Methanol (Methyl Alcohol) and Methyl Acetate/</i> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|--|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| SITAGLIPTIN PHOSPHATE | IM PURITIES/ <i>Organic Impurities</i> | USPNF Online | Online | 30-Jun-2023 | | 1-Jul-2023 | NA | NA | <p><i>Analysis:</i> Change $C_U =$ concentration of methanol (methyl alcohol) or methyl acetate in the <i>Sample solution</i> (mg/mL) to: $C_U =$ concentration of Polyvinyl Alcohol in the <i>Sample solution</i> (mg/mL)</p> <p>In <i>Analysis:</i> Change $C_S =$ concentration of USP Sitagliptin Phosphate in the <i>Standard solution</i> (mg/mL) to: $C_S =$ concentration of USP Sitagliptin Phosphate RS</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| TIOCONAZOLE ADDITIONAL REQUIREMENT S/USP Reference Standards ?11? | USPNF Online | Online | 30-Jun-2023 | 1-Jul-2023 | NA | NA | <p>in the <i>Standard solution</i> (mg/mL)</p> <p>In USP Tioconazole Related Compound A RS: Change 389.73 to: 389.72 AND In USP Tioconazole Related Compound B RS: Change 458.62 to: 458.60 AND In USP Tioconazole Related Compound C RS: Change $C_{16}H_{13}BrCl_2N_2OS \cdot HCl$ 468.63 to: C</p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|--|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| ATORVASTATIN CALCIUM TABLETS | ADDITIONAL REQUIREMENTS/USP Reference Standards ?11? | USP NF Online | Online | 30-Jun-2023 | | 1-Jul-2023 | NA | NA | $^{16}\text{H}_{12}\text{BrCl}_3\text{N}_2$ OS · HCl 503.06 In USP Atorvastatin Related Compound B RS: Change 1155.34 to: 1155.36 |
| CALCIUM ASCORBATE | ASSAY/ Procedure | USP NF Online | Online | 30-Jun-2023 | | 1-Aug-2023 | NA | NA | In <i>Analysis</i> : Change M_{r1} = molecular weight of calcium ascorbate dihydrate, 426.43 to: M_{r1} = molecular weight of calcium ascorbate dihydrate, 426.34 |
| ATORVASTATIN CALCIUM TABLETS | ASSAY/ Procedure | USP NF Online | Online | 30-Jun-2023 | | 1-Jul-2023 | NA | NA | In <i>Analysis</i> : Change M_{r1} = molecular weight of atorvastatin, |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | 558.64 M_{r2} = molecular weight of atorvastatin calcium, 1155.34 to: M_{r1} = molecular weight of atorvastatin, 558.65 M_{r2} = molecular weight of atorvastatin calcium, 1155.36 |
| METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER ADDITIONAL REQUIREMENT <i>S/USP Reference Standards ?11?</i> | USP <i>NF Online</i> Online | | 30-Jun-2023 | 1-Jul-2023 | NA | NA | Change USP Methacrylic Acid and Ethyl Acrylate Copolymer (1:1) RS (USP Methacrylic Acid Copolymer, Type C RS) to: USP Methacrylic Acid and Ethyl |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|---|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| DIGOXIN TABLETS | ASSAY/ <i>Procedure</i> | USPNF Online | Online | 30-Jun-2023 | | 1-Jul-2023 | NA | NA | Acrylate Copolymer (1:1) RS (USP Methacrylic Acid Copolymer Type C RS) In <i>Chromatographic system:</i> Change Column: 4.2-mm x 25-cm; 5- μ m packing L1 to: Column: 4.6-mm x 25-cm; 5- μ m packing L1 |
| RISEDRONATE SODIUM DELA E YED-RELEASE TESTS/ TABLETS | PERFORMANC <i>Dissolution</i> ?711? | USPNF Online | Online | 30-Jun-2023 | | 1-Jul-2023 | NA | NA | In <i>Buffer stage/Analysis:</i> Change Calculate the percentage of the labeled amount of risedronate sodium (C ₇ H ₁₀ NNaO ₇ P ₇) |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|-------------|
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|-------------|

dissolved:
to:
Calculate the percentage of the labeled amount of risedronate sodium (C₇H₁₀ NNaO₇P₂) dissolved:

Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- [Page 1](#)
- [Page 2](#)
- [Page 3](#)
- [Page 4](#)
- [Page 5](#)
- [Page 6](#)
- [Page 7](#)
- [Page 8](#)
- [Page 9](#)
- ...
- [Next page Next ›](#)
- [Last page Last »](#)