

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
		Publication		Date	Date	Print Publication	Fix Publication	
QUETIAPINE	PERFORMANC	USP38–NF33	5104	27-Mar-2015	1-Apr-2015	USP39–NF34	USP39–NF34	Line 7 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TABLETS	E TESTS/ Dissolution <711>/Test 3								<i>Instrumental conditions: Change 10 0mg, to: 100 mg, AND Line 5 of Tolerances: Change For Tablets labeled to contain 100 mg, 200 mg, 300 mg, or 400 mg: to: For Tablets labeled to contain 50 mg, 100 mg, 200 mg, 300 mg, or 400 mg:</i>
PHENYTOIN SODIUM	<i>USP Reference standards <11></i>	USP37–NF32	4289	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	Line 3 of USP Phenytoin Related Compound A RS: Change C ₁₄ H ₁₅ NO ₂ to: C ₁₄ H ₁₃ NO ₂
SORBITOL	SPECIFIC	USP37–NF32	6197	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	Line 1 of <i>pH</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SORBITAN SOLUTION	TESTS							<791>: Change 4.0–7.0, in a 14% solution of Sorbitol Sorbitan Solution in carbon dioxide-free water to: 4.0–7.0, in a 14% (w/w) solution of Sorbitol Sorbitan Solution in carbon dioxide-free water
MINERAL OIL	SPECIFIC TESTS/ <i>Readily Carbonizable Substances Test <271></i>	<i>Second Supplement to USP37–NF32</i>	Online	27-Mar-2015	1-Apr-2015	<i>USP39–NF34</i>	<i>USP39–NF34</i>	Line 1 of <i>Acceptance criteria</i> : Change The <i>Sample</i> may turn hazy, but it remains colorless, or shows a slight pink or yellow color, and the <i>Sample</i> does not become darker than the <i>Standard</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<p><i>solution.</i></p> <p>to:</p> <p>The oil portion of the <i>Sample</i> may turn hazy, but it remains colorless or shows a slight pink or yellow color, and the acid portion of the <i>Sample</i> does not become darker than the <i>Standard solution.</i></p>
COSYNTROPIN	SPECIFIC TESTS/UV Absorption Spectrophotometry	USP38–NF33	2958	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	<p>Line 1 of <i>Sample solution:</i> Change hydrochloride to: hydrochloric acid</p>
AMINO BENZOIC ACID	IMPURITIES/Organic Impurities	USP37–NF32	1730	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	<p>Add the subsection: <i>Standard stock solution:</i> 0.25 mg/mL each of USP</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									Benzocaine RS and 4-nitrobenzoic acid in methanol AND Line 2 of <i>Standard solution</i> : Change in <i>Mobile phase</i> to: in <i>Mobile phase</i> , from the <i>Standard stock solution</i>
ASPARTAME	ASSAY/ <i>Procedure</i>	USP37–NF32	5857	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	Line 3 of <i>Analysis</i> : Change crystal violet to: crystal violet TS
RIVASTIGMINE TARTRATE	ADDITIONAL R EQUIREMENT S/USP <i>Reference Standards <11></i>	<i>First Supplement to</i> USP37–NF32	Online	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	Line 2 of USP Rivastigmine Related Compound A RS: Change Di- <i>p</i> -toluoyl-D-(+)-tartaric

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CLARITHROMycin TABLETS PURIFIED/Impurities/Chromatographic system	USP38–NF33	2850	27-Mar-2015	1-Apr-2015	USP39–NF34	USP39–NF34	acid monohydrate. C ₂₀ H ₂₀ O ₉ 404.37 to: (+)-Di-(<i>p</i> -toluoyl)-D-tartaric acid. C ₂₀ H ₁₈ O ₈ 386.35 Line 1 of <i>Column:</i> Change 4.6-mm x 10-cm; 3-μm packing L1 to: 4.6-mm x 10-cm; 3.5-μm packing L1
RIVASTIGMINE TARTRATE CAPSULES ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP37–NF32	4616	27-Mar-2015	1-Apr-2015	USP39–NF34	USP39–NF34	Line 2 of USP Rivastigmine Related Compound A RS: Change Di- <i>p</i> -toluoyl-D-(+)-tartaric acid monohydrate. C ₂₀ H ₂₀ O ₉ 404.37

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TREHALOSE	IM PUR ITIES/ <i>Heavy Metals, Method I <231></i>	USP37–NF32	6247	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	to: (+)-Di-(<i>p</i> -toluoyl)-D-tartaric acid. C ₂₀ H ₁₈ O ₈ 386.35 Line 1 of <i>Monitor preparation</i> : Change Prepare with 2.5 mL of <i>Standard Lead Solution</i> . to: Prepare with 2.0 mL of <i>Standard Lead Solution</i> .
BISMUTH SUB CARBONATE	IM PURITIES/ <i>Limit of Lead</i>	USP38–NF33	2449	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	Line 1 of <i>Acceptance criteria</i> : Change Meets the requirements to: NMT 0.002%
QUETIAPINE FUMARATE	IM PUR ITIES/ <i>Organic Impurities</i>	USP38–NF33	5102	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	Line 2 of <i>Peak identification solution</i> : Change USP Quetiapine

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BETAMETHAS ASSAY/ ONE DIPROPI ONATE	USP37–NF32	1961	27-Mar-2015	1-Apr-2015	USP39–NF34	USP39–NF34	Fumarate Related Compound B RS to: USP Quetiapine Related Compound B RS AND Line 3 of <i>Peak identification solution:</i> Change USP Quetiapine Fumarate Related Compound G RS to: USP Quetiapine Related Compound G RS Line 2 of <i>Sample solution:</i> Change 5.0 mL each of the <i>Internal</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<i>standard solution and the Standard stock solution to: 5.0 mL each of the Internal standard solution and the Sample stock solution</i>
PURIFIED BENTONITE	IDENTIFICATION N/A. X-Ray Diffraction <941>	USP37–NF32	5862	27-Mar-2015		1-Apr-2015	USP39–NF34	USP39–NF34	Line 4 of Acceptance criteria: Change from the pattern of Sample B is 1.492 and 1.504 Å. to: from the pattern of Sample B is between 1.492 and 1.504 Å.
RED CLOVER TABLETS	SPECIFIC TESTS/ Microbial Enumeration Tests <2021>	USP37–NF32	5526	30-Jan-2015		1-Feb-2015	USP39–NF34	Second Supplement to USP38–NF33	Line 4: Change NLT 10 ³ cfu/g. to: NMT 10 ³ cfu/g.
ATROPINE SULFATE	ADDITIONAL REQUIREMENT	USP38–NF33	2325	30-Jan-2015		1-Feb-2015	USP39–NF34	Second Supplement to	Line 2 of USP Hyoscyamine

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
<i>S/USP</i> <i>Reference</i> <i>Standards <11></i>						<i>USP38–NF33</i>	Related Compound A RS: Change Norhyoscyamine sulfate; (1 <i>R</i> ,3 <i>r</i> ,5 <i>S</i>)-8-azabicyclo[3.3.1]octan-3-yl(2 <i>S</i>)-3-hydroxy-2-phenylpropanoate. C ₁₆ H ₂₁ NO ₃ 275.34 to: Norhyoscyamine sulfate; (1 <i>R</i> ,3 <i>r</i> ,5 <i>S</i>)-8-Azabicyclo[3.2.1]octan-3-yl(2 <i>S</i>)-3-hydroxy-2-phenylpropanoate sulfate (2:1).(C ₁₆ H ₂₁ NO ₃) ₂ · H ₂ SO ₄ 648.77 Line 1 of <i>Buffer</i> . Change
CHLORDIAZEPAM ASSAY/ OXIDE AND A <i>Procedure</i>	<i>USP38–NF33</i>	2752	30-Jan-2015	1-Feb-2015	<i>USP39–NF34</i>	<i>Second</i> <i>Supplement to</i>	

Monograph Title/Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MITRIPTYLINE HYDROCHLORIDE TABLETS						USP38–NF33	0.20 sodium hydroxide to: 0.20 N sodium hydroxide
PAROXETINE HYDROCHLORIDE ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP38–NF33	4765	30-Jan-2015	1-Feb-2015	USP39–NF34	Second Supplement to USP38–NF33	Lines 4 and 7 of USP Paroxetine System Suitability Mixture A RS: Change hydrochloride (3S-trans) to: hydrochloride (3S-trans)
GADOVERSET AMIDE INJECTION Relaxivity <761>	USP37–NF32	3121	30-Jan-2015	1-Feb-2015	USP39–NF34	Second Supplement to USP38–NF33	Line 1 of Apparatus: Change Use a mini-NMR spectrometer with suitable sensitivity (see Apparatus under Nuclear Magnetic Resonance <761>). to: Use an NMR

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BUPROPION H IM YDROCHLORI PUR DE EXTENDEDITIES/ <i>Organic</i> RELEASE <i>Impurities</i> TABLETS	<i>Revision Bulletin (Official October 01, 2014)</i>	Online	30-Jan-2015	1-Feb-2015	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	spectrometer with suitable sensitivity. Row 4 of Column 1 of Table 16: Change R,S,S ,-Thiomorpholin e derivative ^c to: S,R,R ,-Thiomorpholin e derivative ^c
PANCURONIUM BROMIDE ASSAY/ <i>Procedure/Chromatographic system</i>	<i>USP37–NF32</i>	4176	30-Jan-2015	1-Feb-2015	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	Line 1 of Column: Change 4.6-mm x 250-cm; 5-µm packing L1 to: 4.6-mm x 25-cm; 5-µm packing L1
VALSARTAN TABLETS PERFORMANCE TESTS/ <i>Dissolution <711></i>	<i>USP37–NF32</i>	5116	30-Jan-2015	1-Feb-2015	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	Line 1 of Medium: Change pH 6.8 phosphate buffer; 1000 mL, degassed

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RISPERIDONE ADDITIONAL R EQUIREMENT S/USP Reference Standards <11>	<i>Second Supplement to USP37–NF32</i>	7240	30-Jan-2015	1-Feb-2015	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	to: pH 6.8 phosphate buffer prepared as follows. Dissolve 6.805 g of monobasic potassium phosphate and 0.896 g of sodium hydroxide in and dilute with water to 1000 mL. Adjust with 0.2 M sodium hydroxide or 1 M phosphoric acid as required to a pH of 6.8; 1000 mL degassed. Line 2 of USP Risperidone Related Compound G RS: Change 3-[2-[4-(4-Fluor o-2-hydroxyben zoyl)piperidin-1- yl]ethyl]-2-meth

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CAFFEINE CITRATE INJECTION	ASSAY/ <i>Procedure</i>	USP38–NF33 2520	30-Jan-2015	1-Feb-2015	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	yl-6,7,8,9-tetrahydro-4H-pyrido[1,2-a]pyrimidin-4-one . C ₂₃ H ₂₈ FN ₃ O ₃ 413.49 to: 3-[2-[4-(4-Fluoro-2-hydroxybenzoyl)piperidin-1-yl]ethyl]-2-methyl-6,7,8,9-tetrahydro-4H-pyrido[1,2-a]pyrimidin-4-one hydrochloride. C ₂₃ H ₂₈ FN ₃ O ₃ ·HCl 448.94 Line 5 of <i>Analysis:</i> Change Result = $(r_U/r_S) \times C_S \times (M_{r1}/M_{r2}) \times 100$ to: Result = $(r_U/r_S) \times C_S \times (M_{r1}/M_{r2})$
MESALAMINE	OTHER COMP	USP38–NF33 4270	30-Jan-2015	1-Feb-2015	USP39–NF34	<i>Second</i>	Line 5 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RECTAL SUSPENSION	ONE NTS/ <i>Content of Sodium Benzoate (if present)</i>							<i>Supplement to USP38–NF33</i>	<i>Analysis:</i> Change Result = $(r_U/r_S) \times C_S \times (10/W) \times 100$ to: Result = $(r_U/r_S) \times C_S \times (10/W)$
CHLORAMPHE NICOL SODIUM SUCCINATE	<i>Limit of free chloramphenicol</i>	USP37–NF32	2285	30-Jan-2015		1-Feb-2015	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	Line 10 of <i>Chromatographic system:</i> Change Chromatograph the <i>Standard solution</i> , and record the peak areas as directed for <i>Procedure:</i> the relative standard deviation for replicate injections is not less than 2.0%. to: Chromatograph the <i>Standard solution</i> , and record the peak areas as

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CIPROFLOXACPERFORMANC IN EXTENDED- E RELEASE TESTS/ TABLETS Dissolution <711>	Revision Bulletin (Official October 01, 2014)	Online	30-Jan-2015	1-Feb-2015	USP39–NF34	Second Supplement to USP38–NF33	directed for <i>Procedure</i> : the relative standard deviation for replicate injections is not more than 2.0%. Line 13 of <i>Analysis in Test</i> 1: Change M_{r2} = molecular weight of ciprofloxacin hydrochloride, 367.81 to: M_{r2} = molecular weight of anhydrous ciprofloxacin hydrochloride, 367.81 AND Line 12 of <i>Analysis in Test</i> 2: Change M_{r2} = molecular weight of ciprofloxacin

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							hydrochloride, 367.81 to: M_r = molecular weight of anhydrous ciprofloxacin hydrochloride, 367.81 AND Line 13 of <i>Analysis in Test</i> 3: Change M_r = molecular weight of ciprofloxacin hydrochloride, 367.81 to: M_r = molecular weight of anhydrous ciprofloxacin hydrochloride, 367.81
METHOTREXATE	IMPURITIES/ <i>Organic Impurities/Procedure 1: Related</i>	USP37–NF32 3762	30-Jan-2015	1-Feb-2015	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	Line 1 of <i>Standard solution A</i> : Change 0.1 ?g/mL of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
<i>Compounds</i>									
TERAZOSIN TABLETS	PERFORMANC E TESTS/ <i>Dissolution</i> <711>	USP37–NF32	4874	30-Jan-2015		1-Feb-2015	USP39–NF34	Second Supplement to USP38–NF33	USP Methotrexate RS in <i>Solution A</i> , from the <i>Standard stock solution</i> to: 0.1 µg/mL of USP Methotrexate RS in <i>Solution A</i> , from <i>Standard stock solution A</i> Line 10 of <i>Analysis</i> : Change M_{r2} = molecular weight of terazosin hydrochloride dihydrate, 459.92 to: M_{r2} = molecular weight of terazosin hydrochloride, 423.89
EXTENDED PHENYTOIN	IDENTIFICATIO N/A. <i>Infrared Ab</i>	<i>First Supplement to</i>	6681	30-Jan-2015		1-Feb-2015	USP39–NF34	Second Supplement to	Line 1 of <i>Sample</i> :

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SODIUM CAPSULES	<i>sorption—General <197></i>	USP37–NF32						USP38–NF33	Change 6 mg/mL of phenytoin sodium in water from a suitable number of Capsules prepared as follows. Nominally transfer 300 mg of the powder into 50 mL of water in a separator. to: 300 mg of phenytoin sodium from the contents of Capsules in 50 mL of water in a separator.
BUTABARBITAL ASSAY/ L SODIUM ORAL SOLUTION	<i>Procedure</i>	USP38–NF33	2500	30-Jan-2015		1-Feb-2015	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	Line 17 of <i>Analysis:</i> Change C_U = nominal concentration of butabarbital sodium in the <i>Sample solution</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CITRIC ACID, MAGNESIUM OXIDE, AND SODIUM CARBONATE IRRIGATION	ASSAY/ <i>Citric Acid</i>	USP38–NF33	2844	30-Jan-2015		1-Feb-2015	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	($\mu\text{g/mL}$) to: C_U = nominal concentration of butabarbital sodium in the <i>Sample solution</i> (mg/mL) Line 16 of <i>Analysis</i> : Change C_U = nominal concentration of citric acid monohydrate in the <i>Assay preparation for citric acid/citrate assay</i> (units/mL) to: C_U = nominal concentration of citric acid monohydrate in the <i>Assay preparation for citric acid/citrate assay</i> ($\mu\text{g/mL}$)
AZITHROMYCI N	IM PUR	USP37–NF32	1886	30-Jan-2015		1-Feb-2015	USP39–NF34	<i>Second Supplement to</i>	Line 6 of <i>Analysis</i> :

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		ITIES/ <i>Organic Impurities/Procedure</i>	1					USP38–NF33	Change Calculate the percentages of desosaminylazithromycin and <i>N</i> -demethylazithromycin in the portion of Azithromycin taken: to: Calculate the percentages of desosaminylazithromycin, <i>N</i> -demethylazithromycin, and azarethromycin A in the portion of Azithromycin taken:
VALSARTAN AND HYDROCHLOROTHIAZIDE TABLETS	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	Revision Bulletin (Official April 01, 2014)	Online	30-Jan-2015		1-Feb-2015	USP39–NF34	Second Supplement to USP38–NF33	Line 2 of USP Valsartan Related Compound B RS: Change (<i>S-N</i> -Butyryl- <i>N</i> -(1H

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROGEN PEROXIDE CONCENTRATE	ASSAY/ Procedure	USP37–NF32	3272	30-Jan-2015		1-Feb-2015	USP39–NF34	Second Supplement to USP38–NF33	-tetrazole-5-yl)bi phen-4-yl]methyl)-valine. to: N -Butyryl -N -{[2?-(1H -tetrazole-5-yl)bi phenyl-4-yl]methyl}-L-valine. Line 1 of Sample solution: Change 1 mL of Concentrate, diluted to 100 mL to: Weigh about 1 mL of Concentrate in a 100-mL volumetric flask, and dilute with water to volume.
POTASSIUM BITARTRATE	IDENTIFICATION	USP37–NF32	4346	30-Jan-2015		1-Feb-2015	USP39–NF34	Second Supplement to USP38–NF33	Change C. Identification Tests—General,

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ZIPRASIDONE IM HYDROCHLOR PURITIES/ <i>Limit</i> IDE <i>of</i> <i>Tetrahydrofuran</i>	USP37–NF32	5219	30-Jan-2015	1-Feb-2015	USP39–NF34	<i>Second</i> <i>Supplement to</i> <i>USP38–NF33</i>	<p><i>Tartrate <191></i> to: <i>C. Identification</i> <i>Tests—General,</i> <i>Tartrate <191>:</i> Meets the requirements AND Delete subsections: <i>Sample</i> <i>solution:</i> 1 in 10 solution <i>Acceptance</i> <i>criteria:</i> Meets the requirements Line 1 of <i>Standard</i> <i>solution:</i> Change 0.05 mg/mL of USP Ziprasidone Hydrochloride RS in dimethyl sulfoxide to: 0.05 mg/mL of tetrahydrofuran in dimethyl</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMIODARONE HYDROCHLORIDE	ORGANIC PURITIES/ <i>Procedure 1/ Chromatographic system</i>	USP38–NF33	2198	30-Jan-2015		1-Feb-2015	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	<p>sulfoxide</p> <p>Line 1 of <i>Adsorbent</i>: Change 0.5-mm layer of chromatographic silica gel and fluorescent indicator with maximum absorbance at 254 nm to: Suitable layer of chromatographic silica gel and fluorescent indicator with maximum absorbance at 254 nm</p>
CAFFEINE CITRATE ORAL SOLUTION	ASSAY/ <i>Procedure</i>	USP38–NF33	2521	30-Jan-2015		1-Feb-2015	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	<p>Line 5 of <i>Analysis</i>: Change $\text{Result} = (r_U/r_S) \times C_S \times (M_{r1}/M_{r2}) \times 100$ to: $\text{Result} = (r_U/r_S) \times C_S \times (M_{r1}/M_{r2})$</p>
PAROXETINE	IM	USP38–NF33	4765	30-Jan-2015		1-Feb-2015	USP39–NF34	<i>Second</i>	Line 1 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROCHLORIDE	PURITIES/ of 1-Methyl-4-(p -fluorophenyl)-1 ,2,3,6-tetrahydr opyridine							<i>Supplement to USP38–NF33</i>	<i>Standard solution: Change 42 mg/mL to: 42 ng/mL</i>
ESTRADIOL VAGINAL INSERTS	PERFORMANCE TESTS/ Dissolution <711>	USP37–NF32	2866	30-Jan-2015		1-Feb-2015	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	Line 3 of <i>Analysis:</i> Change Calculate the amount of estradiol (C ₁₈ H ₂₄ O ₂) dissolved: to: Record the chromatograms, and measure the responses for the estradiol peak. Construct a calibration curve by plotting the peak response versus concentration of the <i>Standard solutions</i> . Determine the amount of

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CIPROFLOXACIM IN EXTENDED- PUR RELEASE ITIES/ <i>Organic</i> TABLETS <i>Impurities</i>	<i>Revision Bulletin (Official October 01, 2014)</i>	Online	30-Jan-2015	1-Feb-2015	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	<p>estradiol (C₁₈H₂₄O₂) in the <i>Sample solutions</i> from a linear regression analysis of the calibration curve.</p> <p>Calculate the amount of estradiol (C₁₈H₂₄O₂) dissolved:</p> <p>Line 16 of <i>Analysis</i>: Change M_{r2} = molecular weight of ciprofloxacin hydrochloride, 367.81 to: M_{r2} = molecular weight of anhydrous ciprofloxacin hydrochloride, 367.81 AND Line 14 of the</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PACLITAXEL	<i>Related com pounds/Test 2 (for Material Labeled as Produced by a Semisynthetic Process)</i>	USP37–NF32	4163	30-Jan-2015		1-Feb-2015	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	second Calculate statement in <i>Analysis:</i> Change M_{r2} = molecular weight of ciprofloxacin hydrochloride, 367.81 to: M_{r2} = molecular weight of anhydrous ciprofloxacin hydrochloride, 367.81 Line 6 after table in <i>Chromatographic system:</i> Change the relative standard deviation for replicate injections is not more than 2.0%. to: the relative

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TETRACAINE OINTMENT	Assay	USP37–NF32	4891	30-Jan-2015		1-Feb-2015	USP39–NF34	Second Supplement to USP38–NF33	standard deviation for replicate injections is not more than 2.0% for the paclitaxel peak. Line 7 of Procedure: Change (264.37/300.83) (C)(A _U / A _S) to: (264.36/300.82) (C)(A _U / A _S)
GLYCERYL BEHENATE	ASSAY/ Procedure/ Chromatographic system	Second Supplement to USP37–NF32	7075	30-Jan-2015		1-Feb-2015	USP39–NF34	Second Supplement to USP38–NF33	Line 1 of Column: Change 7.0-mm x 60-cm; 5-µm packing L21 [Note—Two 7.0-mm x 30-cm L21 columns to: 7.5-mm x 60-cm; 5-µm 100-Å packing L21 [Note—Two

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BUTABARBITAL SODIUM TABLETS	PERFORMANCE TESTS/ <i>Uniformity of Dosage Units <905>/Procedure for content uniformity</i>	USP38–NF33	2501	30-Jan-2015		1-Feb-2015	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	7.5-mm x 30-cm L21 columns Line 18 of <i>Analysis:</i> Change C_U = nominal concentration of butabarbital sodium in the <i>Sample solution</i> to: C_U = nominal concentration of butabarbital sodium in the <i>Sample solution</i> (mg/mL)
ESCITALOPRAM TABLETS	PERFORMANCE TESTS/ <i>Dissolution <711>/Test 2</i>	USP38–NF33	3364	30-Jan-2015		1-Feb-2015	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	Line 13 of <i>Analysis:</i> Change M_{r2} = molecular weight of escitalopram oxalate, 405.30 to: M_{r2} = molecular weight of escitalopram oxalate, 414.43
AZITHROMYCI	SPECIFIC	USP37–NF32	1886	30-Jan-2015		1-Feb-2015	USP39–NF34	<i>Second</i>	Line 1 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
N	TESTS/pH <791>							<i>Supplement to USP38–NF33</i>	<i>Sample solution: Change 2 mg/mL from the Sample stock solution in a mixture of methanol and water (1:1) to: 2 mg/mL obtained by mixing equal volumes of Sample stock solution and water</i>
CIPROFLOXACASSAY/ IN EXTENDED- RELEASE TABLETS	<i>Procedure</i>	<i>Revision Bulletin (Official October 01, 2014)</i>	Online	30-Jan-2015		1-Feb-2015	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	Line 17 of <i>Analysis: Change M_{r2} = molecular weight of ciprofloxacin hydrochloride, 367.81 to: M_{r2} = molecular weight of anhydrous ciprofloxacin hydrochloride,</i>

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							367.81

Pagination

- [_ First page « First](#)
- [_ Previous page ‹ Previous](#)
- ...
- [_ Page 17](#)
- [_ Page 18](#)
- [_ Page 19](#)
- [_ Page 20](#)
- [_ Page 21](#)
- [_ Page 22](#)
- [_ Page 23](#)
- [_ Page 24](#)
- [_ Page 25](#)
- ...
- [_ Next page Next ›](#)
- [_ Last page Last »](#)