

[x](#)

## How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
  - For example, a search on Aminosalicic Acid Tablets will result in anything that contains “Aminosalicic” OR “Acid” OR “Tablets”
  - A search for “Aminosalicic Acid Tablets” will result in anything that specifically contains “Aminosalicic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
  - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
VISUAL	2. BACKGROU	<i>First</i>	8099	17-Nov-2017		1-Dec-2017	<i>USP42–NF37</i>	<i>Second</i>	Line 6 of

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
INSPECTION OF INJECTIONS	ND/2.2 Patient Risk	Supplement to USP40–NF35						Supplement to USP41–NF36	paragraph 3: Change 109 particles/kg to: 10 <sup>9</sup> particles/kg
FLUVOXAMINE ASSAY/ MALEATE	Procedure	Second Supplement to USP40–NF35	8797	17-Nov-2017		1-Dec-2017	USP42–NF37	Second Supplement to USP41–NF36	Line 2of Solution A: Change 1 g/L to: 1.1 g/L
ALMOTRIPTAN ADDITIONAL R MALATE	EQUIREMENT S/USP Reference	Interim Revision Announcement (Official May 01, Standards <11>2017)	Online	17-Nov-2017		1-Dec-2017	USP42–NF37	Second Supplement to USP41–NF36	Line 2 of USP Almotriptan Related Compound D RS: Change 1-[(3-[2-(Dimethylamino)ethyl]indol-5-yl)methyl)sulfonyl]pyrrolidine N-oxide. C <sub>17</sub> H <sub>25</sub> N <sub>3</sub> O <sub>3</sub> S 351.46 to: 1-[(3-[2-(Dimethylamino)ethyl]indol-5-yl)methyl)sulfonyl]pyrrolidine N-oxide hydrochloride. C

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CILOSTAZOL	USP Reference standards <11>	USP40–NF35	3418	17-Nov-2017		1-Dec-2017	USP42–NF37	Second Supplement to USP41–NF36	$^{17}\text{H}_{25}\text{N}_3\text{O}_3\text{S} \cdot \text{HCl}$ 387.92 Line 2 of USP Cilostazol Related Compound C RS: Change 1-(4-(5-Cyclohexyl-1H -tetrazol-1-yl)butyl)-6-(4-(1-cyclohexyl-1H -tetrazol-5-yl)butoxy)-3,4-dihydroquinolin-2(1H)-one. $\text{C}_{31}\text{H}_{43}\text{N}_9\text{O}_3$ 589.73 to: 1-(4-(1-Cyclohexyl-1H -tetrazol-5-yl)butyl)-6-(4-(1-cyclohexyl-1H -tetrazol-5-yl)butoxy)-3,4-dihydroquinolin-2(1H)-one.

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
HYDROXYZINE ASSAY/ HYDROCHLORIDE TABLETS	USP40–NF35	4542	17-Nov-2017	1-Dec-2017	USP42–NF37	Second Supplement to USP41–NF36	n-2(1H)-one. C <sub>31</sub> H <sub>45</sub> N <sub>9</sub> O <sub>2</sub> 575.75 Line 2 of Solution B: Change (0.5: 99.5) to: (0.05: 99.95)
VERAPAMIL HYDROCHLORIDE EXTENDED-RELEASE TABLETS	USP40–NF35	6680	17-Nov-2017	1-Dec-2017	USP42–NF37	Second Supplement to USP41–NF36	Row 5 of column 2 of Table 9: Change 4 to: 5
ALMOTRIPTAN ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	Second Supplement to USP40–NF35	8708	17-Nov-2017	1-Dec-2017	USP42–NF37	Second Supplement to USP41–NF36	Line 4 of USP Almotriptan Related Compound B RS: Change C <sub>15</sub> H <sub>22</sub> N <sub>3</sub> O <sub>2</sub> S to: C <sub>15</sub> H <sub>21</sub> N <sub>3</sub> O <sub>2</sub> S AND Line 2 of USP Almotriptan Related Compound D RS: Change 1-[(3-[2-(Dimet

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>hylamino)ethyl]indol-5-yl)methyl)sulfonyl]pyrrolidine <i>N</i>-oxide.  <math>C_{17}H_{25}N_3O_3S</math>  351.46  to:  1-[(3-[2-(Dimethylamino)ethyl]indol-5-yl)methyl)sulfonyl]pyrrolidine <i>N</i>-oxide hydrochloride.  <math>C_{17}H_{25}N_3O_3S \cdot HCl</math> 387.92</p>
HAZARDOUS 7. PERSONAL DRUGS—HANDPROTECTIVE LING IN EQUIPMENT HEALTHCARE SETTINGS	<i>First Supplement to USP40–NF35</i>	Online	17-Nov-2017	1-Dec-2017	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	<p>Line 2 of paragraph 2: Change antineoplastic HDs.  to:  injectable antineoplastic HDs.</p>
CHLOROQUIN IM E PHOSPHATE PURITIES/ <i>Organic Impurities</i>	<i>USP40–NF35</i>	3377	17-Nov-2017	1-Dec-2017	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	<p>Line 3 of <i>Analysis</i>: Change Calculate the percentage of each specified impurity</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>to:</p> <p>Calculate the percentage of each specified impurity, other than chloroquine related compound G, AND</p> <p>In <i>Analysis</i>/second equation/variable definition list:</p> <p>Change <math>r_U</math>=peak response of chloroquine <i>N</i>-oxide or any other impurity from the <i>Sample solution</i> <math>r_U</math>=peak response of chloroquine related compound G or any other impurity from the <i>Sample solution</i></p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source</a> <a href="#">Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post</a> <a href="#">Date</a> <a href="#">Sort</a> <a href="#">ascending</a>	<a href="#">Errata Official</a> <a href="#">Date</a>	<a href="#">Target Errata</a> <a href="#">Print Publication</a>	<a href="#">Target Online</a> <a href="#">Fix Publication</a>	Description
GLUTARAL CO ASSAY/ NCENTRATE <i>Procedure</i>	USP40–NF35	4414	17-Nov-2017	1-Dec-2017	USP42–NF37	<i>Second Supplement to USP41–NF36</i>	Line 7 of <i>Analysis:</i> Change Add a weighed quantity of Concentrate containing 1.2 g of glutaral by means of a suitable weighing pipet. to: Add 1.2 g of Glutaral Concentrate.
MYCOPHENOL IM IC ACID DELAYPUR ED-RELEASE ITIES/ <i>Organic</i> TABLETS <i>Impurities</i>	USP40–NF35	5257	17-Nov-2017	1-Dec-2017	USP42–NF37	<i>Second Supplement to USP41–NF36</i>	Change <i>Mobile phase, Standard solution, Sample solution, and Chromatographic system:</i> to: <i>Mobile phase, Diluent, Standard solution, Sample solution, and Chromatographic</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ISOSORBIDE Assay DINITRATE EX TENDED- RELEASE TABLETS	USP40–NF35	4710	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	<i>c system:</i> Change Buffer solution, Mobile phase, Internal standard solution, Standard preparation, and Chromatographic system—Prepare as directed in the Assay under Diluted Isosorbide Dinitrate. to: Buffer solution —Dissolve 15.4 g of ammonium acetate in water, add 11.5 mL of glacial acetic acid, dilute with water to 1000 mL, and mix to obtain a solution having



<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>a pH of about 4.7.</p> <p><i>Mobile phase</i>—Mix 350 mL of water, 100 mL of <i>Buffer solution</i>, and 550 mL of methanol. Cool to room temperature, dilute with water to 1000 mL, mix, degas, and filter. Make adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> &lt;621&gt;).</p> <p><i>Internal standard solution</i></p> <p>—Transfer a quantity of diluted nitroglycerin to a suitable volumetric flask, add about 60%</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>of the flask volume of methanol, sonicate for 5 minutes, and shake for 30 minutes. Dilute with methanol to volume to obtain a solution having a concentration of about 3 mg of nitroglycerin per mL, and mix. Allow any undissolved material to settle, filter, and store the filtrate in an airtight container.</p> <p><i>Standard preparation</i></p> <p>—Transfer about 125 mg of recently mixed USP Diluted Isosorbide Dinitrate RS,</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							accurately weighed, to a 50-mL volumetric flask, add about 30 mL of <i>Mobile phase</i> , shake for 30 minutes, dilute with <i>Mobile phase</i> to volume, and mix. Pipet 10 mL of the resulting solution into a 25-mL volumetric flask, and add 4.0 mL of <i>Internal standard solution</i> and 4 mL of dilute <i>Buffer solution</i> (1 in 10). Cool to room temperature, dilute with <i>Mobile phase</i> to volume, and mix to obtain a solution having

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>a known concentration of about 0.25 mg of isosorbide dinitrate per mL, based on the quantity of USP Diluted Isosorbide Dinitrate RS weighed and the labeled content of isosorbide dinitrate. Pass a portion of this solution through a 0.45-<math>\mu</math>m filter.</p> <p>AND</p> <p>Change <i>Procedure</i>—Proceed as directed for <i>Procedure</i> in the <i>Assay</i> under <i>Diluted Isosorbide Dinitrate</i>.</p> <p>to: <i>Chromatographic system</i> (see</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p><i>Chromatograph y &lt;621&gt;—The liquid chromatograph is equipped with a 220-nm detector and a 4-mm x 25-cm column that contains packing L1. The flow rate is about 1 mL per minute.</i></p> <p><i>Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>: the resolution, <i>R</i>, between isosorbide dinitrate and nitroglycerin is not less than 2.0; and the relative standard deviation for</i></p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>replicate injections determined from the peak response ratios is not more than 2%.</p> <p>[NOTE—The relative retention times are about 0.75 for isosorbide dinitrate and 1.0 for nitroglycerin. The relative retention times for isosorbide mononitrates, if present, are about 0.38.]</p> <p><i>Procedure</i></p> <p>—Separately inject equal volumes (about 20 µL) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MYCOPHENOL ADDITIONAL REQUIREMENT FOR ORAL SUSPENSION	USP40–NF35 S/USP Reference Standards <11>	5251	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	chromatograph, record the chromatograms, and measure the responses for the major peaks. Line 2 of USP Mycophenolate Mofetil Related Compound B RS: Change (RS)-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one. to: (RS)-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one.

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
POWDERED A SHWAGANDH A ROOT EXTRACT	COMPOSITION /Content of Withanolides	USP40–NF35	6804	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Add Solution B: Acetonitrile, filtered and degassed
EFAVIRENZ	SPECIFIC TESTS/ Enantiomeric Purity	Second Supplement to USP40–NF35	Online	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of Mobile phase: Change Hexane and ethanol (97:3) to: Hexane and absolute alcohol (97:3)
REAGENTS, INDICATORS AND SOLUTIONS	S OLUTION S/Volumetric Solutions/1 N Sulfuric Acid VS	USP40–NF35	2434	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Line 3 of Standardization: Change dried at 150° to: dried at 105°
GADOTERIDOL	Chromatographic purity/ Test 2 ( Nongadolinium-Containing Impurities)	USP40–NF35	4360	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of pH 5.0 Buffer. Change 50 mM Ammonium to: 50 mM Ammonium phosphate buffer AND Line 1 of pH 7.0 Buffer. Change



<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source</a> <a href="#">Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post</a> <a href="#">Date</a> <a href="#">Sort</a> <a href="#">ascending</a>	<a href="#">Errata Official</a> <a href="#">Date</a>	<a href="#">Target Errata</a> <a href="#">Print Publication</a>	<a href="#">Target Online</a> <a href="#">Fix Publication</a>	Description
MEMANTINE H PERFORMANC YDROCHLORI E DE TABLETS TESTS/ Dissolution <711>/Analysis	USP40–NF35	5000	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	50 mM Ammonium to: 50 mM Ammonium phosphate buffer In the variable definition list: Change $C_S$ = concentration of USP Memantine Hydrochloride RS in the Standard solution ( $\mu\text{g/mL}$ ) to: $C_S$ = concentration of USP Memantine Hydrochloride RS in the Standard stock solution (mg/mL)
PEMETREXED IM DISODIUM PUR ITIES/Organic	USP40–NF35	5588	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Footnote b: Change {4-[2-(2-Amino-

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
		<i>Impurities/ Table</i>	2						1-methyl-4-oxo-4,7-dihydro-1H-pyrrolo[2,3-d]pyrimidin-5-yl)ethyl]benzoyl}-4-L-glutamyl-L-glutamic acid. to: {4-[2-(2-Amino-4-oxo-4,7-dihydro-1H-pyrrolo[2,3-d]pyrimidin-5-yl)ethyl]benzoyl}-4-L-glutamyl-L-glutamic acid.
FLUVOXAMINE CHEMICAL MALEATE	INFORMATION	<i>Second Supplement to USP40–NF35</i>	8797	29-Sep-2017		1-Oct-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	Line 4:Change 5-Methoxy-4'-(trifluoromethyl)valerophenone (E)-O-(2-aminoethyl) oxime, maleate (1:1) to:

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ENOXAPARIN SODIUM INJECTION	SPECIFIC TESTS/ <i>Anti-Factor IIa Activity</i>	USP40–NF35	3982	29-Sep-2017		1-Oct-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	(E)-5-Methoxy-4'-(trifluoromethyl) valerophenone O-(2-aminoethyl) oxime, maleate (1:1) Delete <i>Standard solutions</i> : Dilute USP Enoxaparin Sodium Solution for Bioassays RS with <i>pH 7.4 buffer</i> to obtain four dilutions having concentrations in the range between 0.015 and 0.075 IU of Anti-Factor IIa activity/mL. Line 1: Change <i>Buffer solution and Mobile phase</i> —Prepare as directed in
ISOSORBIDE DINITRATE EX-TENDED-RELEASE TABLETS	<i>Dissolution &lt;711&gt;/Test 2</i>	USP40–NF35	4710	29-Sep-2017		1-Oct-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	Line 1: Change <i>Buffer solution and Mobile phase</i> —Prepare as directed in

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>the Assay under <i>Diluted Isosorbide Dinitrate</i>. to: <i>Buffer solution and Mobile phase</i>—Prepare as directed in the Assay. AND Line 1 of <i>Chromatographic system</i>: Change (see <i>Chromatography</i> &lt;621&gt; )—Proceed as directed in the Assay under <i>Diluted Isosorbide Dinitrate</i>. to: (see <i>Chromatography</i> &lt;621&gt; )—Proceed as</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MYCOPHENOL ADDITIONAL R ATE SODIUM EQUIREMENT S/USP Reference Standards <11>		USP40–NF35	5256	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	directed in the Assay. Line 2 of USP Mycophenolate Mofetil Related Compound B RS: Change (RS )-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuranyl-1-one. to: (RS )-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one.
MONOBASIC POTASSIUM PHOSPHATE PURITIES/Arsenic, Method I <211>		USP40–NF35	7847	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1: Change 3 µg/g to: NMT 3 µg/g
POTASSIUM ASSAY/		Revision	Online	29-Sep-2017		1-Oct-2017	USP42–NF37	First	Line 1 of

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CITRATE EXTE Procedure NDED- RELEASE TABLETS	<i>Bulletin (Official April 01, 2017)</i>					<i>Supplement to USP41–NF36</i>	<i>Chromatographi c system/Column: Change 10-µm to: 5-µm AND In the variable definition list in Analysis: Change <math>r_U</math> = citrate peak area from the Sample solution <math>r_S</math> = citrate peak area from the Standard solution to: <math>r_U</math> = citric acid peak area from the Sample solution <math>r_S</math> = citric acid peak area from the Standard solution AND Change M</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CALCIPOTRIE IM NE OINTMENT PUR ITIES/ <i>Organic Impurities</i>	USP40–NF35	3114	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	<p><math>r_2</math> = molecular weight of citrate (<math>C_6H_5O_7</math>), 189.10</p> <p>to:</p> <p><math>M_{r2}</math> = molecular weight of citric acid (<math>C_6H_8O_7</math>), 192.13</p> <p>Footnote a of Table 1: Change (5Z,7Z,22E,24R)-24-Cyclopropyl-9,10-secochol a-5,7,10(19),22-tetraene-1?,3?,24-triol.</p> <p>to:</p> <p>(5Z,7Z,22E,24S)-24-Cyclopropyl-9,10-secochol a-5,7,10(19),22-tetraene-1?,3?,24-triol.</p>
ISOSORBIDE Assay DINITRATE EX TENDED- RELEASE	USP40–NF35	4708	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Change Buffer solution, Mobile phase, Internal

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CAPSULES							<p><i>standard solution, Standard preparation, and Chromatographic system</i>—Prepare as directed in the Assay under <i>Diluted Isosorbide Dinitrate</i>.</p> <p>to:</p> <p><i>Buffer solution</i></p> <p>—Dissolve 15.4 g of ammonium acetate in water, add 11.5 mL of glacial acetic acid, dilute with water to 1000 mL, and mix to obtain a solution having a pH of about 4.7.</p> <p><i>Mobile phase</i>—Mix 350 mL of water,</p>



<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>100 mL of <i>Buffer solution</i>, and 550 mL of methanol. Cool to room temperature, dilute with water to 1000 mL, mix, degas, and filter. Make adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> &lt;621&gt;). <i>Internal standard solution</i> —Transfer a quantity of diluted nitroglycerin to a suitable volumetric flask, add about 60% of the flask volume of methanol, sonicate for 5</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>minutes, and shake for 30 minutes. Dilute with methanol to volume to obtain a solution having a concentration of about 3 mg of nitroglycerin per mL, and mix. Allow any undissolved material to settle, filter, and store the filtrate in an airtight container.</p> <p><i>Standard preparation</i></p> <p>—Transfer about 125 mg of recently mixed USP Diluted Isosorbide Dinitrate RS, accurately weighed, to a 50-mL volumetric flask,</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							add about 30 mL of <i>Mobile phase</i> , shake for 30 minutes, dilute with <i>Mobile phase</i> to volume, and mix. Pipet 10 mL of the resulting solution into a 25-mL volumetric flask, and add 4.0 mL of <i>Internal standard solution</i> and 4 mL of dilute <i>Buffer solution</i> (1 in 10). Cool to room temperature, dilute with <i>Mobile phase</i> to volume, and mix to obtain a solution having a known concentration of about 0.25 mg of isosorbide

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>dinitrate per mL, based on the quantity of USP Diluted Isosorbide Dinitrate RS weighed and the labeled content of isosorbide dinitrate. Pass a portion of this solution through a 0.45-<math>\mu</math>m filter.</p> <p>AND</p> <p>Change <i>Procedure</i>—Proceed as directed for <i>Procedure</i> in the <i>Assay</i> under <i>Diluted Isosorbide Dinitrate</i>.</p> <p>to:</p> <p><i>Chromatographic system</i> (see <i>Chromatography &lt;621&gt;</i>)—The liquid chromatograph</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>is equipped with a 220-nm detector and a 4-mm × 25-cm column that contains packing L1. The flow rate is about 1 mL per minute.</p> <p>Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>: the resolution, <i>R</i>, between isosorbide dinitrate and nitroglycerin is not less than 2.0; and the relative standard deviation for replicate injections determined from the peak</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>response ratios is not more than 2%.</p> <p>[NOTE—The relative retention times are about 0.75 for isosorbide dinitrate and 1.0 for nitroglycerin. The relative retention times for isosorbide mononitrates, if present, are about 0.38.]</p> <p><i>Procedure</i></p> <p>—Separately inject equal volumes (about 20 µL) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph, record the chromatograms, and measure</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MYCOPHENOL ADDITIONAL REQUIREMENT FOR INJECTION	USP40–NF35 S/USP Reference Standards <11>	5250	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	the responses for the major peaks. Line 2 of USP Mycophenolate Mofetil Related Compound B RS: Change (RS )-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one. to: (RS )-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one.
PEMETREXED ASSAY/ FOR INJECTION	USP40–NF35 Proce dure/Analysis	5590	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	In the variable definition list: Change M

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
FLUVOXAMINE IM MALEATE	PUR ITIES/Organic Impurities/ Table 1	8797	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	<p><math>r_2</math> = molecular weight of pemetrexed disodium, 597.49</p> <p>to:</p> <p><math>M_{r2}</math> = molecular weight of pemetrexed disodium (anhydrous), 473.37</p> <p>Footnote b:Change 5-Methoxy-1-[4-(trifluoromethyl)phenyl]-1-pentanone (E)-O-[2-[(2-succinyl)amino]ethyl]oxime.</p> <p>to:</p> <p>(E)-5-Methoxy-1-[4-(trifluoromethyl)phenyl]-1-pentanone O-[2-[(2-succinyl)amino]ethyl]oxime.</p>



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
REAGENTS	REAGENT SPE	USP40–NF35	2339	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	<p>AND</p> <p>Footnotes c– g: Delete the space before oxime</p> <p>Line 1 of <i>Buffer solution</i>: Change Add 150 mg of sodium chloride to: Add 150 g of sodium chloride</p>
	<i>Bromelain/Activity Determination</i>								
FENOLDOPAM MESYLATE	USP Reference standards <11>	USP40–NF35	4159	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	<p>Line 2 of USP Fenoldopam Related Compound A RS: Change 1-Methyl-3-benzazepine-7,8-diol, 6-chloro-2,3,4,5-tetrahydro-1-(4-hydroxyphenyl)-, methanesulfonate (salt). <math>C_{17}H_{18}ClNO_3 \cdot CH_4SO_3</math> 415.89</p> <p>to: 6-Chloro-1-(4-hydroxyphenyl)-3-methyl-2,3,4,5-</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MEBENDAZOL E	IM PUR ITIES/ <i>Organic Impurities/ Table 2</i>	USP40–NF35	4968	29-Sep-2017		1-Oct-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	tetr ahydro -1 <i>H</i> -benzo[ <i>d</i> ]azepine-7,8-dio l hydrochloride ( <i>N</i> -Methyl-6-chloro -2,3,4,5-tetrahy dro-1-(4-hydrox yphe nyl)-1 <i>H</i> -3-benzazepine- 7,8-diol hydrochloride). C <sub>17</sub> H <sub>19</sub> ClNO <sub>3</sub> · HCl 356.24 Change footnotes <sup>d</sup> Ethyl 5-benzoyl -1-methylbenzi midazol-2-ylcar bamate. <sup>e</sup> Methyl 5-(4-tol uoyl)-1-methylb enzimidazol-2-yl carbamate. to: <sup>d</sup> Ethyl (5- benzo

<a href="#">Monograph TitleSection</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MYCOPHENOLIM ATE SODIUM PUR ITIES/Organic Impurities	USP40–NF35	5256	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	yl-1H -benzimidazol-2 -yl)carbamate. eMethyl 5- (4-t oluoyl)- 1H -benzimidazol-2 -ylcarbamate. Footnote a of Table 2: Change (RS )-7-Hydroxy-5- methoxy-4-meth yl-6-[2-(5-methy l-2-oxo-tetrahyd rofuran-5-yl)eth yl]-3H -isobenzofurany l-1-one. to: (RS )-7-Hydroxy-5- methoxy-4-meth yl-6-[2-(5-methy l-2-oxo-tetrahyd rofuran-5-yl)eth yl]-3H -isobenzofuran-

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CANDESARTAN CILEXETIL TABLETS	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	<i>Second Supplement to USP40–NF35</i>	8730	29-Sep-2017		1-Oct-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	<p>1-one. Line 2 of USP Candesartan Cilexetil Related Compound D RS: Change 1-[[[(Cyclohexyloxy)carbonyloxy]ethyl</p> <p><i>H</i> -tetrazol-5-yl)biphenyl-4-yl]methyl)-2-oxo-2,3-dihydro-1<i>H</i>-benzimidazole-4-carboxylate. to: 1-[[[(Cyclohexyloxy)carbonyloxy]ethyl</p> <p><i>H</i> -tetrazol-5-yl)-[1,1'-biphenyl]-4-yl]methyl)-2-oxo-</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ENALAPRIL MALEATE TABLETS	PERFORMANC E TESTS/ <i>Dissolution</i> <711>/Table 1	USP40–NF35	3971	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	2, 3-di hydro-1 <i>H</i> -benzimidazole- 4-carboxylate. Row 3 of Column 3: Change 100 to: 200
ONDANSETRO N INJECTION	USP Reference standards <11>	USP40–NF35	5443	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 2 of USP Ondansetron Related Compound A RS: Change 3[(Dimethylamin o)methyl]-1,2,3, 9-tetrahydro-9- methyl- 4 <i>H</i> -carbazol-4-one . to: 3-[(Dimethylam ino)methyl]-1,2, 3,9-tetrahydro-9 -methy l-4 <i>H</i> -carbazol-4-one hydrochloride.

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source</a> <a href="#">Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post</a> <a href="#">Date</a> <a href="#">Sort</a> <a href="#">ascending</a>	<a href="#">Errata Official</a> <a href="#">Date</a>	<a href="#">Target Errata</a> <a href="#">Print Publication</a>	<a href="#">Target Online</a> <a href="#">Fix Publication</a>	Description
ROCURONIUM IM BROMIDE PURITIES/ <i>Limit</i> <i>of</i> <i>2-Pr</i> <i>opropanol/Analysis</i>	USP40–NF35	6066	28-Jul-2017	1-Aug-2017	USP42–NF37	<i>First</i> <i>Supplement to</i> <i>USP41–NF36</i>	Line 1 of the variable definition list: Change $r_U$ = peak response of any impurity from the <i>Sample solution</i> $r_S$ = peak response of rocuronium bromide from the <i>Dilute standard solution</i> to: $r_U$ = peak response of 2-propanol from the <i>Sample solution</i> $r_S$ = peak response of 2-propanol from the <i>Dilute standard solution</i>
OIL- AND WAT ER-SOLUBLE VITAMINS	USP40–NF35	7290	28-Jul-2017	1-Aug-2017	USP42–NF37	<i>First</i> <i>Supplement to</i> <i>USP41–NF36</i>	Line 1 of <i>Vitamin A, Method</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CAPSULES							<p><i>1/Sample solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 23 of <i>Sample solution:</i> Change Dilute a volume of this solution to: <i>Sample solution:</i> Dilute a volume of the <i>Sample stock solution</i> AND Line 1 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method</i> <i>1/Sample solution:</i>Change Proceed as directed for the <i>Sample solution</i></p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>to:  Proceed as directed for the <i>Sample stock solution</i>  AND  Line 1 of <i>Vitamin E, Method 1/Sample solution</i>:  Change Proceed as directed for the <i>Sample solution</i>  to:  Proceed as directed for the <i>Sample stock solution</i>  AND  Line 2 of <i>Phytonadione/Sample solution</i>:  Change in the directions for the <i>Sample solution</i>  to:  in the directions for</p>



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MONOSACCHARIDE ANALYSIS	PROCEDURES /Procedure 3: Enzymatic Hydrolysis and Analysis by RP-HPLC of DMB-labeled Sialic Acids	First Supplement to USP40–NF35	8059	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	the Sample stock solution Line 6 of Analysis: Change (1 M = 1nmol/mL). to: (1 µM = 1nmol/mL).
LEVOTHYROXINE SODIUM TABLETS	PURITIES/Limit of Liothyronine Sodium	First Supplement to USP40–NF35	8328	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 4 of Analysis: Change Calculate the percentage of levothyroxine sodium (C <sub>15</sub> H <sub>11</sub> I <sub>3</sub> NNaO <sub>4</sub> ) to: Calculate the percentage of liothyronine sodium (C <sub>15</sub> H <sub>11</sub> I <sub>3</sub> NNaO <sub>4</sub> )
DOXAZOSIN MESYLATE	ASSAY/ Procedure/System suitability/Suitability	USP40–NF35	3874	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of Resolution: Change NLT 4 to:

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
PERPHENAZINIM E	<i>requirements</i> PUR ITIES/ <i>Organic Impurities/Chromatographic system</i>	USP40–NF35	5649	28-Jul-2017		1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	NLT 2 Line 1 of <i>Column:</i> Change 4.6-mm to: 4.0-mm
OIL-SOLUBLE VITAMINS WITH MINERALS CAPSULES	STRENGTH	USP40–NF35	7265	28-Jul-2017		1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	Line 1 of <i>Vitamin A/Sample solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 21 of <i>Sample solution:</i> Change Further dilute this solution to: <i>Sample solution:</i> Dilute the <i>Sample stock solution</i> AND Line 2 of

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p><i>Vitamin D/Sample solution:</i> Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 2 of <i>Vitamin E/Sample solution:</i> Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 2 of <i>Phytonadione (Vitamin K<sub>1</sub>):</i>Change as directed for</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
OIL- AND WAT STRENGTH ER-SOLUBLE VITAMINS WITH MINERALS TABLETS	USP40–NF35	7375	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Beta Carotene/Sample solution</i> : Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i> Line 1 of <i>Vitamin A, Method 1/Sample solution</i> : Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 16 of

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p><i>Sample solution:</i> Change Dilute a 10-mL volume of this solution to:</p> <p><i>Sample solution:</i> Dilute a 10-mL volume of the <i>Sample stock solution</i> AND Line 2 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution:</i> Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> AND Line 2 of</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ACETAMINOPHEN AND CODEINE	PERFORMANCE TESTS	<i>First Supplement to USP40–NF35</i>	8202	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	<p><i>Vitamin E, Method 1/Sample solution:</i> Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione, Method 1/Sample solution:</i> Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> Line 1 of <i>Dissolution &lt;711&gt;</i></p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
PHOSPHATE TABLETS							<p><i>Analysis:</i> Change Determine the labeled amount of acetaminophen to: Determine the percentage of the labeled amount of acetaminophen AND In the second Calculate statement in <i>Uniformity of Dosage Units &lt;905&gt;</i> Procedure for content uniformity/Analysis: Change Calculate the quantity, in mg/mL, of the labeled amount of codeine phosphate to:</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
TIMOLOL MALEATE	MULTIPLE SECTIONS	<i>Second Supplement to USP40–NF35</i>	Online	28-Jul-2017		1-Aug-2017	USP41–NF36	USP41–NF36	Calculate the quantity, in mg, of codeine phosphate The version of the Timolol Maleate monograph which appeared in the <i>Second Supplement to USP 40–NF 35</i> did not include the revisions approved in the version appearing in the <i>First Supplement to USP 40–NF 35</i> . The version appearing in the <i>First Supplement</i> should be used. The file as it should have appeared in the <i>Second Supplement</i> is attached to the



<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ONDANSETRO USP Reference N ORAL standards <11> SOLUTION	USP40–NF35	5444	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	compendial notice found at <a href="http://www.uspnf.com/notices/cond-supplement-usp-40-nf-35-online-timolol-maleate">http://www.uspnf.com/notices/cond-supplement-usp-40-nf-35-online-timolol-maleate</a> . Line 2 of USP Ondansetron Related Compound A RS: Change 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one to: 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one hydrochloride.
OIL-SOLUBLE STRENGTH VITAMINS CAPSULES	USP40–NF35	7248	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of Vitamin A, Method

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p><i>1/Sample solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 23 of <i>Sample solution:</i> Change Dilute a volume of this solution to: <i>Sample solution:</i> Dilute a volume of the <i>Sample stock solution</i> AND Line 1 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method</i> <i>1/Sample solution:</i>Change Proceed as directed for the <i>Sample solution</i></p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>to:  Proceed as directed for the <i>Sample stock solution</i>  AND  Line 1 of <i>Vitamin E, Method 1/Sample solution</i>:  Change  Proceed as directed for the <i>Sample solution</i>  to:  Proceed as directed for the <i>Sample stock solution</i>  AND  Line 1 of <i>Phytonadione/Sample solution</i>:  Change  Proceed as directed for the <i>Sample solution</i>  to:  Proceed as directed for the</p>

<a href="#">Monograph TitleSection</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
OIL- AND WAT STRENGTH ER-SOLUBLE VITAMINS TABLETS	USP40–NF35	7318	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	<p><i>Sample stock solution</i></p> <p>Line 1 of <i>Vitamin A, Method 1/Sample solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 16 of <i>Sample solution:</i> Change Dilute a 10-mL volume of this solution to: <i>Sample solution:</i> Dilute a 10-mL volume of the <i>Sample stock solution</i> AND Line 1 of <i>Cholecalciferol or Ergocalciferol (Vitamin D),</i></p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p><i>Method 1/Sample solution:</i> Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 1 of <i>Vitamin E, Method 1/Sample solution:</i> Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione, Method</i></p>

<a href="#">Monograph TitleSection</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p><i>1/Sample solution:</i>            Change retained as specified in the directions for the <i>Sample solution</i> to:            retained as specified in the directions for the <i>Sample stock solution</i></p>

## Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- ...
- [Page 18](#)
- [Page 19](#)
- [Page 20](#)
- [Page 21](#)
- [Page 22](#)
- [Page 23](#)
- [Page 24](#)
- [Page 25](#)
- [Page 26](#)
- ...
- [Next page Next ›](#)

- 
- [Last page Last »](#)