

[x](#)

## How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
  - For example, a search on Aminosalicic Acid Tablets will result in anything that contains “Aminosalicic” OR “Acid” OR “Tablets”
  - A search for “Aminosalicic Acid Tablets” will result in anything that specifically contains “Aminosalicic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
  - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source</a>	<a href="#">Page Number</a>	<a href="#">Errata Post</a>	<a href="#">Errata Official</a>	<a href="#">Target Errata</a>	<a href="#">Target Online</a>	Description
		<a href="#">Publication</a>		<a href="#">Date</a>	<a href="#">Date</a>	<a href="#">Print Publication</a>	<a href="#">Fix Publication</a>	
HYOSCYAMIN	<i>USP Reference</i>	<i>USP37–NF32</i>	3293	<a href="#">30-Jan-2015</a>	1-Feb-2015	<i>USP39–NF34</i>	<i>Second</i>	Line 2 of USP

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
E SULFATE	<i>standards &lt;11&gt;</i>							<i>Supplement to USP38–NF33</i>	Hyoscyamine Related Compound A RS: Change (1 <i>R</i> ,3 <i>R</i> ,5 <i>S</i> )-8-azabicyclo[3.2.1]oct-3-yl(2 <i>S</i> )-3-hydroxy-2-p henylpropanoate. to:  (1 <i>R</i> ,3 <i>r</i> ,5 <i>S</i> )-8-Azabicyclo[3.2.1]oct-3-yl(2 <i>S</i> )-3-hydroxy-2-p henylpropanoate sulfate (2:1). Change A solution (1 in 10) responds to the tests for <i>Tartrate &lt;191&gt;</i> . to: Responds to the tests for <i>Tartrate &lt;191&gt;</i> .
POTASSIUM SODIUM TARTRATE	<i>Identification/C:</i>	<i>USP37–NF32</i>	4369	30-Jan-2015		1-Feb-2015	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
PACKAGING AND STORAGE REQUIREMENTS	GENERAL DEFINITIONS	USP37–NF32	315	21-Nov-2014		1-Dec-2014	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	Line 1 of <i>Single-Dose</i> (see also <i>Injections &lt;1&gt;</i> , <i>Containers for Injections</i> ): Change A single-unit package for an article intended for parenteral administration. Examples of single-dose containers include prefilled syringes, cartridges, fusion-sealed containers, and closure-sealed containers when so labeled. to: A single-unit package for an article intended for parenteral administration. A single-dose container is

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
SODIUM PICOSULFATE	CHEMICAL INFORMATION	<i>Second Supplement to USP37–NF32</i>	7253	21-Nov-2014		1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	labeled as such. Examples of single-dose containers include prefilled syringes, cartridges, fusion-sealed containers, and closure-sealed containers when so labeled. Line 5: Change Disodium 4,4?-(pyridin-2-ylmeth anediyl)dibenzenesulfonate to: Disodium 4,4?-(pyridin-2-ylmeth anediyl)dibenzenesulfate
FLUDARABINE IM PHOSPHATE	PURITIES/ <i>Limit of Sodium</i>	<i>USP37–NF32</i>	3003	21-Nov-2014		1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	Line 1 of <i>Standard solution</i> : Change 1 µg/mL of sodium chloride in water to:

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
NIFEDIPINE EXPERFORMANC TENDED- RELEASE TABLETS	<i>Second Supplement to USP37–NF32</i> <i>Dissolution &lt;711&gt;/Test 2</i>	Online	21-Nov-2014	1-Dec-2014	<i>USP38–NF33</i>	<i>USP38–NF33</i>	1 µg/mL of sodium in water Line 1 of <i>Solution A</i> : Change sodium phosphate to: dibasic sodium phosphate
MINOCYCLINE IMPURITIES FOR INJECTION	<i>USP37–NF32</i>	3843	21-Nov-2014	1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	Line 6 of <i>Limit of Epiminocycline</i> : Change [Note—The relative retention times for epiminocycline and minocycline are 0.86 and 1.0, respectively.] to: [Note—The relative retention times for epiminocycline and minocycline are 0.7 and 1.0,

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
SULFAMETHO ASSAY/ XAZOLE AND T RIMETHOPRIM INJECTION	<i>USP37–NF32</i>	4784	21-Nov-2014	1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	respectively.] Line 3 of <i>Standard solution:</i> Change in <i>Mobile phase</i> from <i>Sample stock solution</i> to: in <i>Mobile phase</i> from <i>Standard stock solution</i>
SAW PALMETTO EXTRACT	COMPOSITION <i>/Content of Long-Chain Alcohols and Sterols</i>	<i>USP37–NF32</i> 5545	21-Nov-2014	1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	Line 3 of <i>Acceptance criteria:</i> Add The lipophilic Extract contains 0.15%–0.35% of long-chain alcohols, and the hydroalcoholic Extract contains 0.01%–0.15% of long-chain alcohols on the anhydrous basis.
ERYTHROMYC PERFORMANC IN DELAYED- E	<i>First Supplement to</i>	6633	21-Nov-2014	1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to</i>	Line 1 of <i>Standard</i>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
RELEASE TABLETS	TESTS/ <i>Dissolution</i> <711>/Test 1/Buffer stage	USP37–NF32						USP38–NF33	<p><i>solution:</i> Change 0.28 mg/mL of USP Erythromycin RS in <i>Medium</i> to: Dissolve USP Erythromycin RS in <i>Medium</i> to obtain a concentration similar to that of the <i>Sample</i> <i>solution</i>. AND Line 1 of <i>Sample</i> <i>solution</i>: Change Pass portions of the solution under test through a suitable filter. to: If necessary, dilute a filtered portion of the solution under test with</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
POLYSORBAT E 80	SPECIFIC TESTS/ <i>Fats and Fixed Oils, Acid Value &lt;401&gt;</i>	<i>Second Supplement to USP37–NF32</i>	7089	21-Nov-2014		1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	<p><i>Medium to obtain a solution containing about 0.28 mg/mL of erythromycin.</i></p> <p>Line 1 of <i>Analysis:</i> Change with 0.1 N potassium hydroxide or 0.1 N sodium hydroxide to:</p> <p>with 0.1 N potassium hydroxide VS or 0.1 N sodium hydroxide VS</p> <p>Change <i>Buffer.</i> 23 mg/mL of monobasic ammonium phosphate in water to:</p> <p><i>Solution A:</i> 23 g/L of</p>
CEFUROXIME AXETIL FOR ORAL SUSPENSION	ASSAY/ <i>Procedure</i>	<i>USP37–NF32</i>	2243	21-Nov-2014		1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	<p>Change <i>Buffer.</i> 23 mg/mL of monobasic ammonium phosphate in water to:</p> <p><i>Solution A:</i> 23 g/L of</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>monobasic ammonium phosphate in water AND Line 4 of <i>System suitability solution</i>: Change Dilute with <i>Buffer</i> to volume. to: Dilute with <i>Solution A</i> to volume. AND Line 3 of <i>Standard solution</i>: Change and dilute with <i>Buffer</i> to volume. to: and dilute with <i>Solution A</i> to volume. AND Line 3 of</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
GANODERMA LUCIDUM FRUITING BODY POWDER	COMPOSITION	<i>Revision /Content of Bulletin (Official August 01, 2014)</i>	Online	21-Nov-2014		1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	<p><i>Sample solution:</i> Change and dilute with <i>Buffer</i> to volume. to: and dilute with <i>Solution A</i> to volume.</p> <p>Line 1 of <i>Standard solution A:</i> Change USP Ganoderic Acid RS to: USP Ganoderic Acid A RS AND Line 3 of variable definition list in <i>Analysis:</i> Change <math>r_S</math> = peak area of ganoderic acid in <i>Standard solution A</i> to: <i>r</i></p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MANNITOL INJECTION	Assay	USP37–NF32	3653	21-Nov-2014		1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	<p>s= peak area of ganoderic acid A in <i>Standard solution A</i></p> <p>AND</p> <p>Line 11 of variable definition list in <i>Analysis:</i></p> <p>Change</p> <p><i>F</i> = relative response factor, with respect to ganoderic acid A (see <i>Table 3</i>)</p> <p>to:</p> <p><i>F</i> = relative response factor, with respect to ganoderic acid A (see <i>Table 2</i>)</p> <p>Change:</p> <p><i>Mobile phase, Resolution solution, and Chromatographic system</i></p> <p>—Proceed as directed in the Assay under</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p><i>Mannitol.</i> to: <i>Mobile phase</i>—Use degassed water. <i>Resolution solution</i> —Dissolve sorbitol and USP Mannitol RS in water to obtain a solution having concentrations of about 4.8 mg per mL of each. <i>Chromatographic system</i> (see <i>Chromatography &lt;621&gt;</i>)—The liquid chromatograph is equipped with a refractive index detector that is maintained at a constant temperature and a 4-mm x</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>25-cm column that contains packing L19. The column temperature is maintained at a temperature between 30° and 85° controlled within ±2° of the selected temperature, and the flow rate is about 0.5 mL per minute. Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>: the relative standard deviation for replicate injections is not more than 2.0%. In a similar manner,</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>chromatograph the <i>Resolution solution</i>: the resolution, <i>R</i>, between the sorbitol and mannitol peaks is not less than 2.0.</p> <p>AND</p> <p>Line 1 of <i>Procedure</i>: Change Proceed as directed for <i>Procedure</i> in the <i>Assay</i> under Mannitol. to: Separately inject equal volumes (about 20 µL) of the <i>Assay preparation</i> and the <i>Standard preparation</i> into the chromatograph, record the chromatograms,</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
SACCHARIN SODIUM	IDENTIFICATION	USP37–NF32	4638	21-Nov-2014		1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	and measure the responses for the major peaks. Line 1 of Analysis: Change To the Sample solution to: To 10 mL of the Sample solution
ZANAMIVIR	ASSAY/ Procedure/ Chromatographic system	USP37–NF32	5197	21-Nov-2014		1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	Line 1 of Column: Change 5-?m packing L## <sup>1</sup> to: 5-?m packing L82 AND Delete footnote 1
COPOVIDONE	IMPURITIES/Limit of Monomers (1-Vinyl-2-Pyrrolidone, Vinyl Acetate, and 2-Pyrrolidone)	USP37–NF32	5938	21-Nov-2014		1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	Line 29 of Analysis: Change Calculate the content of 2-pyrrolidinone to:

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
GLYCERYL BEHENATE	DEFINITION	<i>Second Supplement to USP37–NF32</i>	7077	21-Nov-2014		1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	Calculate the content of 2-pyrrolidone Line 7: Change behenic (docosanic) acid to: behenic (docosanoic) acid
METHODS FOR THE DETERMINATION OF PARTICULATE MATTER IN INJECTIONS AND OPHTHALMIC SOLUTIONS	LIGHT OBSCURATION PARTICLE COUNT TEST/ <i>Instrument Standardization Tests/Particle Counting Accuracy—System Suitability</i>	<i>USP37–NF32</i>	1301	21-Nov-2014		1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	Line 11 of <i>Method 2—Multichannel Instruments:</i> Change NMT ±10% of stated size. to: NMT ±10% of stated concentration.
GANODERMA LUCIDUM FRUITING BODY	COMPOSITION <i>/Content of Triterpenoic Acids</i>	<i>Revision Bulletin (Official August 01, 2014)</i>	Online	21-Nov-2014		1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	Line 1 of <i>Standard solution A:</i> Change USP Ganoderic Acid RS to: USP Ganoderic Acid A RS

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>AND</p> <p>Line 3 of variable definition list in <i>Analysis</i>: Change <math>r_S</math> = peak area of ganoderic acid in <i>Standard solution A</i> to: <math>r_S</math> = peak area of ganoderic acid A in <i>Standard solution A</i></p> <p>AND</p> <p>Line 10 of variable definition list in <i>Analysis</i>: Change <math>F</math> = relative response factor, with respect to ganoderic acid A (see <i>Table 3</i>) to: <math>F</math> = relative response factor, with respect to</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
FLUTAMIDE	ASSAY/ <i>Procedure</i>	USP37–NF32	3057	21-Nov-2014		1-Dec-2014	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	ganoderic acid A (see <i>Table 2</i> ) Line 2 of <i>Sample solution</i> : Change Dissolve the sample in acetonitrile to: Dissolve a previously dried sample in acetonitrile
PETROLATUM IM	PUR ITIES/ <i>Organic Impurities/Procedure: Organic Acids</i>	USP37–NF32	4253	21-Nov-2014		1-Dec-2014	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	Line 1 of <i>Sample solution</i> : Change 20.0 g of Petrolatum in 100 mL of neutralized alcohol and water (1:2). to: 20.0 g of Petrolatum in 100 mL of a 1 in 2 mixture of neutralized alcohol and

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
SULFAMETHO ASSAY/ XAZOLE AND T RIMETHOPRIM ORAL SUSPENSION	USP37–NF32	4785	21-Nov-2014	1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	water. Line 3 of Standard solution: Change in Mobile phase from Sample stock solution to: in Mobile phase from Standard stock solution
TRIBASIC CALCIUM PHOSPHATE	ASSAY/ Procedure	USP37–NF32 5883	21-Nov-2014	1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	Delete the subsection Blank: Proceed as directed in the Analysis, omitting the test specimen. AND Equation in Analysis: Change Result = $\{ [V_S ? V_B) \times M \times F] / W \} \times 100$ to: Result = $[(V_S \times M \times F) / W] \times 100$ AND

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
TRAZODONE HYDROCHLORIDE	IM PURITIES/ Limit of Trazodone Related Compound F and Cyclophosphamide Related Compound A/ Chromatographic system/MS conditions	<i>First Supplement to USP37–NF32</i>	6708	21-Nov-2014		1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	Line 2 of the variable definition list in <i>Analysis</i> : Delete $V_B = \text{Titrant volume consumed by the Blank (mL)}$ Line 4 of <i>Acquisition mode</i> : Change 272 to: 273
MEBENDAZOLE	ASSAY/ Procedure	<i>Second Supplement to USP37–NF32</i>	7199	21-Nov-2014		1-Dec-2014	<i>USP39–NF34</i>	<i>Second Supplement to USP38–NF33</i>	Line 3 of <i>Analysis</i> : Change Calculate the percentage of each impurity in the portion of Oral Suspension taken: to:

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
DOLASETRON CHEMICAL MESYLATE	INFORMATION	USP37–NF32	2693	21-Nov-2014		1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	Calculate the percentage of mebendazole (C <sub>16</sub> H <sub>13</sub> N <sub>3</sub> O <sub>3</sub> ) in the portion of Mebendazole taken: Line 7: Change [115956-13-3]. to: [878143-33-0] Anhydrous [115956-13-3].
FENTANYL	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	Second Supplement to USP37–NF32	Online	21-Nov-2014		1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	Delete USP Fentanyl Related Compound C RS AND Delete USP Fentanyl Related Compound F RS
METFORMIN HYDROCHLORIDE EXTENDED-TESTS/RELEASE TABLETS	PERFORMANCE DISSOLUTION <711>	USP37–NF32	3732	21-Nov-2014		1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	Equation in Test 1: Change Result = $[(A_U/A_S) \times C_S \times (V ? V_S) + (C_{60} \times V_S) + (C_{180} \times V$

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>s) <math>\times 100/L</math></p> <p>to:</p> <p>Result =</p> $[(A_U/A_S) \times C_S \times (V ? V_S) + (C_{60} \times V_S) + (C_{180} \times V_S)] \times (100/L)$ <p>AND</p> <p>Equation 3 in Test 2: Change</p> <p>Result = <math>[C_2 \times (V ? SV_1) + C_1 \times SV_1 \times 100]/L</math></p> <p>to:</p> <p>Result = <math>[C_2 \times (V ? SV_1) + C_1 \times SV_1] \times (100/L)</math></p> <p>AND</p> <p>Equation 4 in Test 2: Change</p> <p>Result = <math>\{C_n \times [V ? (n ? 1) V_S] + (C_1 + C_2 + \dots + C_{n-1}) \times V_S \times 100\}/L</math></p> <p>to:</p> <p>Result = <math>\{C_n \times [V ? (n ? 1) V_S] + (C_1 + C_2 + \dots + C_{n-1}) \times V_S\} \times (100/L)</math></p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
SACCHARIN SODIUM	IM PURITIES/Organic Impurities/Procedure 1: Limit of Toluenesulfonamides	USP37–NF32	4638	21-Nov-2014		1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	Line 4 of Acceptance criteria: Change of the Internal standard solution to: of the caffeine (internal standard)
ZANAMIVIR	IM PURITIES/Organic Impurities/Chromatographic system	USP37–NF32	5197	21-Nov-2014		1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	Line 1 of Column: Change 5-?m packing L## <sup>1</sup> to: 5-?m packing L82
CHLORPHENIRAMINE MALEATE	SPECIFIC TESTS/Optical Rotation, Specific Rotation <781>	First Supplement to USP37–NF32	6617	21-Nov-2014		1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	Line 1 of Sample: Change 100 mg/mL in water to: 100 mg/mL in water at 20°
HYDROXYPROPYL CELLULOSE	ASSAY	Second Supplement to USP37–NF32	7080	21-Nov-2014		1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	Line 1 of Internal standard solution: Change

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CEFADROXIL FOR ORAL SUSPENSION	IDENTIFICATION/ <i>Thin-Layer Chromatographic system</i>	<i>USP37-NF32</i>	2182	21-Nov-2014		1-Dec-2014	<i>USP39-NF34</i>	<i>Second Supplement to USP38-NF33</i>	Methylcyclohexane to: Methylcyclohexane Line 2 of <i>Developing solvent system</i> : Change (60:40:15) to: (60: 40: 1.5)
GANODERMA LUCIDUM FRUITING BODY	SPECIFIC TESTS/ <i>Botanical Characteristics</i>	<i>Revision Bulletin (Official August 01, 2014)</i>	Online	21-Nov-2014		1-Dec-2014	<i>USP39-NF34</i>	<i>Second Supplement to USP38-NF33</i>	Line 6 of <i>Macroscopic</i> : Change concentrically culcate to: concentrically sulcate
LAMIVUDINE AND ZIDOVUDINE TABLETS	IMPURITIES/ <i>Organic Impurities</i>	<i>USP37-NF32</i>	3484	21-Nov-2014		1-Dec-2014	<i>USP39-NF34</i>	<i>Second Supplement to USP38-NF33</i>	Row 17 of Column 1 of <i>Table 2</i> : Change (the limit includes individual unidentified impurities) to:

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
WHITE PETROLATUM	IM PURITIES/ <i>Organic Impurities/Procedure: Organic Acids</i>	USP37–NF32	4254	21-Nov-2014		1-Dec-2014	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	(the limit includes individual unspecified impurities) Line 1 of <i>Sample solution</i> : Change 20.0 g in 100 mL of neutralized alcohol and water (1:2). to: 20.0 g of White Petrolatum in 100 mL of a 1 in 2 mixture of neutralized alcohol and water.
SULFAMETHOXAZOLE AND TRIMETHOPRIM TABLETS	ASSAY/ <i>Procedure</i>	USP37–NF32	4787	21-Nov-2014		1-Dec-2014	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	Line 3 of <i>Standard solution</i> : Change in <i>Mobile phase</i> from <i>Sample stock solution</i> to: in <i>Mobile</i>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
STERILE WATER FOR IRRIGATION	CHEMICAL INFORMATION	USP37–NF32	5175	26-Sep-2014		1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	<p>phase from Standard stock solution</p> <p>Add the chemical formula and molecular weight: H<sub>2</sub>O 18.02</p>
POWDERED CELLULOSE	IDENTIFICATION N/B. Procedure	USP37–NF32	5923	26-Sep-2014		1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	<p>Fourth equation in Analysis: Change Result = <math>95 \times \frac{[?]}{W_s} \times \frac{[(100 - ? \% \text{LOD})]}{100}</math> to: Result = <math>[95 \times \frac{[?]}{W_s} \times \frac{[(100 - ? \% \text{LOD})]}{100}]</math></p>
BETAMETHASONE SODIUM PHOSPHATE	IM PURITIES/Limit of Free Betamethasone	USP37–NF32	1965	26-Sep-2014		1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	<p>Line 1 of Sample stock solution: Change 1.0 mg/mL of Betamethasone Sodium Phosphate in water to: 1.0 mg/mL of Betamethasone</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
DROSPIRENO NE AND ETHINYL ESTRADIOL TABLETS	IM PURITIES/ <i>Organic Impurities/Chromatographic system</i>	USP37–NF32	2739	26-Sep-2014		1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	Sodium Phosphate in water, prepared as follows. Dissolve 25.0 mg of Betamethasone Sodium Phosphate in water to make 25.0 mL. Line 2 of Detector 2: Change Monitor the signal at 344 nm between 37 and 42 min. to: Monitor the signal at 344 nm for ethinyl estradiol related compound B (typically between 37 and 42 min).
PSEUDOEPHEDRINE HYDROCHLORIDE	ASSAY/ <i>Procedure</i>	USP37–NF32	4481	26-Sep-2014		1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	Line 2 of System suitability solution:

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									Change 0.02 mg/mL of USP Ephedrine Sulfate RS to: 0.002 mg/mL of USP Ephedrine Sulfate RS
STERILE WATER FOR INJECTION	CHEMICAL INFORMATION	<i>USP37–NF32</i>	5175	26-Sep-2014		1-Oct-2014	<i>USP39–NF34</i>	<i>First Supplement to USP38–NF33</i>	Add the chemical formula and molecular weight: H <sub>2</sub> O 18.02
STERILE PURIFIED WATER	ADDITIONAL R EQUIREMENT S	<i>USP37–NF32</i>	5176	26-Sep-2014		1-Oct-2014	<i>USP39–NF34</i>	<i>First Supplement to USP38–NF33</i>	Add a section: <i>USP Reference Standards &lt;11&gt;</i> USP 1,4-Benzo quinone RS USP Sucrose RS
DEXCHLORPH IM ENIRAMINE MALEATE	PUR ITIES/ <i>Organic Impurities</i>	<i>First Supplement to USP37–NF32</i>	6626	26-Sep-2014		1-Oct-2014	<i>USP39–NF34</i>	<i>First Supplement to USP38–NF33</i>	Line 1 of <i>Standard solution:</i> 2.2 ?g/mL of USP Dexchlorp heniramine Maleate RS in <i>Diluent,</i> to: 2.8 ?g/mL of

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ESCITALOPRAM ORAL SOLUTION	IMPURITIES/ <i>Organic Impurities</i>	USP37–NF32 2580	26-Sep-2014	1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	USP Dexchlorpheniramine Maleate RS in <i>Diluent</i> , Row 6 of Column 1 of <i>Table 3</i> : Change Desfluorocitalopram <sup>f</sup> to: Desfluorocitalopram <sup>f,c</sup>
KETOPROFEN EXTENDED-RELEASE CAPSULES	PERFORMANCE TESTS/ <i>Uniformity of Dosage Units &lt;905&gt;/System suitability/Suitability requirements</i>	USP37–NF32 3469	26-Sep-2014	1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	Line 1 of <i>Tailing factor</i> . Change NLT 1.5 to: NMT 1.5

## Pagination

- [First page](#) « [First](#)
- [Previous page](#) ‹ [Previous](#)
- ...
- [Page 18](#)
- [Page 19](#)
- [Page 20](#)

- 
- [Page 21](#)
  - [Page 22](#)
  - [Page 23](#)
  - [Page 24](#)
  - [Page 25](#)
  - [Page 26](#)
  - ...
  - [Next page Next ›](#)
  - [Last page Last »](#)