

[x](#)

## How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
  - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
  - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
  - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source</a> <a href="#">Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post</a> <a href="#">Date</a> <a href="#">Sort</a> <a href="#">ascending</a>	<a href="#">Errata Official</a> <a href="#">Date</a>	<a href="#">Target Errata</a> <a href="#">Print Publication</a>	<a href="#">Target Online</a> <a href="#">Fix Publication</a>	Description
OMEPRAZOLE ASSAY/	USP37–NF32	4067	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	Line 2 of

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ORAL SUSPENSION	<i>Procedure</i>								<i>Solution A:</i> Change with dilute phosphoric acid to: with dilute sodium hydroxide
POWDERED HOLY BASIL LEAF EXTRACT	COMPOSITION <i>/Content of Triterpenes</i>	USP37–NF32	5458	30-May-2014		1-Jun-2014	USP38–NF33	USP38–NF33	Line 4 of <i>Standard solution B:</i> Change 0.45-?L to: 0.45-?m
ALCOHOL IN DEXTROSE INJECTION	ASSAY/ <i>Dextrose</i>	USP37–NF32	1637	30-May-2014		1-Jun-2014	USP38–NF33	USP38–NF33	Line 15 of <i>Analysis:</i> Change A = length of the polarimeter tube (mm) to: A = 100 mm divided by the length of the polarimeter tube (mm)
PYRANTEL PAMOATE	ASSAY/ <i>Procedure</i>	USP37–NF32	4491	30-May-2014		1-Jun-2014	USP38–NF33	USP38–NF33	Line 1 of <i>Mobile phase:</i> Change acetic acid to:

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							glacial acetic acid AND Line 1 of <i>Column efficiency:</i> Change NLT 8000 theoretical plates to: NLT 8000 theoretical plates for the pyrantel peak
CARBAMAZEPINE EXTENDED-RELEASE TABLETS	USP37–NF32	2123	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	Line 2 of <i>Sample stock solution B:</i> Change <i>Standard stock solution</i> to: <i>Sample stock solution A</i>
RIBAVIRIN CAPSULES	PERFORMANCE TESTS/ <i>Dissolution &lt;711&gt;/ Procedure 1/</i>	USP37–NF32 4562	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	Line 1 of <i>Column:</i> Change 7-µm packing L17 to: 9-µm packing

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									L17
DIPHENHYDRAMINE CITRATE AND IBUPROFEN TABLETS	Chromatographic system IM PURITIES/Limit of Ibuprofen Related Compound C	USP37–NF32	2651	30-May-2014		1-Jun-2014	USP38–NF33	USP38–NF33	Line 7 of Analysis: Change $R_U$ = peak area ratio of ibuprofen to valerophenone from the <i>Sample solution</i> $R_S$ = peak area ratio of ibuprofen to valerophenone from the <i>Standard solution</i> to: $R_U$ = peak area ratio of ibuprofen related compound C to valerophenone from the <i>Sample solution</i> $R_S$ = peak area ratio of ibuprofen related

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
SULFACETAMIDE SODIUM OPTHALMIC SOLUTION	ASSAY/ <i>Procedure</i>	USP37-NF32	4766	30-May-2014		1-Jun-2014	USP38-NF33	USP38-NF33	compound C to valerophenone from the <i>Standard solution</i> Line 2 of <i>Sample stock solution</i> : Change sulfacetamide to: sulfacetamide sodium AND Line 1 of <i>Sample solution</i> : Change sulfacetamide to: sulfacetamide sodium
GRISEOFULVIN CAPSULES	PERFORMANCE TESTS/ <i>Uniformity of Dosage Units</i> <905>/ <i>Procedure for content uniformity</i>	USP37-NF32	3196	30-May-2014		1-Jun-2014	USP38-NF33	USP38-NF33	Line 6 of <i>Analysis</i> : Change Result = $(A_U/A_S) \times (C_S/C_U) \times P \times 100$ to: Result = (A

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
VALSARTAN	ADDITIONAL R EQUIREMENT S/USP Reference Standards <11>	USP37–NF32	5115	30-May-2014		1-Jun-2014	USP38–NF33	USP38–NF33	$\frac{u/A_S}{(C_S/C_U)} \times P \times F \times 100$ AND After <i>P</i> in definition list: Add <i>F</i> = conversion factor, 0.001 mg/?g Line 2 of USP Valsartan Related Compound A RS: Change ( <i>R</i> )- <i>N</i> -Valeryl- <i>N</i> -([2?-(1 <i>H</i> -tetrazole-5-yl)bi phen-4-yl]methyl)valine. to: <i>N</i> -Valeryl- <i>N</i> -{[2?-(1 <i>H</i> -tetrazole-5-yl)bi phenyl-4-yl]methyl}- <i>D</i> -valine. AND

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>Line 2 of USP Valsartan Related Compound B RS: Change (S)-<i>N</i>-Butyryl-<i>N</i>-([2?-(1<i>H</i>-tetrazole-5-yl)bi phen-4-yl]methyl)-valine.</p> <p>to: <i>N</i>-Butyryl-<i>N</i>-{[2?-(1<i>H</i>-tetrazole-5-yl)bi phenyl-4-yl]methyl}-L-valine.</p> <p>AND</p> <p>Line 2 of USP Valsartan Related Compound C RS: Change (S)-<i>N</i>-Valeryl-<i>N</i>-([2'-(1<i>H</i>-tetrazole-5-yl)bi phen-4-yl]methy</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
LAMIVUDINE AND ZIDOVUDINE TABLETS	IM PURITIES/ <i>Organic Impurities</i>	USP37–NF32	3484	30-May-2014		1-Jun-2014	USP38–NF33	USP38–NF33	l)-valine benzyl ester. to: N -Valeryl -N -{{[2?-(1H -tetrazole-5-yl)bi phenyl-4-yl]met hyl}-L-valine benzyl ester. Line 12 of <i>Analysis</i> : Change unidentified impurity to: unspecified impurity AND Line 19 of <i>Analysis</i> : Change unidentified impurities to: unspecified impurities
POWDERED ECHINACEA PALLIDA	ADDITIONAL REQUIREMENT S/USP	USP37–NF32	5356	30-May-2014		1-Jun-2014	USP38–NF33	USP38–NF33	Line 5: Change USP Powdered <i>Echinacea</i>



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
		<i>Reference Standards &lt;11&gt;</i>						<i>purpurea</i> Extract RS to: USP Powdered <i>Echinacea pallida</i> Extract RS
NYSTATIN	DEFINITION	USP37–NF32	4035	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	Line 6: Change extemporaneous solution to: extemporaneous preparation
HOLY BASIL LEAF	COMPOSITION <i>/Content of Triterpenes</i>	USP37–NF32	5454	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	Line 4 of <i>Standard solution B:</i> Change 0.45-?L to: 0.45-?m
DESCRIPTION AND SOLUBILITY	<i>Sodium Acetate</i>	USP37–NF32	1525	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	Line 7: Change transfer liquid. to: transfer ligand.
PROGESTERO ASSAY/ VAGINAL SUPPOSITORIES	<i>Suppositories in Fatty Acid Base</i>	USP37–NF32	4430	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	Line 1 of <i>System suitability solution:</i> Change Transfer 2.0 mL of <i>System</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<i>suitability stock solution A and System suitability stock solution B</i> to: Transfer 2.0 mL of each <i>System suitability stock solution A and System suitability stock solution B</i> AND Line 2 of <i>Standard solution A</i> : Change Mix 5.0 of the solution to: Mix 5.0 mL of the solution
CIPROFLOXACPERFORMANC IN EXTENDED- E RELEASE TESTS/ TABLETS	<i>First Supplement to USP37–NF32</i> <i>Dissolution &lt;711&gt;/Test 2</i>	6619	30-May-2014	1-Jun-2014	<i>USP38–NF33</i>	<i>USP38–NF33</i>	Line 1 of <i>Standard solution</i> : Change 0.56 mg/mL of USP Ciprofloxacin

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
AMINOSALICYL ASSAY/ LATE SODIUM <i>Procedure</i>	USP37–NF32	1745	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	<p>Hydrochloride RS in <i>Medium</i> to: 0.62 mg/mL of USP Ciprofloxacin Hydrochloride RS in <i>Medium</i> AND Line 8 of <i>Analysis</i>: Change <math>C_S</math> = concentration of ciprofloxacin in the <i>Standard solution</i> (mg/mL) to: <math>C_S</math> = concentration of ciprofloxacin hydrochloride in the <i>Standard solution</i> (mg/mL)</p> <p>Line 15 of <i>Analysis</i>: Change <math>C_U</math> = concentration of</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
QUINIDINE GLUCONATE	DEFINITION	USP37–NF32	4512	30-May-2014		1-Jun-2014	USP38–NF33	USP38–NF33	<p>aminosalicylate in the <i>Sample solution</i> (mg/mL) to: <math>C_U =</math> concentration of Aminosalicylate Sodium in the <i>Sample solution</i> (mg/mL)</p> <p>Line 6: Change quinidine sulfate to: quinidine gluconate</p>
CODEINE PHOSPHATE ORAL SOLUTION	ASSAY/ <i>Procedure</i>	USP37–NF32	2451	30-May-2014		1-Jun-2014	USP38–NF33	USP38–NF33	<p>Line 6 of <i>Analysis</i>: Change Result = <math>(R_U/R_S) \times (C_S/C_U) \times 100</math> to: Result = <math>(R_U/R_S) \times (C_S/C_U) \times (M_{r1}/M_{r2}) \times 100</math> AND After <math>C_U</math> in definition list: Add</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									$M_{r1}$ = molecular weight of codeine phosphate hemihydrate, 406.37 $M_{r2}$ = molecular weight of anhydrous codeine phosphate, 397.37
SUFENTANIL CITRATE INJECTION	ASSAY/ <i>Procedure</i>	USP37–NF32	4759	30-May-2014		1-Jun-2014	USP38–NF33	USP38–NF33	Line 11 of <i>Analysis</i> : Change sufentanil to: sufentanil citrate
FOSPHENYTOIN SODIUM INJECTION	ADDITIONAL REQUIREMENTS/ <i>USP Reference Standards &lt;11&gt;</i>	USP37–NF32	3096	30-May-2014		1-Jun-2014	USP38–NF33	USP38–NF33	Before USP Fosphenytoin Sodium RS: Add USP Endotoxin RS
TRIACETIN	ASSAY/ <i>Procedure/Titrimetric system</i>	USP37–NF32	5031	30-May-2014		1-Jun-2014	USP38–NF33	USP38–NF33	Line 2: Change (See <i>Titrimetry &lt;541&gt;</i> , <i>Residual Titrations</i> .) to:

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							(See <i>Titrimetry</i> <541>.) AND Line 1 of <i>Mode</i> : Change Direct titration to: Residual titration
HYDROCHLORIM OTHIAZIDE TABLETS PUR ITIES/ <i>Organic Impurities</i>	USP37–NF32	3247	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	Line 11 of <i>Analysis</i> : Change $C_U$ = concentration of the <i>Sample solution</i> (?g/mL) to: $C_U$ = nominal concentration of hydrochlorothia zide in the <i>Sample solution</i> (?g/mL)
POWDERED ECHINACEA A NGUSTIFOLIA EXTRACT ADDITIONAL R EQUIREMENT S/USP <i>Reference Standards</i> <11>	USP37–NF32	5350	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	Line 5: Change USP Powdered <i>Echinacea purpurea</i> Extract RS to: USP Powdered <i>Echinacea</i>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ONDANSETRO Assay N INJECTION		<i>Second Supplement to USP36–NF31</i>	Online	28-Mar-2014		1-Apr-2014	<i>USP38–NF33</i>	<i>USP38–NF33</i>	<i>angustifolia</i> Extract RS Line 7 of <i>Procedure:</i> Change (293.36 / 329.82)(25C / $V(r_U / r_S)$ ) to: (293.36 / 329.83)(25C / $V(r_U / r_S)$ ) AND Line 8 of <i>Procedure:</i> Change 329.82 to: 329.83
MAGNESIUM ALUMINUM SILICATE	IM PUR ITIES/ <i>Arsenic</i> , <i>Method I &lt;211&gt;</i>	<i>USP36–NF31</i>	2073	28-Mar-2014		1-Apr-2014	<i>USP38–NF33</i>	<i>USP38–NF33</i>	Line 1 of <i>Standard preparation:</i> Change Prepare as directed in the chapter. to: Transfer 5.0 mL (5 ?g of arsenic) of the <i>Standard Arsenic Solution</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>to a 25-mL volumetric flask, and add dilute hydrochloric acid (1:25) to volume.</p> <p>AND</p> <p>Delete:</p> <p><i>Control preparation:</i> Transfer 5.0 mL (5 ?g of As) of the <i>Standard preparation</i> to a 25-mL volumetric flask, and add dilute hydrochloric acid (1:25) to volume.</p> <p>AND</p> <p>Line 1 of <i>Acceptance criteria:</i> Change the absorbance due to any red color from the <i>Test preparation</i> does not exceed that</p>



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
SODIUM ACETATE	IM PUR ITIES/ <i>Inorganic Impurities/Potassium</i>	USP36–NF31	5147	28-Mar-2014		1-Apr-2014	USP38–NF33	USP38–NF33	<p>produced by the <i>Control preparation</i>. to: the absorbance due to any red color from the <i>Test preparation</i> does not exceed that produced by the <i>Standard preparation</i>.</p> <p>Line 1 of <i>Sample solution</i>: Change Equivalent to 600 mg/mL of anhydrous sodium acetate to: Dissolve the equivalent of 3 g of anhydrous sodium acetate in 5 mL of water. AND Line 1 of</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CARBIDOPA AND LEVODOPA ORALLY DISINTEGRATING TABLETS ASSAY	<i>Second Supplement to USP36–NF31</i>	6580	28-Mar-2014	1-Apr-2014	<i>USP38–NF33</i>	<i>USP38–NF33</i>	<p><i>Analysis:</i> Change To 5 mL of <i>Sample solution</i> add to: To the <i>Sample solution</i> add</p> <p>Line 2 of <i>Procedure:</i> Change Inject the <i>Sample solution</i> within 2 h of preparation. Protect the volumetric solutions from light. to: Protect the volumetric solutions from light.</p>
ANTIBIOTICS—MICROBIAL ASSAYS—Turbidimetric Method	<i>USP36–NF31</i>	76	28-Mar-2014	1-Apr-2014	<i>USP38–NF33</i>	<i>USP38–NF33</i>	<p>Line 9 of Paragraph 2 of <i>Analysis:</i> Change or a water bath maintained at the temperature</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ONDANSETRO Related N ORAL compounds SOLUTION	USP36–NF31	4586	28-Mar-2014	1-Apr-2014	USP38–NF33	USP38–NF33	<p>specified in <i>Table 8</i> and for the time specified in <i>Table 11</i>. to: or a water bath maintained at 36.0° –37.5° for the time specified in <i>Table 11</i>.</p> <p>Line 7 of <i>Procedure</i>: Change (293.36/329.82) 10,000(1 / F)(1 / V)(C<sub>S</sub> / C<sub>A</sub>)(r<sub>i</sub> / r<sub>s</sub>) to: (293.36 / 329.83)10,000(1 / F)(1 / V)(C<sub>S</sub> / C<sub>A</sub>)(r<sub>i</sub> / r<sub>s</sub>) AND Line 8 of <i>Procedure</i>: Change 329.82 to: 329.83</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ATROPINE SULFATE INJECTION	ASSAY/ Procedure	<i>First Supplement to USP36–NF31</i>	5950	28-Mar-2014		1-Apr-2014	<i>USP38–NF33</i>	<i>USP38–NF33</i>	Line 1 of <i>Buffer</i> . Change Dissolve 4.1 g of sodium acetate and to: Dissolve 4.1 g of anhydrous sodium acetate and
PHARMACEUTICAL COMPOUNDING—NON STERILE PREPARATIONS	COMPOUNDING FACILITIES	<i>Revision Bulletin (Official January 01, 2014)</i>	Online	28-Mar-2014		1-Apr-2014	<i>Second Supplement to USP37–NF32</i>	<i>Second Supplement to USP37–NF32</i>	Line 4 of Paragraph 4: Change (see the <i>General Notices and Requirements, Preservation, Packaging, Storage, and Labeling, Storage Temperature and Humidity</i> ; to: (see <i>Packaging and Storage Requirements &lt;659&gt;</i> ;
CLINDAMYCIN PALMITATE	ASSAY/ HY Procedure	<i>USP36–NF31</i>	3031	28-Mar-2014		1-Apr-2014	<i>USP38–NF33</i>	<i>USP38–NF33</i>	Line 1 of <i>Acceptance</i>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
DROCHLORID E									<i>criteria</i> : Change NLT 540 ?g to: NLT 540 ?g/mg
THALIDOMIDE CAPSULES	<i>Dissolution</i> <711>	USP36–NF31	5347	28-Mar-2014		1-Apr-2014	USP38–NF33	USP38–NF33	After the <i>Test solution</i> section: Add to: <i>Chromatographic system</i> —Prepare as directed in the <i>Assay</i> under <i>Thalidomide</i> .
CALCIUM SULFATE	ASSAY/ <i>Procedure</i>	<i>First Supplement to</i> USP36–NF31	Online	28-Mar-2014		1-Apr-2014	USP38–NF33	USP38–NF33	Line 14 of <i>Analysis</i> : Change Result = $[(V \times N \times F)/W] \times 100$ to: Result = $[(V \times M \times F)/W] \times 100$ AND Line 15 of <i>Analysis</i> : Change V = volume of titrant consumed by the Sample (mL)

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source</a> <a href="#">Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post</a> <a href="#">Date</a> <a href="#">Sort</a> <a href="#">ascending</a>	<a href="#">Errata Official</a> <a href="#">Date</a>	<a href="#">Target Errata</a> <a href="#">Print Publication</a>	<a href="#">Target Online</a> <a href="#">Fix Publication</a>	Description
							<p><i>N</i> = actual normality of the titrant (mEq/mL)  <i>F</i> = equivalency factor, 136.14 mg/mEq  to:  <i>V</i> = volume of <i>Titrant</i> consumed by the <i>Sample</i> (mL)  <i>M</i> = actual molarity of the <i>Titrant</i> (mM/mL)  <i>F</i> = equivalency factor, 136.14 mg/mM</p>
Sodium Sulfite, RE Anhydrous AGEN TS/Reagent Specifications	USP36–NF31	1196	28-Mar-2014	1-Apr-2014	USP38–NF33	USP38–NF33	Line 2: Change [7753-83-7] to: [7757-83-7]
ONDANSETRO Assay N ORAL SOLUTION	USP36–NF31	4586	28-Mar-2014	1-Apr-2014	USP38–NF33	USP38–NF33	Line 7 of <i>Procedure</i> : Change (293.36/329.82) $100(C/V)(r_U / r_S)$ to: (293.36 / 329.83)100(C / V)(r

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									u/ r <sub>s</sub> ) AND Line 8 of <i>Procedure:</i> Change 329.82 to: 329.83
BUTYLPARABEN	IM PURITIES/Related Substances/Chromatographic system	<i>Second Supplement to USP36–NF31</i>	6551	28-Mar-2014		1-Apr-2014	<i>USP38–NF33</i>	<i>USP38–NF33</i>	After the <i>Column</i> section: Add <i>Column temperature:</i> 35°
PHARMACEUTICAL COMPOUNDING—NONSTERILE PREPARATIONS	STABILITY CRITERIA AND BEYOND-USE DATIN/General Guidelines for Assigning Beyond-Use Dates	<i>Revision Bulletin (Official January 01, 2014)</i>	Online	28-Mar-2014		1-Apr-2014	<i>Second Supplement to USP37–NF32</i>	<i>Second Supplement to USP37–NF32</i>	Line 7 of Paragraph 1: Change (see the <i>General Notices and Requirements, Preservation, Packaging, Storage, and Labeling</i> ) to: (see <659>)
MELPHALAN TABLETS	<i>Dissolution &lt;711&gt;</i>	<i>USP36–NF31</i>	4232	28-Mar-2014		1-Apr-2014	<i>USP38–NF33</i>	<i>USP38–NF33</i>	Line 1 of <i>Mobile phase:</i> Change Prepare a

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>filtered and degassed mixture of water, acetonitrile, ammonium acetate, glacial acetic acid, and triethylamine (1 500:500:2:2:0.4 ). Make adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> &lt;621&gt;).</p> <p>to:</p> <p>Transfer 2 grams of ammonium acetate, 2 mL of glacial acetic acid, and 0.4 mL of triethylamine to a suitable flask containing 1500 mL of water and 500 mL of acetonitrile. Stir</p>



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
THIMEROSAL	IMPURITIES/ <i>Mercury Ions</i>	USP36–NF31	5368	28-Mar-2014		1-Apr-2014	USP38–NF33	USP38–NF33	until all solids are dissolved and well mixed, then filter and degas. Line 19 of <i>Analysis</i> : $C_S =$ concentration of mercuric chloride in the <i>Standard solution</i> (mg/mL) to: $C_S =$ concentration of mercuric chloride in <i>Sample solution B</i> (mg/mL)
CLARITHROMYCIN	ASSAY/ <i>Procedure/System suitability</i>	USP36–NF31	3016	31-Jan-2014		1-Feb-2014	USP38–NF33	<i>Second Supplement to USP37–NF32</i>	Line 1 of <i>Samples</i> : Change <i>Standard solution 2</i> and <i>Standard solution 4</i> to: <i>Standard solution 1</i> ,

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
RISPERIDONE TABLETS	<i>Dissolution &lt;711&gt;</i>	USP36–NF31 5065	31-Jan-2014	1-Feb-2014	USP38–NF33	Second Supplement to USP37–NF32	<p><i>Standard solution 2, and Standard solution 4 AND Line 13 of Suitability requirements: Change Relative standard deviation: NMT 1.5%, Standard solution 2 to: Relative standard deviation: NMT 1.5%, Standard solution 1</i></p> <p>Line 4 of <i>Chromatographic system: Change Chromatograph the Standard solution and the Test solution as directed for Procedure: to:</i></p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ATOMOXETIN E HYDROCHL ORIDE	IM PUR ITIES/ <i>Organic Impurities, Procedure 2</i>	<i>First Supplement to USP36–NF31</i>	5947	31-Jan-2014		1-Feb-2014	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	Chromatograph the <i>Standard solution</i> as directed for <i>Procedure</i> : Line 5 of <i>System suitability solution</i> : Change dissolving the Reference Standards in ethanol, to: dissolving the Reference Standards in absolute alcohol, AND Line 2 of <i>Sample solution</i> : Change dissolving it in ethanol, to: dissolving it in absolute alcohol,

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
OIL- AND WATER-SOLUBLE VITAMINS WITH MINERALS ORAL SOLUTION		<i>Second Supplement to USP36–NF31</i>	6399	31-Jan-2014		1-Feb-2014	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	Add the test: <i>Absence of Specified Microorganisms &lt;2022&gt;</i> : Meet the requirements of the tests for the absence of <i>Salmonella species</i> , <i>Escherichia coli</i> , and <i>Staphylococcus aureus</i>
CANDESARTAN CILEXETIL	ASSAY/ Procedure	<i>USP36–NF31</i>	2774	31-Jan-2014		1-Feb-2014	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	Line 1 of <i>Analysis</i> : Change Titrate with 8 mL of 0.1 N to: Titrate with 0.1 N
FENTANYL	IMPURITIES/ <i>Organic Impurities/Acceptance criteria</i>	<i>USP36–NF31</i>	3554	31-Jan-2014		1-Feb-2014	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	Footnote f of Table 2: Change <i>N</i> -Phenyl- <i>N</i> -[1-(2-phenylethyl)-4-piperidinyl]

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
VANCOMYCIN SPECIFIC HYDROCHLORIDE FOR INJECTION	<i>USP36–NF31</i>	5546	31-Jan-2014	1-Feb-2014	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	acetanilide hydrochloride, or acetyl fentanyl. to: <i>N</i> -(1-Phenethylpiperidin-4-yl)- <i>N</i> -phenylacetamide. Line 27 of <i>Analysis</i> : Change Result = $[r_i / (D \times r_B) + r_A] \times 100$ to: Result = $\{r_i / [(D \times r_B) + r_A]\} \times 100$
OIL- AND WATER-SOLUBLE VITAMINS WITH MINERALS CAPSULES	<i>Second Supplement to USP36–NF31</i>	6372	31-Jan-2014	1-Feb-2014	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	Line 2 of <i>Standard solutions</i> : Change 2.0 to: 5.0

## Pagination

- 
- [\\_ First page « First](#)
  - [\\_ Previous page ‹ Previous](#)
  - ...
  - [\\_ Page 21](#)
  - [\\_ Page 22](#)
  - [\\_ Page 23](#)
  - [\\_ Page 24](#)
  - [\\_ Page 25](#)
  - [\\_ Page 26](#)
  - [\\_ Page 27](#)
  - [\\_ Page 28](#)
  - [\\_ Page 29](#)
  - ...
  - [\\_ Next page Next ›](#)
  - [\\_ Last page Last »](#)