

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
POLYISOBUTY IM	USP36–NF31	2149	27-Sep-2013	1-Oct-2013	USP38–NF33	First	Line 1 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LENE	PURITIES/Lead <251>							<i>Supplement to USP37–NF32</i>	Acceptance criteria: Change NMT 3 mg/g to: NMT 3 ?g/g
TERAZOSIN CAPSULES	PERFORMANC E TESTS/ <i>Dissolution</i> <711>/Test 1/ <i>Spectrometric conditions</i>	USP36–NF31	5308	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Analytical wavelength</i> : Change UV 245 nm to: UV 246 nm AND Line 3 of <i>Cell length</i> : Change 0.2 cm for Capsules labeled to contain 10 mg to: 0.5 cm for Capsules labeled to contain 10 mg
SORBITAN MO NOLAURATE	IDENTIFICATIO N/A.	USP36–NF31	2212	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Sample</i> : Change 1 g of the residue obtained in the <i>Assay for Fatty</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<p><i>Acids</i> to: Residue obtained in the <i>Assay for Fatty Acids</i> AND Line 2 of <i>Acceptance criteria</i>: Change 260–280 to: 260–280 on 1-g sample</p>
LOPINAVIR AND RITONAVIR TABLETS	PERFORMANC E TESTS/ <i>Dissolution</i> <711>	<i>First Supplement to</i> <i>USP36–NF31</i>	6005	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to</i> <i>USP37–NF32</i>	Line 1 of <i>Tolerances</i> : Change 80.0% to: 80%
SORBITAN TRIOLEATE	IDENTIFICATIO N/A.	<i>USP36–NF31</i>	2216	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to</i> <i>USP37–NF32</i>	Line 1 of <i>Sample</i> : Change 1 g of the residue of oleic acid obtained in the <i>Assay for Fatty Acids</i> to: Residue obtained in the

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
POLYMYXIN B IM SULFATE PUR	<i>Second Supplement to USP36–NF31 ITIES/Organic Impurities</i>	6686	27-Sep-2013	1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	<p><i>Assay for Fatty Acids AND Line 2 of Acceptance criteria: Change 192–204 to: 192–204 on 1-g sample</i></p> <p><i>Line 2: Change Buffer, Mobile phase, Diluent, Sensitivity solution, to: Buffer, Mobile phase, Diluent, Standard solution, Sensitivity solution, AND Line 1 of Samples in Analysis: Change Standard solution, Sample solution, and</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ELEMENTAL IMPURITIES—LIPRODUCTS/ <i>Options for Demonstrating Compliance</i>	USP36–NF31	151	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	<i>Sensitivity solution to: Sample solution</i> Line 17 of <i>Summation Option</i> : Change the manufacturer must validate to: the manufacturer must ensure
CAFFEINE CITRATE ORAL SOLUTION	Assay	USP36–NF31 2733	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 3 of <i>Chromatographic system</i> : Change 150-cm column to: 15-cm column
BETADEX	IMPURITIES/ <i>Limit of Reducing Sugars</i>	USP36–NF31 1905	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 3 of <i>Tartrate solution</i> : Change 20 mg/mL of anhydrous sodium sulfate to: 200 mg/mL of anhydrous

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ETHIODIZED OIL INJECTION	Viscosity—Capillary Viscometer Methods <911> and Rotational Rheometer Methods <912>	USP36–NF31	3505	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	sodium sulfate Line 1: Change and to: or
ETHYL OLEATE	SPECIFIC TESTS/ Viscosity—Capillary Viscometer Methods <911> and Rotational Rheometer Methods <912>	USP36–NF31	2006	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Change: and to: or
OXYMETAZOLINE HYDROCHLORIDE OPHTHALMIC SOLUTION	Identification	USP36–NF31	4652	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1: Change A volume of Ophthalmic Solution, equivalent to about 2.5 mg of oxymetazoline hydrochloride, responds to the <i>Id</i> entification test under Oxymetazoline Hydrochloride Nasal Solution. to:

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Place a volume of Ophthalmic Solution, equivalent to about 2.5 mg of oxymetazoline hydrochloride, in a 60-mL separator, and add water to make about 10 mL. Add 2 mL of sodium carbonate solution (1 in 10), extract with 10 mL of chloroform, and transfer the chloroform extract to a second 60-mL separator. Extract the chloroform solution with 10 mL of 0.1 N hydrochloric acid, allow to separate, and discard the

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							chloroform layer. Transfer 8 mL of the acidic aqueous layer to a test tube, neutralize by the dropwise addition of 1 N sodium hydroxide, add 1 drop of 1 N sodium hydroxide in excess, and mix. Add a few drops of sodium nitroferricyanide TS and 2 drops of sodium hydroxide solution (15 in 100), mix, and allow to stand for 10 minutes. Add 0.1 N hydrochloric acid dropwise until the pH is between 8 and 9, and allow to stand for 10

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LINOLEOYL P IM OLYOXYLGLY PURITIES/ <i>Limit</i> CERIDES <i>of Free Glycerol</i>	USP36–NF31	2068	27-Sep-2013	1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	minutes. A violet color develops. Line 1 of <i>Mode in Titrimetric system</i> : Change Direct titration to: Residual titration AND Line 10 of <i>Analysis</i> : Change (V_S ? V_B) to: (V_B ? V_S) AND Line 11 of <i>Analysis</i> : Change $V_S = \textit{Titrant}$ volume consumed by the <i>Sample</i> (mL) $V_B = \textit{Titrant}$ volume consumed by the <i>Blank</i> (mL) to:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									$V_B = \text{Titrant volume consumed by the Blank (mL)}$ $V_S = \text{Titrant volume consumed by the Sample (mL)}$
RIVASTIGMINE CHEMICAL TARTRATE	INFORMATION	USP36–NF31	5073	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1: Change 398.41 to: 400.42
POLYSORBATE 80	SPECIFIC TESTS/ <i>Viscosity—Capillary Viscometer Methods <911> and Rotational Rheometer Methods <912></i>	USP36–NF31	2163	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1: Change and to: or
BACLOFEN	ASSAY/ <i>Procedure/Chromatographic system</i>	First Supplement to USP36–NF31	5951	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of Column: Change 250-cm to: 25.0-cm
SORBITAN MONOSTEARATE	IDENTIFICATION N/A.	USP36–NF31	2214	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of Sample: Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									1 g of the residue obtained in the <i>Assay for Fatty Acids</i> to: Residue obtained in the <i>Assay for Fatty Acids</i> AND Line 2 of <i>Acceptance criteria</i> : Change 200–215 to: 200–215 on 1-g sample
FILGRASTIM	ASSAY/Potency	<i>Second Supplement to USP36–NF31</i>	6606	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 7 of <i>Preparation of cells for analysis</i> : Change Column 1 is filled with 50 L of <i>Medium B</i> . to: Column 1 is filled with 50 µL of <i>Medium B</i> .
BUTABARBITA	<i>Identification,</i>	<i>USP36–NF31</i>	2716	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First</i>	Line 5 of <i>Test</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
L SODIUM TABLETS	<i>Infrared Absorption <197K></i>							<i>Supplement to USP37–NF32</i>	<i>specimen: Change Proceed as directed for Column Partition Chromatography under Chromatography <621>, packing the chromatographic tube as follows. to: Pack a chromatographic tube as follows.</i>
DILUTED ALCOHOL	ADDITIONAL REQUIREMENTS	<i>USP36–NF31</i>	1874	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Delete <i>USP Reference Standards <11></i> section
DROSPIRENONE	IMPURITIES/ <i>Organic Impurities/Procedure 2</i>	<i>USP36–NF31</i>	3349	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	In footnote b of <i>Table 4: Change 5?,17?-Dihydroxy-6?,7?:15?,16?-dimethylene-17?-pregnan-21-carboxylic acid, ?-lactone. to:</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CETYL ALCOHOL	SPECIFIC TESTS/ <i>Fats and Fixed Oils, Hydroxyl Value <401></i>	USP36–NF31 1956	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	<p>5?,17-Dihydroxy-6?,7?:15?,16?-dimethylene-3-oxo-17?-pregnan-21-carboxylic acid, ?-lactone.</p> <p>Line 1 of <i>Mode in Titrimetric system</i>: Change Direct titration to: Residual titration AND Line 9 of <i>Analysis</i>: Change Result = $[(V_S ? V_B) \times F]/W$ to: Result = $[(V_B ? V_S) \times N \times M_r]/W$ AND Line 10 of <i>Analysis</i>: Change $V_S = \text{Titration volume consumed by the Sample (mL)}$</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METHYLPHENIDATE HYDROCHLORIDE EX-TENDED-RELEASE TABLETS	USP36–NF31	4327	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	<p> V_B = Titrant volume consumed by the <i>Blank</i> (mL) F = factor, 56.1 to: V_B = Titrant volume consumed by the <i>Blank</i> (mL) V_S = Titrant volume consumed by the <i>Sample</i> (mL) N = actual normality of 1 N sodium hydroxide (mEq/mL) M_r = molecular weight of potassium hydroxide, 56.11 Line 1 of <i>Capacity factor</i>: Change NMT 2 to: NLT 2 </p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROXYETHYL CELLULOSE	<i>suitability</i> SPECIFIC TESTS/ <i>Viscosity—Capillary Viscometer Methods <911> and Rotational Rheometer Methods <912></i>	USP36–NF31	2038	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 1: Change and to: or
RIFAMPIN, ISONIAZID, PYRAZINAMIDE, AND ETHAMBUTOL HYDROCHLORIDE TABLETS	<i>Assay for rifampin, isoniazid, and pyrazinamide</i>	USP36–NF31	5047	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 12 of Procedure: Change the Standard preparation and the Assay preparation, respectively. to: the Assay preparation and the Standard preparation, respectively.
POLYOXYL 10 OLEYL ETHER	SPECIFIC TESTS/ <i>Average Polymer Length</i>	USP36–NF31	2150	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 9 of Analysis: Change Result = [(31 A ₂ /A ₁ ? 3)]/4 to: Result = [(31 × A

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							2/A ₁) ? 3]/4

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
COMPOUND Assay for zinc UNDECYLENIC undecylenate ACID OINTMENT	USP36–NF31	5516	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 15 of <i>Procedure</i> : Change 431.94 is the molecular weight of zinc undecylenate; to: M_r is the molecular weight of zinc undecylenate, 431.94; AND Line 16 of <i>Procedure</i> : Change 65.39 is the atomic weight of zinc; to: A_r is the atomic weight of zinc, 65.39; AND Line 19 of <i>Procedure</i> : Change C_H and C_L are the concentrations,

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SORBITAN MONOOLEATE	IDENTIFICATION	USP36–NF31	2213	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	in µg per mL, to: C _{s1} and C _{s2} are the concentrations, in µg per mL, Line 1 of Sample: Change 1 g of the residue obtained in the Assay for Fatty Acids to: Residue obtained in the Assay for Fatty Acids AND Line 2 of Acceptance criteria: Change 192–204 to: 192–204 on 1-g sample
QUININE SULFATE TABLETS	ASSAY/ Procedure	First Supplement to USP36–NF31	6046	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 4 of Analysis: Change dihydroquinone

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
STEAROYL PO IM LYOXYLGLYC PURITIES/ <i>Limit</i> ERIDES <i>of Free Glycerol</i>	USP36–NF31	2250	27-Sep-2013	1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	sulfate to: dihydroquinine sulfate Line 11 of <i>Analysis:</i> Change (V_S ? V_B) to: (V_B ? V_S) AND Line 12 of <i>Analysis:</i> Change $V_S = \textit{Titrant}$ volume consumed by the <i>Sample</i> (mL) $V_B = \textit{Titrant}$ volume consumed by the <i>Blank</i> (mL) to: $V_B = \textit{Titrant}$ volume consumed by the <i>Blank</i> (mL) $V_S = \textit{Titrant}$ volume consumed by

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ELEMENTAL I ANALYTICAL MPURITIES—LITESTING MITS	USP36–NF31	151	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	the <i>Sample</i> (mL) Line 2: Change If, by validated processes and supply-chain control, to: If, by process monitoring and supply-chain control, Line 2 of USP Codeine <i>N</i> -Oxide RS: Change $C_{18}H_{21}O_4$ to: $C_{18}H_{21}NO_4$
CARISOPRODOL, ASPIRIN, AND CODEINE PHOSPHATE TABLETS	USP Reference standards <11>	USP36–NF31 2813	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 2 of USP Codeine <i>N</i> -Oxide RS: Change $C_{18}H_{21}O_4$ to: $C_{18}H_{21}NO_4$
CAPRYLOCAP IM ROYL POLYOX PURITIES/Limit YLGLYCERIDE of Free Glycerol S	USP36–NF31	1922	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of <i>Mode</i> in <i>Titrimetric system</i> : Change Direct titration to: Residual titration AND Line 10 of <i>Analysis</i> : Change (V

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FERUMOXSil	ORAL SUSPENSION	Viscosity—Capillary Viscometer Methods <911> and Rotational Rheometer	USP36–NF31 3572	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	<p>Line 1: Change V_T to V_B AND $(V_B ? V_S)$ AND $V_T = \text{Titrant volume consumed by the Sample (mL)}$ AND $V_B = \text{Titrant volume consumed by the Blank (mL)}$ AND $V_S = \text{Titrant volume consumed by the Sample (mL)}$</p> <p>Line 1: Change and to: or</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
<i>Methods <912></i> FERROSO FER IMPURITIES RIC OXIDE	USP36–NF31	2018	27-Sep-2013	1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Sample solution C in Limit of Lead (Pb):</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 1 of <i>Sample solution D in Limit of Lead (Pb):</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 1 of <i>Sample solution A in Limit of Mercury (Hg) and Nickel (Ni):</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									AND Line 1 of <i>Sample solution B in Limit of Mercury (Hg) and Nickel (Ni):</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 1 of <i>Sample solution C in Limit of Mercury (Hg) and Nickel (Ni):</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i>
POLYVINYL ALCOHOL	SPECIFIC TESTS/ <i>Viscosity—Capillary Viscometer Methods <911>, Rotational Rheometer Methods <912>, and Rolling Ball</i>	USP36–NF31	4830	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 2: Change and to: or

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OLEOYL POLY IM OXYLGLYCERI PURITIES/ DES	<i>Viscometer Method <913> of Free Glycerol</i>	USP36–NF31	2112	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Mode in Titrimetric system</i> : Change Direct titration to: Residual titration AND Line 10 of <i>Analysis</i> : Change ($V_S ? V_B$) to: ($V_B ? V_S$) AND Line 11 of <i>Analysis</i> : Change $V_S = \textit{Titrant volume consumed by the Sample (mL)}$ to: $V_B = \textit{Titrant volume consumed by the Blank (mL)}$ to: V

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<i>B</i> = Titrant volume consumed by the <i>Blank</i> (mL) <i>V_S</i> = Titrant volume consumed by the <i>Sample</i> (mL)
SALICYLIC ACID		USP Reference standards <11>	USP36–NF31 5098	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 3 of USP Salicylic Acid Related Compound A RS: Change [CAS-99-96-7]. to: [99-96-7]. AND Line 3 of USP Salicylic Acid Related Compound B RS: Change C ₈ H ₆ O ₄ to: C ₈ H ₆ O ₅
POTASSIUM M SPECIFIC ETAPHOSPHATE TESTS/TE		USP36–NF31	2172	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1: Change and to: or

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		<i>Methods <911> and Rotational Rheometer</i>							
		<i>Methods <912></i>							
ISOSORBIDE MONONITRATE EXTENDED- RELEASE TABLETS	IM PUR ITIES/Organic Impurities, Procedure 2	<i>First Supplement to USP36–NF31</i>	5996	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 3: Change the section head <i>Isosorbide mononitrate related compound A stock solution:</i> to: <i>Isosorbide mononitrate related compound A standard stock solution:</i> AND Line 7: Change the section head <i>Isosorbide dinitrate stock solution:</i> to: <i>Isosorbide dinitrate standard stock solution:</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							AND Line 3 of <i>Standard stock solution:</i> Change <i>Isosorbide mononitrate related compound A stock solution and Isosorbide dinitrate stock solution,</i> to: <i>Isosorbide mononitrate related compound A standard stock solution and Isosorbide dinitrate standard stock solution,</i>
SORBITAN SE IDENTIFICATIO SQUIOLEATE N/A.	USP36–NF31	2215	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of <i>Sample:</i> Change 1 g of the residue obtained in the <i>Assay for Fatty</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PANCURONIUM BROMIDE INJECTION	IM PURITIES/Organic Impurities	<i>Second Supplement to USP36–NF31</i>	6677	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	<p><i>Acids</i></p> <p>to:</p> <p>Residue obtained in the <i>Assay for Fatty Acids</i> AND</p> <p>Line 2 of <i>Acceptance criteria</i>: Change 192–204 to:</p> <p>192–204 on 1-g sample</p> <p>Footnote a of <i>Table 1</i>: Change Piperidinium, 1-[(2,3,5,16,17)-17-acetyloxy-3-hydroxy-2-(1-piperidinyl)androstano-16-yl]-1-methyl bromide.</p> <p>to:</p> <p>Piperidinium, 1-[(2,3,5,16,17)-17-acetyloxy-3-hydroxy-2-(1-piperidinyl)androstano-16-yl]-1-met</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CAFFEINE CITRATE INJECTION	Assay	USP36–NF31	2732	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	hyl. Line 3 of <i>Chromatographic system:</i> Change 150-cm column to: 15-cm column
BEHENOYL POIM LYOXYLGLYC ERIDES	PURITIES/ <i>Limit of Free Glycerol /Titrimetric system</i>	USP36–NF31	1892	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of <i>Mode:</i> Change Direct titration to: Residual titration
ESOMEPRAZO LE MAGNESIUM	SPECIFIC TESTS/ <i>Color of Solution</i>	USP36–NF31	3464	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of <i>Sample solution:</i> Change 20 mg/mL of Esomeprazole Magnesium in methanol to: 20 mg/mL of Esomeprazole Magnesium in methanol, filtered
EGG PHOSPH OLIPIDS	ASSAY/ <i>Content of Phospholipids</i>	USP36–NF31	2000	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 2 of <i>Solution A:</i> Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OCTOCRYLEN E	<i>Identification, Ultraviolet Absorption <197U></i>	USP36–NF31 4557	27-Sep-2013	1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	acetic acid to: glacial acetic acid AND Line 2 of <i>Solution B</i> : Change acetic acid to: glacial acetic acid Line 4: Change Absorptivities, calculated on the as-is basis, to: Absorptivity at 303 nm, calculated on the as-is basis, Line 1 of <i>Mode in Titrimetric system</i> : Change Direct titration to: Residual titration AND Line 10 of <i>Analysis</i> :
LAUROYL POL IM YOXYLGLYCE PURITIES/ RIDES	<i>Limit of Free Glycerol</i>	USP36–NF31 2064	27-Sep-2013	1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RIMEXOLONE OPHTHALMIC SUSPENSION	Viscosity—Capillary Viscometer Methods <911>	USP36–NF31	5053	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	<p>Change (V_S ? V_B) to: (V_B ? V_S) AND Line 11 of <i>Analysis</i>: Change V_S = Titrant volume consumed by the <i>Sample</i> (mL) V_B = Titrant volume consumed by the <i>Blank</i> (mL) to: V_B = Titrant volume consumed by the <i>Blank</i> (mL) V_S = Titrant volume consumed by the <i>Sample</i> (mL)</p> <p>Line 1: Change and to:</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
								or
	<i>and Rotational Rheometer Methods <912></i>							
POLYOXYL 20 CETOSTEARYL ETHER	SPECIFIC TESTS/ <i>Average Polymer Length</i>	USP36–NF31	2155	27-Sep-2013	1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 16 of Analysis: Change Result = $[32 \times A_2 / (A_1 \times 3)] / 4$ to: Result = $[(32 \times A_2 / A_1) \times 3] / 4$

Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- ...
- [Page 23](#)
- [Page 24](#)
- [Page 25](#)
- [Page 26](#)
- [Page 27](#)
- [Page 28](#)
- [Page 29](#)
- [Page 30](#)
- [Page 31](#)
- ...
- [Next page Next ›](#)
- [Last page Last »](#)
