

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
		Publication		Date	Date	Print Publication	Fix Publication	
Polysorbate 80	SPECIFIC	<i>USP35–NF30</i>	1920	30-Nov-2012	1-Dec-2012	<i>USP37–NF32</i>	<i>Second</i>	Line 5 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	TESTS/ <i>Fats and Fixed Oils, Peroxide Value</i> <401>							<i>Supplement to USP36–NF31</i>	<i>Analysis:</i> Change 0.01 M sodium thiosulfate to: 0.01 M sodium thiosulfate VS
Ampicillin Sodium	SPECIFIC TESTS/ <i>pH</i> <791>	<i>USP35–NF30</i>	2213	30-Nov-2012		1-Dec-2012	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	Line 2: Change text of <i>Sample solution</i> from 10.0 mg/mL to: 10.0 mg/mL of ampicillin
Anhydrous Dibasic Calcium Phosphate	IM PUR ITIES/ <i>Heavy Metals, Method I</i> <231>	<i>USP35–NF30</i>	2464	30-Nov-2012		1-Dec-2012	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	Line 1 of <i>Test preparation:</i> Change Warm 1.3 g with 3 mL of 3 N hydrochloric acid to completely dissolve. to: Warm 1.3 g with 3 mL of 3 N hydrochloric acid until no more dissolves.
Tramadol Hydrochloride	IM PUR	<i>USP35–NF30</i>	4905	30-Nov-2012		1-Dec-2012	<i>USP37–NF32</i>	<i>Second Supplement to</i>	Line 5 of <i>Analysis:</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Tablets	ITIES/ <i>Organic Impurities/Procedure</i>							USP36–NF31	Change Result = $(r_U/r_S) \times (C_S/C_U) \times (1/F) \times 0.1$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times (1/F) \times 100$
Esomeprazole Magnesium Delayed-Release Capsules	PERFORMANCE TESTS/ <i>Dissolution <711></i>	<i>First Supplement to USP35–NF30</i>	5473	30-Nov-2012		1-Dec-2012	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	Change <i>Buffer, Diluent, Mobile phase, System suitability, and Chromatographic system:</i> Proceed as directed in the Assay. to: <i>Buffer, Mobile phase, System suitability, and Chromatographic system:</i> Proceed as directed in the Assay.
Cefepime Hydrochloride	IMPURITIES/ <i>Organic Impurities</i>	<i>Second Supplement to USP35–NF30</i>	5923	30-Nov-2012		1-Dec-2012	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	Line 5 of <i>Chromatographic system:</i> Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<p><i>ties/Procedure</i> <i>1: Limit of N-Methylpyrrolidine</i></p> <p><i>Column:</i> 4.0-mm x 25-cm; 5-µm packing L##¹ to: <i>Column:</i> 4.0-mm x 25-cm; 5-µm packing L76 AND Delete corresponding footnote: "Available as Metrosep C4-250." Line 8 of <i>Analysis:</i> Change Include in each rack 1–2 control tubes containing 1 mL of the inoculum medium (see <i>Table 8</i>) but no antibiotic. to: Include in each rack 1–2 control tubes</p>
Antibiotics—Microbial Assays	Turbidimetric Method	USP35–NF30	74	30-Nov-2012		1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	<p>Line 8 of <i>Analysis:</i> Change Include in each rack 1–2 control tubes containing 1 mL of the inoculum medium (see <i>Table 8</i>) but no antibiotic. to: Include in each rack 1–2 control tubes</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Aminosalicylate Limit of m-Sodium Tablets <i>aminophenol</i>	USP35–NF30	2178	30-Nov-2012	1-Dec-2012	USP37–NF32	Second Supplement to USP36–NF31	containing 1 mL of the test diluent (see <i>Table 7</i>) but no antibiotic. Line 1 of <i>Test solution</i> : Change Use the <i>Assay preparation</i> , prepared as directed in the <i>Assay</i> . to: Weigh and finely powder not fewer than 20 Tablets. Transfer an accurately weighed portion of the powder, equivalent to about 690 mg of aminosalicylate sodium, to a 100-mL low-actinic volumetric flask. Add 50 mL of <i>Mobile phase</i> ,

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Dibasic Calcium IM Phosphate Dihydrate	PUR ITIES/ <i>Heavy Metals, Method I</i> <231>	USP35–NF30 2463	30-Nov-2012	1-Dec-2012	USP37–NF32	<i>Second Supplement to USP36–NF31</i>	and shake for about 5 minutes. Dilute with <i>Mobile phase</i> to volume, and mix. Filter, and transfer 10.0 mL of the clear filtrate to a low-actinic, 100-mL volumetric flask containing 10.0 mL of <i>Internal standard solution</i> , dilute with <i>Mobile phase</i> to volume, and mix. Line 1 of <i>Test preparation</i> : Change Warm 1.3 g with 3 mL of 3 N hydrochloric acid to completely dissolve. to: Warm 1.3 g with

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Moxifloxacin Ophthalmic Solution	<i>Related com pounds/Test 1</i>	<i>USP35–NF30</i>	3960	30-Nov-2012		1-Dec-2012	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	3 mL of 3 N hydrochloric acid until no more dissolves. Line 4 of <i>Chromatographic system:</i> Delete The flow rate is about 0.5 mL per minute.
Containers—Glass	<i>SPECIFIC TESTS/ Hydrolytic Resi stance/Method</i>	<i>First Supplement to USP35–NF30</i>	5150	30-Nov-2012		1-Dec-2012	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	In the Note in line 11 of <i>Titration:</i> Change Rinse the grains by swirling with three 15-mL portions of Purified Water, and add the washings to the main solution. to: Rinse the grains by swirling with three 15-mL portions of Carbon Dioxide-Free Water, and add the

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Omega-3-Acid Ethyl Esters Capsules	SPECIFIC TESTS/ <i>Microbial Enumeration</i> <61>	<i>First Supplement to USP35–NF30</i>	5524	30-Nov-2012		1-Dec-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	washings to the main solution. Line 2: Change 10^3 to: 10^3 cfu/g AND Line 3: Change 10^2 to: 10^2 cfu/g
Olanzapine Tablets	IM PUR ITIES/ <i>Organic Impurities</i>	<i>Revision Bulletin (Official July 01, 2012)</i>	Online	30-Nov-2012		1-Dec-2012	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	Line 11 of <i>Analysis</i> : Change C_U = concentration of olanzapine in the <i>Sample solution</i> (mg/mL) to: C_U = nominal concentration of olanzapine in the <i>Sample solution</i> (mg/mL)
Polysorbate 80	SPECIFIC TESTS/ <i>Fats and Fixed Oils, Saponification</i>	<i>USP35–NF30</i>	1920	30-Nov-2012		1-Dec-2012	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	Line 3 of <i>Analysis</i> : Change 0.5 N alcoholic

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							potassium hydroxide to: 0.5 N alcoholic potassium hydroxide VS
							Line 6 of <i>Analysis:</i> Change 0.5 N hydrochloric acid to: 0.5 N hydrochloric acid VS
GANCICLOVIR ASSAY ORAL SUSPENSION	<i>USP35–NF30</i>	3319	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Line 1 of <i>Internal standard solution:</i> Change 4 mg per mL to: 0.4 mg per mL
POLYVINYL ALCOHOL	<i>Identification test C</i>	<i>USP35–NF30</i> 4351	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Line 5: Change Add 10 mL of alcohol to the remaining 5 mL of the polyvinyl alcohol solution,

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TYROSINE	IM PUR ITIES/ <i>Heavy Metals</i> <231>	USP35–NF30	4976	28-Sep-2012		1-Oct-2012	USP37–NF32	<i>First Supplement to USP36–NF31</i>	and mix to: Add 10 mL of alcohol to the remaining 2 mL of the polyvinyl alcohol solution, and mix. Line 1: Change <i>Method I</i> to: <i>Method II</i>
TRIBASIC CALCIUM PHOSPHATE	IDENTIFICATIO N/ <i>Test A</i>	USP35–NF30	1719	28-Sep-2012		1-Oct-2012	USP37–NF32	<i>First Supplement to USP36–NF31</i>	Line 1 of the <i>Sample solution</i> : Change Dissolve 100 mg in 5 mL of diluted nitric acid. to: A solution in a slight excess of nitric acid
ESOMEPRAZOLE MAGNESIUM DELAYED- RELEASE CAPSULES	PERFORMANC E DTESTS/ <i>Dissolution</i> <711>	<i>First Supplement to USP35–NF30</i>	5473	28-Sep-2012		1-Oct-2012	USP37–NF32	<i>First Supplement to USP36–NF31</i>	Line 4 of <i>Medium</i> : Change and adjust with 2 N hydrochloric acid or 2 N sodium, if

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
POLYETHYLENE OXIDE	IMPURITIES/ <i>Organic Impurities/Procedure: Limit of Free Ethylene Oxide</i>	<i>USP35–NF30</i>	1906	28-Sep-2012		1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	necessary, to a pH to: and adjust with 2 N hydrochloric acid or 2 N sodium hydroxide, if necessary, to a pH Line 2 of <i>System suitability: Change Samples: Standard stock solution and Standard solution C</i> to: <i>Sample: Standard solution C</i>
ELEMENTAL IMPURITIES—DRUGS AND SUBSTANCES AND EXCIPIENTS		<i>Second Supplement to USP35–NF30</i>	5633	28-Sep-2012		1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Rows 11 and 15 of <i>Column 2 of Table 2: Change 100 to: 10 AND</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<p>Rows 11 and 15 of <i>Column 3</i> of <i>Table 2</i>: Change 10 to: 1.0 AND Row 11 of <i>Column 4</i> of <i>Table 2</i>: Change 1.5 to: 0.15 AND Row 15 of <i>Column 4</i> of <i>Table 2</i>: Change 30 to: 3.0</p>
ZEIN		IDENTIFICATIO N/C. SDS- <i>Polyacrylamide</i> <i>Gel</i> <i>Electrophoresis</i>	USP35–NF30 2019	28-Sep-2012		1-Oct-2012	USP37–NF32	<i>First Supplement to USP36–NF31</i>	<p>Lines 1 and 2 of the <i>Acceptance criteria</i>: Change Zein has two major bands: the ? band is at 21–25 kDa, and the ? band is at</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZITHROMYCIN FOR INJECTION	IM PURITIES/Limit of Aminoazithromycin, Formamido Analog, Methylformamido Analog, and 3?-De(dimethylamino)-3?-oxoazithromycin	Second Supplement to USP35-NF30	5910	28-Sep-2012		1-Oct-2012	USP37-NF32	First Supplement to USP36-NF31	17–18 kDa. to: Zein has two major bands for ?-zein at 19–26 kDa. Row 11 of Table 2: Change 3?-Demethyl-3?-N -[(4-methylphenyl)sulfonyl]azithromycin to: 3?-N -D eme thyl-3?-N -[(4-methylphenyl)sulfonyl]azithromycin
CHLOROPHYLLIN COPPER COMPLEX SODIUM	SPECIFIC TESTS/Loss on Drying <231>	USP35-NF30	2628	28-Sep-2012		1-Oct-2012	USP37-NF32	First Supplement to USP36-NF31	Line 1: Change 150° to: 105°
METRONIDAZOLE	Related compounds	USP35-NF30	3905	28-Sep-2012		1-Oct-2012	USP37-NF32	First Supplement to USP36-NF31	Line 19 of Procedure: Change r

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PRILOCAINE AND EPINEPHRINE INJECTION	Assay for epinephrine	USP35–NF30	4411	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	is the peak response for any unspecified degradation product peak in the <i>Test solution</i> to: r_i is the peak response for any single unspecified impurity in the <i>Test solution</i> Line 7 of <i>Procedure</i> : Change 183.21/333.30 to: 183.20/333.29 AND Line 8 of <i>Procedure</i> : Change 183.21 and 333.30 to: 183.20 and 333.29
DESCRIPTION AND	Ethylcellulose Dispersion Type	USP35–NF30	1118	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to	Lines 3 and 4: Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SOLUBILITY	B							USP36–NF31	in toluene, in chloroform, and in ethyl acetate; insoluble in water, in glycerin, and in propylene glycol. to: in tetrahydrofuran, and in ethyl acetate; insoluble in water and in chloroform.
DELIVERABLE ACCEPTANCE VOLUME	CRITERIA/For Multiple-Unit Containers	First Supplement to USP35–NF30	5154	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Figure 1, right branch, left box: Change Volume of 1 more containers is less than 95% LV to: Volume of 1 or more containers is less than 95% LV
MAGNESIUM STEARATE	IM PUR ITIES/Chloride	USP35–NF30	1847	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 3: Change 0.020 N sulfuric acid (1.0%)

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									to: 0.020 M sulfuric acid (1.0%)
TACROLIMUS	IM PUR ITIES/ Procedure 2	<i>First Supplement to USP35–NF30</i>	5538	28-Sep-2012		1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Footnote h of Table 3: Change (3S,4R,5S,8S,9E,12S,14S,15R,16S,18R,19R,26aS)-5,6,8,11,12,13,14,15,16,17,18,19,24,25,26,26a-hexadecahydro-5,19-dihydroxy-3-((E)-2-[(1R,3R,4R)-4-hydroxy-3-methoxycyclohexyl]-1-methylvinyl)-14,16-dimethoxy-4,10,12,18-tetramethyl-15,19-epoxy-8-propyl-3H-pyrido[2,1-c][1,4]oxaazacyclotricosine-1,7,20,21(4H,23H)

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SODIUM HYDROXIDE	ASSAY/ Procedure	USP35–NF30	1955	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31)-trone. to: (3S,4R,5S,8R,9E,12S,14S,15R,16S,18R,19R,26aS)-5,6,8,11,12,13,14,15,16,17,18,19,24,25,26,26a-hexadecahydro-5,19-dihydroxy-3-{{E}})-2-[(1R,3R,4R)-4-hydroxy-3-methoxycyclohexyl]-1-methylvinyl}-14,16-dimethoxy-4,10,12,18-tetramethyl-15,19-epoxy-8-propyl-3H-pyridod[2,1-c][1,4]oxaazacyclotricosine-1,7,20,21(4H,23H)-trone. Line 10 of Analysis: Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Result = $\{[(V_{S1} ? V_B) \times N \times F_1]/W\} \times 100$ to: Result = $\{[(V_{S2} ? V_B) \times N \times F_1]/W\} \times 100$ AND Line 11 of <i>Analysis:</i> Change V_{S1} to: V_{S2} Row 13 of Column 4 of Table 1: Change 250 to: 10 Change the subsection <i>Buffer</i> and <i>Diluent</i>: Prepare as directed in the Assay. to: <i>Diluent</i>: Prepare as directed in the Assay.</p>
ELEMENTAL IMPURITIES—LIPRODUCTS/ <i>Large Volume Parenterals</i>	<i>Second Supplement to USP35–NF30</i>	5633	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	
ALPRAZOLAM IM ORALLY-DISINTEGRATING TABLETS	<i>USP35–NF30</i>	2106	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
INDINAVIR SULFATE	OTHER COMPONENTS/ <i>Procedure 2: Content of Alcohol</i>	USP35–NF30	3489	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	<p>Buffer: 6.8 g/L of monobasic potassium phosphate in water. Adjust with phosphoric acid to a pH of 3.0.</p> <p>Line 6 of <i>Chromatographic system</i> in the subsection <i>Column:</i> Change G14 to: G16</p>
POVIDONE	IMPURITIES/ <i>Limit of Aldehydes</i>	USP35–NF30	4379	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	<p>Line 15 of <i>Analysis:</i> Change $\text{Result} = 10 \times (C/W) \times \left\{ \frac{(A_{U2} \times A_{U1}) \times (A_{B2} \times A_{B1})}{(A_{S2} \times A_{S1}) \times (A_{B2} \times A_{B1})} \right\}$ to: $\text{Result} = 100 \times (C_S/C_U) \times \left\{ \frac{(A_{U2} \times A_{U1}) \times (A_{B2} \times A_{B1})}{(A_{S2} \times A_{S1}) \times (A_{B2} \times A_{B1})} \right\}$</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
VINORELBINE ASSAY/ TARTRATE Procedure	USP35–NF30	5027	28-Sep-2012	1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	B_1)]} AND Line 17 of <i>Analysis:</i> Change C = concentration of acetaldehyde in the <i>Standard solution</i> (mg/mL) W = weight of Povidone taken (g) to: C _S = concentration of acetaldehyde in the <i>Standard solution</i> (mg/mL) C _U = concentration of <i>Sample solution</i> (mg/mL) Line 1 of <i>Relative standard deviation in System suitability.</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CALCIUM SULFATE	ASSAY/ Procedure	USP35–NF30	1724	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Change NLT 2.0% to: NMT 2.0% Line 5 of <i>Titrimetric system</i> : Delete the subsection <i>Blank</i> : 100 mL of water and 4 mL of 3 N hydrochloric acid AND Line 11 of <i>Analysis</i> : Delete the sentence Perform a blank determination. AND Line 13 of <i>Analysis</i> : Change Result = $[(V \times B) \times N \times F \times 100] / W$ to: Result = $[(V \times N \times F) / W] \times 100$ AND Line 15 of

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ESOMEPRAZO IM LE PUR MAGNESIUM DITIES/ <i>Organic</i> ELAYED- RELEASE CAPSULES	<i>First Supplement to USP35–NF30</i> <i>Impurities</i>	5473	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	<i>Analysis: Delete B = volume of titrant consumed by the Blank (mL) Line 1 of Sample solution: Change Transfer a portion of the powdered pellets, from the Capsule content, equivalent to 80–90 mg of esomeprazole, to a 200-mL volumetric flask, add 20 mL of methanol, and shake for 30 s. to: Transfer a portion of the powdered pellets (about 80–90 mg), from the Capsule</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
POLYSORBATE 20 SPECIFIC TESTS/ <i>Acid Value</i>	<i>USP35–NF30</i>	1919	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	content, to a 200-mL volumetric flask, add 20 mL of methanol, and shake for 30 s. Line 1 of <i>Sample:</i> Change 10.0 to: 10.0 g
ELEMENTAL IMPURITIES—LITESTING MITS	<i>Second Supplement to USP35–NF30</i>	5633	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Line 6: Change Pd to: Pb
ACETAZOLAMIDE FOR INJECTION	<i>USP35–NF30</i>	2063	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Line 19: Change $25C(A_U/A_S)$ to: $250C(A_U/A_S)$
AZITHROMYCIN FOR INJECTION	<i>Second Supplement to USP35–NF30 of Azithromycin N-Oxide, Desosaminylazithromycin, and N-Demethylazithromycin</i>	5910	28-Sep-2012	1-Oct-2012	<i>USP37–NF32</i>	<i>First Supplement to USP36–NF31</i>	Line 5 of <i>Analysis:</i> Change Result = $(r_U/r_S) \times (C_S/C_U) \times P \times F \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times P \times$

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLUTICASONE IM PROPIONATE PUR ITIES/ <i>Organic Impurities</i>	USP35–NF30	3261	28-Sep-2012	1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	100 Line 1 of the Sample solution: Change 2.0 mg/mL to: 0.2 mg/mL
NAFTIFINE HY DROCHLORID E GEL	<i>Content of alcohol</i>	USP35–NF30 3983	28-Sep-2012	1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 4 of Procedure: Change Calculate the quantity, in mg, of C ₂ H ₅ OH in the portion of Gel taken by the formula: to: Calculate the percentage of C ₂ H ₅ OH in the portion of Gel taken by the formula:
RIBAVIRIN TABLETS	ASSAY/ <i>Procedure</i>	USP35–NF30 4544	28-Sep-2012	1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 5 of System suitability in subsection Tailing factor: Change NLT 2.0

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BENTONITE	IDENTIFICATIO N/A. X-Ray Diffraction <941>	USP35–NF30	1705	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	to: NMT 2.0 Line 4 of Acceptance criteria: Change from the pattern of <i>Sample B</i> is 1.492 and 1.504 Å. to: from the pattern of <i>Sample B</i> is between 1.492 and 1.504 Å.
DIVALPROEX SODIUM EXTE NDED- RELEASE TABLETS	PERFORMANC E TESTS/ Dissolution <711>/Test 3	First Supplement to USP35–NF30	5460	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Line 2 of Analysis: Change <i>Samples: Acid stage standard solution, Buffer stage standard solution, Acid stage sample solutions, and Buffer stage sample solutions</i> to: <i>Samples: Acid stage standard solution, Buffer</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METHYL ALCOHOL	ASSAY/ Procedure	USP35–NF30	1865	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	stage standard solution, and Sample solutions Line 9 of System suitability: Change Tailing factor. NLT 1.5 for methyl alcohol, System suitability solution to: Tailing factor. NMT 1.5 for methyl alcohol, System suitability solution
TACROLIMUS CAPSULES	IM PUR ITIES/ Procedure 2	First Supplement to USP35–NF30	5541	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Footnote j of Table 5: Change (3S,4R,5S,8S,9E,12S,14S,15R,16S,18R,19R,26aS)-5,6,8,11,12,13,14,15,16,17,18,19,24,25,26,26a

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>-hexadecahydro-5,19-dihydroxy-3-<i>{(E)}</i>-2-[(1<i>R</i>,3<i>R</i>,4<i>R</i>)-4-hydroxy-3-methoxycyclohexyl]-1-methylvinyl}-14,16-dimethoxy-4,10,12,18-tetramethyl-15,19-epoxy-8-propyl-3<i>H</i>-pyridod[2,1-<i>c</i>][1,4]oxaazacyclotricosine-1,7,20,21(4<i>H</i>,23<i>H</i>)-tetrone.</p> <p>to:</p> <p>(3<i>S</i>,4<i>R</i>,5<i>S</i>,8<i>R</i>,9<i>E</i>,12<i>S</i>,14<i>S</i>,15<i>R</i>,16<i>S</i>,18<i>R</i>,19<i>R</i>,26<i>aS</i>)-5,6,8, 11,12,13,14,15,16,17,18,19,24,25,26,26<i>a</i>-hexadecahydro-5,19-dihydroxy-3-<i>{(E)}</i>-2-[(1<i>R</i>,3<i>R</i>,4</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TREHALOSE	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP35–NF30	2007	28-Sep-2012		1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	R)-4-hydroxy-3-methoxycyclohexyl]-1-methylvinyl}-14,16-dimethoxy-4,10,12,18-tetramethyl-15,19-epoxy-8-propyl-3H-pyrido[2,1-c][1,4]oxaazacyclotricosine-1,7,20,21(4H,23H)-tetrone. Line 2: Delete USP Glycerin RS

Pagination

- [First page](#) « [First](#)
- [Previous page](#) ‹ [Previous](#)
- ...
- [Page 24](#)
- [Page 25](#)
- [Page 26](#)
- [Page 27](#)

-
- [Page 28](#)
 - [Page 29](#)
 - [Page 30](#)
 - [Page 31](#)
 - [Page 32](#)
 - [Next page Next ›](#)
 - [Last page Last »](#)