

[x](#)

## How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
  - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
  - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
  - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source</a> <a href="#">Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post</a> <a href="#">Date</a> <a href="#">Sort</a> <a href="#">ascending</a>	<a href="#">Errata Official</a> <a href="#">Date</a>	<a href="#">Target Errata</a> <a href="#">Print Publication</a>	<a href="#">Target Online</a> <a href="#">Fix Publication</a>	Description
POTASSIUM M SPECIFIC	USP36–NF31	2172	27-Sep-2013	1-Oct-2013	USP38–NF33	First	Line 1: Change

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ETAPHOSPHA TE	TESTS/ <i>Viscosity—Capillary Viscometer Methods &lt;911&gt; and Rotational Rheometer Methods &lt;912&gt;</i>							<i>Supplement to USP37–NF32</i>	and to: or
ISOSORBIDE MONONITRATE EXTENDED- RELEASE TABLETS	IMPURITIES/ <i>Organic Impurities, Procedure 2</i>	<i>First Supplement to USP36–NF31</i>	5996	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 3: Change the section head <i>Isosorbide mononitrate related compound A stock solution:</i> to: <i>Isosorbide mononitrate related compound A standard stock solution:</i> AND Line 7: Change the section head <i>Isosorbide dinitrate stock solution:</i> to: <i>Isosorbide</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<i>dinitrate standard stock solution:</i> AND Line 3 of <i>Standard stock solution:</i> Change <i>Isosorbide mononitrate related compound A stock solution and Isosorbide dinitrate stock solution,</i> to: <i>Isosorbide mononitrate related compound A standard stock solution and Isosorbide dinitrate standard stock solution,</i> Line 1 of Sample: Change 1 g of the
SORBITAN SE IDENTIFICATIO SQUIOLEATE N/A.	USP36–NF31	2215	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
PANCURONIUM BROMIDE INJECTION	IM PUR ITIES/ <i>Organic Impurities</i>	<i>Second Supplement to USP36–NF31</i>	6677	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	residue obtained in the <i>Assay for Fatty Acids</i> to: Residue obtained in the <i>Assay for Fatty Acids</i> AND Line 2 of <i>Acceptance criteria</i> : Change 192–204 to: 192–204 on 1-g sample Footnote a of <i>Table 1</i> : Change Piperidinium, 1-[(2,3,5,16,17)-17-acetyloxy-3-hydroxy-2-(1-piperidinyl)androstan-16-yl]-1-methyl bromide. to: Piperidinium, 1-[(2,3,5,16,17)-17-acetyloxy-3-h

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CAFFEINE CITRATE INJECTION	Assay	USP36–NF31	2732	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	hydroxy-2-(1-piperidiny)androst an-16-yl]-1-methyl. Line 3 of <i>Chromatographic system</i> : Change 150-cm column to: 15-cm column
BEHENOYL POIM LYOXYLGLYC ERIDES	PURITIES/ <i>Limit of Free Glycerol /Titrimetric system</i>	USP36–NF31	1892	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of <i>Mode</i> : Change Direct titration to: Residual titration
ESOMEPRAZO LE MAGNESIUM	SPECIFIC TESTS/ <i>Color of Solution</i>	USP36–NF31	3464	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of <i>Sample solution</i> : Change 20 mg/mL of Esomeprazole Magnesium in methanol to: 20 mg/mL of Esomeprazole Magnesium in methanol, filtered

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
EGG PHOSPH OLIPIDS	ASSAY/ <i>Content of Phospholipids</i>	USP36–NF31	2000	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 2 of <i>Solution A</i> : Change acetic acid to: glacial acetic acid AND Line 2 of <i>Solution B</i> : Change acetic acid to: glacial acetic acid
OCTOCRYLEN E	<i>Identification, Ultraviolet Absorption &lt;197U&gt;</i>	USP36–NF31	4557	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 4: Change Absorptivities, calculated on the as-is basis, to: Absorptivity at 303 nm, calculated on the as-is basis,
LAUROYL POL IM YOXYLGLYCE RIDES	PURITIES/ <i>Limit of Free Glycerol</i>	USP36–NF31	2064	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Mode in Titrimetric system</i> : Change Direct titration to: Residual titration

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>AND  Line 10 of  <i>Analysis</i>:  Change  (<math>V_S</math> ? <math>V_B</math>)  to:  (<math>V_B</math> ? <math>V_S</math>)</p> <p>AND  Line 11 of  <i>Analysis</i>:  Change  <math>V_S = \textit{Titrant}</math>  volume  consumed by  the <i>Sample</i>  (mL)  <math>V_B = \textit{Titrant}</math>  volume  consumed by  the <i>Blank</i> (mL)  to:  <math>V_B = \textit{Titrant}</math>  volume  consumed by  the <i>Blank</i> (mL)  <math>V_S = \textit{Titrant}</math>  volume  consumed by  the <i>Sample</i>  (mL)</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
RIMEXOLONE OPTHALMIC SUSPENSION	<i>Viscosity—Capillary Viscometer Methods &lt;911&gt; and Rotational Rheometer Methods &lt;912&gt;</i>	USP36–NF31	5053	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1: Change and to: or
POLYOXYL 20 CETOSTEARYL ETHER	SPECIFIC TESTS/Average Polymer Length	USP36–NF31	2155	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 16 of Analysis: Change Result = $[32 \times A_2 / (A_1 \times 3)] / 4$ to: Result = $[(32 \times A_2 / A_1) \times 3] / 4$
URSODIOL TABLETS	IMPURITIES/Organic Impurities/Procedure	USP36–NF31	5520	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 2 of Sample solution: Change Tablets, equivalent to about 25 mg of ursodiol, to: Tablets, equivalent to about 250 mg of ursodiol,
SORBITAN MONOPALMITATE	IDENTIFICATION N/A.	USP36–NF31	2213	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of Sample: Change 1 g of the

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									residue obtained in the <i>Assay for Fatty Acids</i> to: Residue obtained in the <i>Assay for Fatty Acids</i> AND Line 2 of <i>Acceptance criteria</i> : Change 210–225 to: 210–225 on 1-g sample
BETHANECHOL CHLORIDE	IMPURITIES/Heavy Metals, Method 1 <231>	<i>Second Supplement to USP36–NF31</i>	6568	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Test preparation</i> : Change Bethacholine Chloride to: Bethanechol Chloride
STEARYL ALCOHOL	SPECIFIC TESTS/ <i>Fats and Fixed Oils, Hydroxyl Value</i> <401>	<i>USP36–NF31</i>	2252	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 14 of <i>Analysis</i> : Change $[(V_S - V_B) \times N \times F]/W$ to:

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p> <math>[(V_B - V_S) \times N \times M_r] / W</math>  AND  Line 15 of  <i>Analysis:</i>  Change  <math>V_S</math> = volume of  1 N sodium  hydroxide  consumed by  the sample (mL)  <math>V_B</math> = volume of  1 N sodium  hydroxide  consumed by  the blank test  (mL)  to:  <math>V_B</math> = volume of  1 N sodium  hydroxide  consumed by  the blank test  (mL)  <math>V_S</math> = volume of  1 N sodium  hydroxide  consumed by  the sample (mL)  AND  Line 21 of </p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ACETYLTRIBUTYL CITRATE IDENTIFICATION N/B.	USP36–NF31	1869	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	<p><i>Analysis:</i> Change <math>F</math> = molecular weight of potassium hydroxide, 56.11 to: <math>M_r</math> = molecular weight of potassium hydroxide, 56.11</p> <p>Line 2: Change USP Acetyltriethyl Citrate RS to: USP Acetyltributyl Citrate RS</p>
CLAVULANATE IM POTASSIUM PURITIES/Organic Impurities/Procedure 3: Limit of Aliphatic Amines	USP36–NF31	3022	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	<p>In the definition list in <i>Analysis:</i> Change <math>C_U</math> = nominal concentration of Clavulanate Potassium in the <i>Standard solution</i> to:</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CETOSTEARY SPECIFIC L ALCOHOL TESTS/ <i>Fats and Fixed Oils, Hydroxyl Value &lt;401&gt;</i>	USP36–NF31	1954	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	<p><math>C_U</math> = nominal concentration of Clavulanate Potassium in the <i>Sample solution</i></p> <p>Line 1 of <i>Mode in Titrimetric system</i>: Change Direct titration to: Residual titration AND Line 16 of <i>Analysis</i>: Change Result = <math>[(V_S ? V_B) \times F]/W</math> to: Result = <math>[(V_B ? V_S) \times N \times M_r]/W</math> AND Line 17 of <i>Analysis</i>: Change <math>V_S = \textit{Titration volume consumed by the Sample (mL)}</math></p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MERCAPTOPYRIMIDINE TABLETS PUR ITIES/Organic Impurities/Procedure	USP36–NF31	4249	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	$V_B$ = Titrant volume consumed by the <i>Blank</i> (mL) $F$ = calculation factor, 56.1 to: $V_B$ = Titrant volume consumed by the <i>Blank</i> (mL) $V_S$ = Titrant volume consumed by the <i>Sample</i> (mL) $N$ = actual normality of 1 N sodium hydroxide (mEq/mL) $M_r$ = molecular weight of potassium hydroxide, 56.11 Line 6 of <i>Sample stock solution:</i> Change Dilute with

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
GLYCERYL MOASSAY/ NOLINOLEATE	<i>Procedure</i>	USP36–NF31	2030	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	water to volume. to: Dilute with <i>Solution A</i> to volume. Line 13 of <i>Chromatographic system</i> : Change <i>Column temperature</i> : 40° to: <i>Temperatures Detector</i> . 40° <i>Column</i> : 40°
QUININE SULFATE	IM PUR ITIES/ <i>Dihydroquinine Sulfate</i>	USP36–NF31	4995	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 5 of <i>Analysis</i> : Change Result = $(r_U/r_S) \times 100$ to: Result = $r_U/(r_U + r_S) \times 100$
POLYISOBUTYLENE	IM PURITIES/ <i>Lead &lt;251&gt;</i>	USP36–NF31	2149	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of <i>Acceptance criteria</i> : Change NMT 3 mg/g to: NMT 3 ?g/g

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
TERAZOSIN CAPSULES	PERFORMANC E TESTS/ <i>Dissolution &lt;711&gt;/Test 1/Spectrometric conditions</i>	USP36–NF31	5308	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Analytical wavelength:</i> Change UV 245 nm to: UV 246 nm AND Line 3 of <i>Cell length:</i> Change 0.2 cm for Capsules labeled to contain 10 mg to: 0.5 cm for Capsules labeled to contain 10 mg
SORBITAN MO IDENTIFICATIO NOLAURATE	N/A.	USP36–NF31	2212	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Sample:</i> Change 1 g of the residue obtained in the <i>Assay for Fatty Acids</i> to: Residue obtained in the <i>Assay for Fatty</i>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									Acids AND Line 2 of <i>Acceptance criteria</i> : Change 260–280 to: 260–280 on 1-g sample
LOPINAVIR AND RITONAVIR TABLETS	PERFORMANC E TESTS/ <i>Dissolution</i> <711>	<i>First Supplement to USP36–NF31</i>	6005	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Tolerances</i> : Change 80.0% to: 80%
SORBITAN TRIOLEATE	IDENTIFICATIO N/A.	<i>USP36–NF31</i>	2216	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Sample</i> : Change 1 g of the residue of oleic acid obtained in the <i>Assay for Fatty Acids</i> to: Residue obtained in the <i>Assay for Fatty Acids</i> AND Line 2 of <i>Acceptance</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
POLYMYXIN B IM SULFATE PUR ITIES/ <i>Organic Impurities</i>	<i>Second Supplement to USP36–NF31</i>	6686	27-Sep-2013	1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	<i>criteria: Change 192–204 to: 192–204 on 1-g sample Line 2: Change Buffer, Mobile phase, Diluent, Sensitivity solution, to: Buffer, Mobile phase, Diluent, Standard solution, Sensitivity solution, AND Line 1 of Samples in Analysis: Change Standard solution, Sample solution, and Sensitivity solution to: Sample solution</i> Line 17 of
ELEMENTAL I DRUG	<i>USP36–NF31</i>	151	27-Sep-2013	1-Oct-2013	<i>USP38–NF33</i>	<i>First</i>	

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MPURITIES—LIP MITS	RO DUCTS/ <i>Options for Demonstrating Compliance</i>							<i>Supplement to USP37–NF32</i>	<i>Summation Option: Change the manufacturer must validate to: the manufacturer must ensure</i>
CAFFEINE CITRATE ORAL SOLUTION	<i>Assay</i>	<i>USP36–NF31</i>	2733	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 3 of <i>Chromatographic system: Change 150-cm column to: 15-cm column</i>
BETADEX	IM PURITIES/ <i>Limit of Reducing Sugars</i>	<i>USP36–NF31</i>	1905	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 3 of <i>Tartrate solution: Change 20 mg/mL of anhydrous sodium sulfate to: 200 mg/mL of anhydrous sodium sulfate</i>
ETHIODIZED OIL INJECTION	<i>Viscosity—Capillary Viscometer Methods &lt;911&gt; and Rotational</i>	<i>USP36–NF31</i>	3505	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 1: <i>Change and to: or</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
DIPHENHYDRAMINE HYDROCHLORIDE INJECTION	<i>Rheometer Methods &lt;912&gt;</i> Assay USP36–NF31	3276	26-Jul-2013	1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 2: Change <i>Mobile phase, Standard preparation, System suitability solution, and Chromatographic system</i> —Prepare as directed in the Assay under <i>Diphenhydramine Hydrochloride</i> . to: <i>Mobile phase</i> —Prepare a solution of acetonitrile, water, and triethylamine (50: 50: 0.5), adjust with glacial acetic acid to a pH of 6.5, filter, and degas. Make adjustments if

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>necessary (see <i>System Suitability</i> under <i>Chromatography</i> &lt;621&gt;). <i>Standard preparation</i></p> <p>—Dissolve an accurately weighed quantity of USP Diphenhydramine Hydrochloride RS in water to obtain a solution having a known concentration of about 0.5 mg per mL.</p> <p>AND</p> <p>After the <i>Assay preparation</i> subsection: Add <i>System suitability solution</i></p> <p>—Dissolve about 5 mg of</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>benzophenone in 5 mL of acetonitrile, dilute with water to 100 mL, and mix. Transfer 1.0 mL of this solution and 5 mg of diphenhydramine hydrochloride to a 10-mL volumetric flask, dilute with water to volume, and mix.</p> <p><i>Chromatographic system (see Chromatography &lt;621&gt;)</i>—The liquid chromatograph is equipped with a 254-nm detector and a 4.6-mm x 25-cm column that contains packing L10. The flow rate is about 1 mL per</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>minute.</p> <p>Chromatograph the <i>System suitability solution</i>, and record the peak responses as directed for <i>Procedure</i>; the resolution, <i>R</i>, between the benzophenone and diphenhydramine peaks is not less than 2.0.</p> <p>Chromatograph replicate injections of the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>; the relative standard deviation is not more than 2.0%, and the tailing factor for</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>the diphenhydramine hydrochloride peak is not more than 2.0. AND</p> <p>Line 1 of <i>Procedure:</i> Change Proceed as directed for <i>Procedure</i> in the Assay under <i>Diphenhydramine Hydrochloride</i>. to:</p> <p>Separately inject equal volumes, about 10 µL, of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph, record the chromatograms, and measure the responses</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
FEXOFENADIN ASSAY/ E HYDROCHLORIDE TABLETS <i>Procedure</i>	USP36–NF31	3576	26-Jul-2013	1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	for the major peaks. Line 6 of <i>Sample stock solution</i> : Change (equivalent to 80% of the total flask volume) to: (sufficient to fill the flask to 80% of its volume)
NIFEDIPINE EXPERMANC TENDED- RELEASE TABLETS <i>E TESTS/ Dissolution &lt;711&gt;/Test 4/Instrumental conditions</i>	USP36–NF31	4509	26-Jul-2013	1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Cell</i> : Change 0.5 cm to: 1 cm
GYMNEMA IDENTIFICATIO N/B. <i>Thin-Layer Chromatography/ Chromatographic system</i>	<i>First Supplement to USP36–NF31</i>	5880	26-Jul-2013	1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 2 of <i>Adsorbent</i> : Change 5m to: 5 µm
POWDERED STINGING NETTLE EXTRACT <i>Composition/Content of Total Amino Acids</i>	USP36–NF31	1608	26-Jul-2013	1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Reagent solution</i> : Change Solution

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
OXCARBAZEPINE	PUR ITIES/ <i>Organic Impurities, Procedure 1</i>	6035	26-Jul-2013	1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	containing 1.00 g of ninhydrin, 1.50 g of hydrindantin, to: Solution containing 1.00 g of ninhydrin, 150 mg of hydrindantin, Row 4 of Column 1 of Table 1: Change Dibenzazepinone <sup>b</sup> to: Oxcarbazepine related compound E AND Delete footnote b AND Reletter the following footnotes in both the table and footnote definitions: c to b

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CALCIUM CARBONATE	IMPURITIES	USP36–NF31	2747	26-Jul-2013		1-Aug-2013	USP38–NF33	First Supplement to USP37–NF32	d to c e to d Line 1 of Acceptance criteria in <i>Limit of Fluoride</i> : Change 50 ppm to: NMT 50 ppm AND Line 1 of Acceptance criteria in <i>Mercury, Method IIa</i> <261>: Change 0.5 ppm to: NMT 0.5 ppm
CRYOPRESERVED HUMAN FIBROBLAST-DERIVED DERMAL SUBSTITUTE	<i>Total collagen content</i>	USP36–NF31	3155	26-Jul-2013		1-Aug-2013	USP38–NF33	First Supplement to USP37–NF32	Line 7 of <i>Collagen calibration standards</i> : Change by adding 25 mL, 50 mL, 100 mL, and 200 mL, to: by adding 25

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
EDETATE DISODIUM	ASSAY/ <i>Procedure</i>	USP36–NF31	3370	26-Jul-2013		1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	?L, 50 ?L, 100 ?L, and 200 ?L, Line 16 of <i>Analysis</i> : Change Calculate the percentage of edetate disodium to: Calculate the weight of edetate disodium AND Line 19 of <i>Analysis</i> : Change Result = $(V_T/V_U) \times W \times (M_{r1}/M_{r2}) \times 100$ to: Result = $(V_T/V_U) \times W \times (M_{r1}/M_{r2})$
LEVOFLOXACIN	ADDITIONAL REQUIREMENT S/USP <i>Reference Standards &lt;11&gt;</i>	USP36–NF31	4099	26-Jul-2013		1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 2 of USP Levofloxacin Related Compound A RS: Change (S

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>)-9-Fluoro-3-methyl-10-(piperazin-1-yl)-7-oxo-2,3-dihydro-7H-pyrido[1,2,3-de][1,4-benzoxazine-6-carboxylic acid.</p> <p>to:</p> <p>(S)-9-Fluoro-3-methyl-10-(piperazin-1-yl)-7-oxo-2,3-dihydro-7H-pyrido[1,2,3-de][1,4]benzoxazine-6-carboxylic acid.</p> <p>AND</p> <p>Line 2 of USP Levofloxacin Related Compound B RS: Change (S</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							)-9,10-Difluoro-3-methyl-7-oxo-2,3-di hydro-7H -p yrido [1,2,3- <i>de</i> ] [1,4-benzoxazine-6-carboxylic acid. to: (S )-9,10-Difluoro-3-methyl-7-oxo-2,3-di hydro-7H -p yrido [1,2,3- <i>de</i> ] [1,4]benzoxazine-6-carboxylic acid.
VENLAFAXINE ADDITIONAL R HYDROCHLOR EQUIREMENT IDE	USP36–NF31 S/USP Reference Standards <11>	5551	26-Jul-2013	1-Aug-2013	USP38–NF33	First Supplement to USP37–NF32	Line 2 of Venlafaxine Related Compound A RS: Change 1-(1-(4-methoxy phenyl)-2-(meth

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									ylamino)ethyl)cyclohexanol. C <sub>16</sub> H <sub>25</sub> NO <sub>2</sub> 263.38 to: 1-(1-(4-Methoxyphenyl)-2-(methylamino)ethyl)cyclohexanol hydrochloride. C <sub>16</sub> H <sub>25</sub> NO <sub>2</sub> · HCl 299.84
STINGING NETTLE	COMPOSITION <i>/Content of Total Amino Acids</i>	USP36–NF31	1604	26-Jul-2013		1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Reagent solution</i> : Change Solution containing 1.00 g of ninhydrin, 1.50 g of hydrindantin, to: Solution containing 1.00 g of ninhydrin, 150 mg of hydrindantin,
GENTAMICIN SULFATE	IM PURITIES/ <i>Limit of Methanol</i>	<i>First Supplement to USP36–NF31</i>	5990	26-Jul-2013		1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 11 of <i>Analysis</i> : Change

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>Result =  <math>(R_U/R_S) \times (C_S/C_U) \times D \times F \times 100</math>  to:  Result =  <math>(R_U/R_S) \times (C_S/C_U) \times D \times F</math>  AND  Line 18 of  <i>Analysis:</i>  Change  <math>C_S =</math>  percentage of methanol in the  <i>Standard solution</i> (% v/v)  to:  <math>C_S =</math>  percentage of methanol in the  <i>Standard solution</i>  AND  Line 23 of  <i>Analysis:</i>  Change  <math>F =</math> conversion factor, 0.001 g/mg  to:</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
AMOXICILLIN	IM PUR ITIES/ <i>Organic Impurities/Procedure</i>	USP36–NF31	2477	26-Jul-2013		1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	<i>F = conversion factor, 1000 mg/g</i> Line 2 of <i>Acceptance criteria</i> : Change [Note—The reporting limit is 0.03% of the amoxicillin peak from the <i>Standard solution</i> . ] to: [Note—The reporting limit is 0.03 times the amoxicillin peak from the <i>Standard solution</i> . ]
CLARITHROMYCIN EXTENDED-RELEASE TABLETS	PERFORMANCE TESTS/ <i>Dissolution &lt;711&gt;/Test 4</i>	USP36–NF31	3019	26-Jul-2013		1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 2 of <i>Standard solution</i> : Change and <i>Medium</i> (96:4). to: and <i>Medium</i> (4:96).
DIPHENHYDR	Assay	USP36–NF31	3277	26-Jul-2013		1-Aug-2013	USP38–NF33	<i>First</i>	Line 2: Change

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
AMINE HYDRO CHLORIDE ORAL SOLUTION						<i>Supplement to USP37–NF32</i>	<i>Mobile phase, Standard preparation, System suitability solution, and Chromatographic system—Prepare as directed in the Assay under Diphenhydramine Hydrochloride. to: Mobile phase—Prepare a solution of acetonitrile, water, and triethylamine (50: 50: 0.5), adjust with glacial acetic acid to a pH of 6.5, filter, and degas. Make adjustments if necessary (see System Suitability under</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p><i>Chromatography</i> &lt;621&gt;).  <i>Standard preparation</i>  —Dissolve an accurately weighed quantity of USP Diphenhydramine Hydrochloride RS in water to obtain a solution having a known concentration of about 0.5 mg per mL.  AND  After the <i>Assay preparation</i> subsection: Add <i>System suitability solution</i>  —Dissolve about 5 mg of benzophenone in 5 mL of acetonitrile,</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>dilute with water to 100 mL, and mix. Transfer 1.0 mL of this solution and 5 mg of diphenhydramine hydrochloride to a 10-mL volumetric flask, dilute with water to volume, and mix.</p> <p><i>Chromatographic system (see Chromatography &lt;621&gt;)</i>—The liquid chromatograph is equipped with a 254-nm detector and a 4.6-mm x 25-cm column that contains packing L10. The flow rate is about 1 mL per minute.</p> <p><i>Chromatograph the System</i></p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p><i>suitability solution</i>, and record the peak responses as directed for <i>Procedure</i>; the resolution, <i>R</i>, between the benzophenone and diphenhydramine peaks is not less than 2.0. Chromatograph replicate injections of the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>; the relative standard deviation is not more than 2.0%, and the tailing factor for the diphenhydramine hydrochloride</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
FLUPHENAZIN Assay	USP36–NF31	3639	26-Jul-2013	1-Aug-2013	USP38–NF33	First	<p>peak is not more than 2.0.  AND  Line 1 of  <i>Procedure:</i>  Change  Proceed as directed for  <i>Procedure</i> in the Assay under  <i>Diphenhydramine Hydrochloride.</i>  to:  Separately inject equal volumes, about 10 µL, of the  <i>Standard preparation</i> and the Assay  <i>preparation</i> into the chromatograph, record the chromatograms, and measure the responses for the major peaks.  Line 11 of</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
E DECANOATE INJECTION						<i>Supplement to USP37–NF32</i>	<i>Standard preparation: Delete (1:5) AND Line 8 of Assay preparation: Delete (1:5)</i>
OLMESARTAN IM MEDOXOMIL PURITIES/ <i>Organic Impurities/Impurity Table</i>	<i>USP36–NF31</i>	4570	26-Jul-2013	1-Aug-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Footnote d: Change ((5-Methyl-2-oxo-1,3-dioxol-4-yl)methyl 4-(2-hydroxypropan-2-yl)-2-propyl-1-((2'-(1-trityl-1H-tetrazol-5-yl)biphenyl-4-yl)methyl)-1H-imidazole-5-carboxylate. to: (5-Methyl-2-oxo-1,3-dioxol-4-yl)methyl 4-(2-hydroxypropan-2-yl)-2-propyl-1-((2'-trityl-1H

---

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									-tetrazol-5-yl)biphenyl-4-yl)methyl)-1 <i>H</i> -imidazole-5-carboxylate.

## Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- ...
- [Page 32](#)
- [Page 33](#)
- [Page 34](#)
- [Page 35](#)
- [Page 36](#)
- [Page 37](#)
- [Page 38](#)
- [Page 39](#)
- [Page 40](#)
- [Next page Next ›](#)
- [Last page Last »](#)